



## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

| CANDIDATE<br>NAME |  |  |                     |  |  |
|-------------------|--|--|---------------------|--|--|
| CENTRE<br>NUMBER  |  |  | CANDIDATE<br>NUMBER |  |  |

PHYSICS 0625/21

Paper 2 Core October/November 2013

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

Take the weight of 1 kg to be 10 N (i.e. acceleration of free fall =  $10 \,\text{m/s}^2$ ).

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

1 A wind turbine can be seen through the window of the IGCSE Physics class laboratory, as shown in Fig. 1.1.

For Examiner's Use



Fig. 1.1

The blades on the wind turbine are turning slowly, so a student uses a laboratory stopclock to time 40 rotations of the blades.

Fig. 1.2 shows the stopclock after 40 rotations of the blades.




Fig. 1.2

(a) (i) State the reading on the stopclock.

reading = ..... minutes ..... seconds [1]

(ii) Calculate the time, in seconds, for one rotation of the blades.

time for one rotation = ...... s [3]

| (b) | Later in the day, the blades of the wind turbine are found to take 15s to rotate once. | For               |
|-----|--|-------------------|
|     | The tip of the blade travels in a circle of circumference 75 m.                        | Examiner's<br>Use |
|     | Calculate the average speed of the tip of the blade.                                   |                   |
|     |  |                   |
|     |  |                   |
|     |  |                   |
|     | average enough   |                   |
|     | average speed =  |                   |
|     | [Total: 7]   |                   |

For Examiner's Use

| 2 | (a)        | The mass of 35 cm <sup>3</sup> of mercury is measured as 476 g.  |
|---|------------|--|
|   |            | Calculate the density of mercury. Give the unit.   |
|   |            |  |
|   |            |  |
|   |            |  |
|   |            |  |
|   |            | density =[4]   |
|   | (b)        | The density of water is much less than the density of mercury.   |
|   |            | How does the mass of 35 cm <sup>3</sup> of water compare with the mass of 35 cm <sup>3</sup> of mercury? |
|   |            | Tick one box.  |
|   |            | mass of water is less than mass of mercury   |
|   |            | mass of water is the same as mass of mercury   |
|   |            | mass of water is greater than mass of mercury  |
|   | <b>(0)</b> | [1]  |
|   | (c)        | The mercury in a thermometer expands when it is heated.  |
|   |            | (i) What happens to the mass of the mercury? Tick one box.   |
|   |            | decreases  |
|   |            | stays the same   |
|   |            | increases  |
|   |            | (ii) What happens to the density of the mercury? Tick one box.   |
|   |            |  |
|   |            | decreases  |
|   |            | stays the same   |
|   |            | increases [2]  |
|   |            | [Total: 7]   |
|   |            | [Total: 7]   |
|   |            |  |
|   |            |  |

For Examiner's Use

| 3 | (a) | Stat | te what is meant by the <i>moment</i> of a force.   |
|---|-----|------|---|
|   |     |      | [1]   |
|   | (b) | A pl | ank balances horizontally on a log of wood, which acts as a pivot.  |
|   |     |      | rl sits on one end of the plank, and a boy pushes down on the other end to keep the nk horizontal. Fig. 3.1 shows this arrangement. |
|   |     |      | pivot   |
|   |     |      | Fig. 3.1  |
|   |     | (i)  | What two things can be said about the moments caused by the boy and by the girl?  |
|   |     |      | 1   |
|   |     |      | 2   |
|   |     | an.  |   |
|   |     | (ii) | There are four forces acting on the plank when it is in equilibrium. Three of the forces are:                                       |
|   |     |      | the weight of the girl  |
|   |     |      | <ul><li>the weight of the plank</li><li>the force provided by the boy</li></ul>   |
|   |     |      | 1. Where does the fourth force act?   |
|   |     |      |   |
|   |     |      | 2. What is the direction of this force?   |
|   |     |      | [2]   |
|   |     |      | [Total: 5]  |

For Examiner's Use

| (b) F | g. 4.1 shows a tuning fork. Its frequency is indicated by the number on the handle.                          |
|-------|--|
|       | 512 Hz   |
|       | handle   |
|       | Fig. 4.1   |
|       | then the tuning fork is struck on a solid surface, the prongs A and B vibrate as indicate the arrows.        |
| (i    | Explain how a sound is produced and transmitted when the prongs are vibrating                                |
|       |  |
|       |  |
|       |  |
|       |  |
| (ii   | After the tuning fork was struck on the solid surface, the sound from the tuning for gradually gets quieter. |
|       | State what happens to the tuning fork to cause this.   |
|       |  |
|       |  |
| (iii  | Another tuning fork is marked with 256 Hz, to indicate its frequency.  |
|       | State how the sound from this tuning fork compares with the sound from the tuni fork in Fig. 4.1.            |

5 The apparatus in Fig. 5.1 is used to investigate temperature rise when some water is heated.



[Total: 8]




Fig. 5.1

| (a) | Name the instrument used to measure the temperature of the water.                          |
|-----|--|
|     | [1]  |
| (b) | State the purpose of the lagging.  |
|     |  |
|     |  |
|     | [1]  |
| (c) | Describe how the mass of the water may be determined, stating the apparatus you would use. |
|     | would use.   |
|     |  |
|     |  |
|     |  |
|     |  |
|     |  |
|     | [4]  |
|     | • •  |
| (d) | The heater is switched on and eventually the water starts to boil.                         |
|     | State two things that may be observed about the water when it is boiling.                  |
|     | 1  |
|     | 2  |
|     | [2]  |

6 (a) A ray of red light passes through a rectangular glass block, as shown in Fig. 6.1.

For Examiner's Use




Fig. 6.1

- (i) What name describes what happens to the ray of light at B?
- (ii) On Fig. 6.1, the emergent ray is not drawn at the correct angle  $\theta$  to the normal. State the correct value of the angle  $\theta$ .

 $\theta$  = ......[2]

(b) A ray of blue light is directed into a glass prism, as shown in Fig. 6.2.




Fig. 6.2

- (i) Using your ruler, draw a possible path for the blue light, until it reaches the screen.
- (ii) The ray of blue light is replaced by a ray of red light.

On Fig. 6.2, mark an X to show where the red light might hit the screen.

[3]

For Examiner's

Use

[Total: 5]

**7** Fig. 7.1 is a ray diagram for a converging lens.




Fig. 7.1

- (a) On Fig. 7.1, clearly mark and label
  - (i) the focal length of the lens,
  - (ii) one principal focus of the lens (use the letter F).

[2]

**(b)** The following can be used to describe the image formed by a lens.

| enlarged  | diminished                                     |  |
|---|--|--|
| inverted  | upright  |  |
| image distance<br>greater than object<br>distance | image distance<br>less than object<br>distance |  |

Put ticks **in the boxes** containing descriptions that apply to the image in Fig. 7.1. [3]

(c) On Fig. 7.1, draw one more ray from the top of the object to the top of the image. [1]

[Total: 6]

© UCLES 2013 0625/21/O/N/13

For Examiner's Use 8

|   | shows the outline of a bar magnet. A compass needle is being use<br>field pattern around the bar magnet. The needle is a small, freely-pine | For<br>Examiner<br>Use |
|---|---|------------------------|
|   |   |                        |
| • | N S   |                        |
|   |   |                        |
|   | Fig. 8.1  |                        |

(a) The compass is placed to the left of the N pole of the magnet. Its needle points in the direction shown by the arrow.

Four other positions are indicated around the magnet, each marked by a circle.

In each circle, draw an arrow to indicate the direction in which the compass needle would point at each of these positions. Other magnetic fields can be ignored. [4]

**(b)** Five pieces of metal are placed, in turn, near the S pole of the magnet.

In the table below tick the box that states what happens to each of the different metals. An example has been given to help you.

| type of metal | attracted by magnet | repelled by<br>magnet | no effect |
|---------------|---------------------|-----------------------|-----------|
| gold          |                     |                       | ✓         |
| aluminium     |                     |                       |           |
| copper        |                     |                       |           |
| iron          |                     |                       |           |
| steel         |                     |                       |           |

[4]

[Total: 8]

**9** Fig. 9.1 shows a series circuit. The resistances of the ammeter and of the battery may be ignored.

For Examiner's Use




Fig. 9.1

| (a) What is component X? Tick one box |
|---------------------------------------|
|---------------------------------------|

| bell     |  |
|----------|--|
| fuse     |  |
| relay    |  |
| resistor |  |

[1]

[3]

(b) State the value of

- (i) the e.m.f. of the battery, .....
- (ii) the potential difference across component X, ......
- (iii) the current in the circuit.

(c) Use values from Fig. 9.1 to calculate the resistance of component X. Give the unit.

resistance = .....[4]

| (d) | d) A resistor R is connected in parallel with component X. |                                      |                   |
|-----|--|--------------------------------------|-------------------|
|     | Stat   | e what effect, if any, this has on   | Examiner's<br>Use |
|     | (i)  | the total resistance of the circuit, |                   |
|     |  |                                      |                   |
|     | (ii)   | the reading on the ammeter,          |                   |
|     |  |                                      |                   |
|     | (iii)  | the current in component X.          |                   |
|     |  | [3]                                  |                   |
|     |  | [Total: 11]                          |                   |

10 The transformer in Fig. 10.1 is to be connected to a circuit containing two electric motors.

For Examiner's Use




Fig. 10.1

To operate at full speed, each motor requires a voltage of 18 V.

At a lower voltage the motors will operate but at a lower speed.

- (a) On Fig. 10.1, draw the two motors connected in parallel across the output of the transformer. Use the circuit symbol (M) to represent each motor. [1]
- (b) Calculate the number of turns needed in the secondary coil in order to supply 18 V.

number of turns = .....[3]

**(c)** The motors are now connected in series across the output of the transformer.

State the effect on the motors.

[Total: 5]

**11** A radiation detector is used to monitor the radiation from a radioactive source. A ratemeter records the number of counts per minute.

For Examiner's Use

(a) The source is brought close to the detector. The table below shows how the ratemeter reading varies with time.

| time/s                              | 0   | 20  | 40  | 60  | 80  | 100 | 120 | 140 | 160 | 180 |
|-------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| ratemeter reading counts/min        | 300 | 230 | 184 | 142 | 108 | 92  | 74  | 60  | 50  | 42  |
| count rate due to source counts/min | 280 |     | 164 |     | 88  |     | 54  | 40  | 30  | 22  |

|     |   |  |  |  |  |     |          |  |     |  |  |        | J    |
|-----|---|--|--|--|--|-----|----------|--|-----|--|--|--------|------|
|     | (i) The bottom row gives the count rate due only to the source.   |  |  |  |  |     |          |  |     |  |  |        |      |
|     | Fill in the missing values.   |  |  |  |  |     |          |  |     |  |  | [1]    |      |
|     | (ii) From the table, estimate the half-life of the radioactive source.                                    |  |  |  |  |     |          |  |     |  |  |        |      |
|     |   |  |  |  |  |     |          |  |     |  |  |        |      |
|     |   |  |  |  |  | hal | f-life = |  |     |  |  | s      | [2]  |
| (b) | Even when the source is a long way from the detector, the ratemeter registers a reading of 20 counts/min. |  |  |  |  |     |          |  | ing |  |  |        |      |
|     | Suggest a cause of this 20 counts/min.  |  |  |  |  |     |          |  |     |  |  |        |      |
|     |   |  |  |  |  |     |          |  |     |  |  |        |      |
|     |   |  |  |  |  |     |          |  |     |  |  |        |      |
|     |   |  |  |  |  |     |          |  |     |  |  |        | [1]  |
|     |   |  |  |  |  |     |          |  |     |  |  | [Total | : 4] |

Question 12 is on the next page.

| 12 | (a) | Hov  | [1]  | For Examine |     |
|----|-----|------|--|-------------|-----|
|    | (b) | Hov  | w many neutrons are in the nucleus of an atom of $^{212}_{84}$ Po?           | [1]         | Use |
|    | (c) | (i)  | How many electrons are in a neutral atom of <sup>212</sup> <sub>84</sub> Po? |             |     |
|    |     | (ii) | Where in the atom are these electrons to be found?                           |             |     |
|    |     |      |  | [2]         |     |

(d) When a nucleus of  $^{212}_{84}$ Po decays by emitting an alpha-particle, it becomes a nucleus of lead (Pb).

The equation below represents this process.

$$^{212}_{84}$$
Po  $\rightarrow$   $^{\times}_{Y}$ Pb +  $^{4}_{2}\alpha$ 

Deduce the values of X and Y.

X = .....

Y = .....[2]

[Total: 6]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.