


UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education



# PHYSICS

Paper 2 Core

Candidates answer on the Question Paper.

No Additional Materials are required.

### **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions. Electronic calculators may be used. You may lose marks if you do not show your working or if you do not use appropriate units.

Take the weight of 1 kg to be 10 N (i.e. acceleration of free fall =  $10 \text{ m/s}^2$ ).

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [ ] at the end of each question or part question.


For Examiner's Use						
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						
Total						

May/June 2013 1 hour 15 minutes

This document consists of 18 printed pages and 2 blank pages.




## **BLANK PAGE**



1

**2** (a) Fig. 2.1 shows a brick.





500 bricks like the one shown in Fig. 2.1 are stacked on a wooden platform, known as a pallet. The pallet of bricks is to be loaded on to a lorry by means of a fork-lift truck, as shown in Fig. 2.2.




Fig. 2.2

Each brick has a volume of  $0.0012 \text{ m}^3$  and is made of a material of density  $2300 \text{ kg/m}^3$ .


(i) Calculate the mass of one brick.

mass = ..... kg [3]

For Examiner's Use



**3** Fig. 3.1 shows a man pulling a truck of logs at a constant speed along a level path from P to Q against a resistive (frictional) force.





(a) State the two quantities, and their units, that must be measured in order to calculate the work done on the truck.

quantity	unit

[2]

For

Examiner's Use

(b) State the additional quantity needed in order to calculate the useful power of the man.

.....[1]

(c) On another occasion, there is a smaller number of logs in the truck. The resistive force on the truck is smaller when the truck is pulled from P to Q at the **same speed** as before.

What effect does this have on

(i) the force exerted by the man,

.....

(ii) the work done by the man,

.....

(iii) the useful power of the man?

[3]

(d) What form of energy stored in his body does the man use to pull the truck of logs?

.....[1]

[Total: 7]

7

4	Fig. 4.1	shows a typical	laboratory	liquid-in-glass thermometer.	
---	----------	-----------------	------------	------------------------------	--

(		-10	0 חוווקווויון	10	20	30	40	50	60	70	80	90 	100	<u>110</u> °C □□□□	)))	
															$\sim$	
	Fig. 4.1															
(a)	Name a liquid that is likely to be used in this thermometer.															
	[1]															
4.																
(b)		at occup 1e tube?		e spa	ce in	the tu	ube,	betw	een	the e	nd of	the I	iquia	thread	d and the	end :
																[1]
																[']
(c)	On	Fig. 4.1,	clearly	y indi	cate a	and la	abel									
	(i)	the ice	point,													
	(ii)	the stea	am poi	int.												[0]
																[2]
(d)	The	thermo	meter	is mo	ved i	nto a	hotte	er pla	ace.							
	(i)	State w	hat ha	appen	ns to t	he po	ositio	n of t	the e	nd of	the I	iquid	threa	ıd.		
	<i></i>															
	(ii)	Explain	why t	his ha	apper	IS.										
																[2]
															[Tot	tal: 6]

For Examiner's Use 5 A family goes on holiday in a car. To stop the journey being boring for the children, every half an hour they note down the distance they have travelled since they left home. They then plot the graph shown in Fig. 5.1.






Fig. 5.1

The first half hour and the last half hour of their journey are on small roads. The rest of the journey is on major roads.


Answer the following questions using information from Fig. 5.1.

(a) For how many hours were they travelling on major roads?

time = ...... hours [1] (b) How far did they travel (i) in total, total distance = ...... km (ii) on small roads, distance on small roads = ...... km (iii) on major roads?

(c)	They had two refreshment stops whilst on the journey.	For
	On Fig. 5.1, clearly mark where they had these stops. [1]	Examiner's Use
(d)	Apart from the times when they stopped, during which section of the journey was their speed slowest? Explain your answer.	
	section	
	explanation	
	[2]	
(e)	Calculate the average speed for the whole journey. Your answer must include the unit.	
	average speed =[4]	
	[Total: 11]	

\_\_\_\_\_ container of gas





(a) The appearance of the oil in the manometer before connecting it to the container is shown in Fig. 6.1(a).

Explain why the oil levels are the same in both limbs of the manometer.

.....[1]

(b) Fig. 6.1(b) shows the oil levels after connecting to the container.

By how much does the gas pressure in the container differ from atmospheric pressure? Tick one box.

3 cm of oil greater than atmospheric pressure	
3 cm of oil less than atmospheric pressure	
6 cm of oil greater than atmospheric pressure	
6 cm of oil less than atmospheric pressure	

10

A manometer is being used to measure the pressure of the gas in a container, as shown in

For

Examiner's Use


[1]

6

Fig. 6.1.


(c)	) When the gas in the container is heated, the pressure rises.							
	(i)	(i) What happens to the oil level						
		1. in the left-hand limb,						
		<ol> <li>in the right-hand limb?</li></ol>						
	(ii)	Explain, in terms of molecules, why the pressure of the gas rises when it is heated.						
		[3]						
		[Total: 6]						

7 The apparatus in Fig. 7.1 is producing a visible spectrum from a filament lamp (white light source). Examiner's Use




refracting

(c) Which colour light will be seen at point X, at the bottom edge of the visible spectrum? .....[1] For




[Total: 7]




[Total: 6]

9 (a) Which electrical quantity is described as "the flow of charge"? Tick one box.



(b) Fig. 9.1 shows a circuit in which switch S is open. The battery and ammeter have resistances that can be ignored.





(i) Switch S is closed.


#### Calculate

1. the combined resistance of the two resistors,

resistance = .....  $\Omega$  [2]

2. the reading on the ammeter. Include the unit.

 10 The circuit for adjusting the brightness of the lamp in the display panel of a car is shown in Fig. 10.1. Examiner's





The brightness control is uniformly wound with resistance wire and has a sliding contact S.

.....[1]

(a) State the name of the component used as the brightness control.

(b) State the potential difference across the panel lamp when

S is at end A, .....V (i)

....

S is at end B. .....V (ii)

(c) Describe what happens to the brightness of the lamp as S is moved from A to B. 

.....[2]

[Total: 5]

[2]


For

Use

**11 (a)** Fig. 11.1 shows the cross-section of a horizontal wire carrying a current. The wire is positioned between the poles of a large horseshoe magnet.

17

For Examiner's Use





The wire is perpendicular to the page and the direction of the current is into the page.

There is a force on the wire due to the current being in a magnetic field. This magnetic force balances the weight of the wire.

In which direction is the magnetic force on the wire? Tick one box.

towards the N pole

towards the S pole


towards the top of the page

perpendicularly out of the page

[1]

(b) Two pieces of bare wire are fixed to terminals on a wooden board. A third piece of bare wire X rests on the other two and is free to move.

This is shown in Fig. 11.2.



#### Fig. 11.2

You are given a 6V battery and a strong horseshoe magnet.

On Fig. 11.2, show how you would use the battery and the magnet to make X move along the two fixed wires. [3]

[Total: 4]

For

Examiner's Use **12 (a)** Complete the table below.

In the centre column, state whether the particle is inside or outside the nucleus.

In the right-hand column, state whether the particle has a positive charge or a negative charge or no charge.

		particle	position	charge				
proton		proton			[2]			
		electron			[2]			
		neutron			[2]			
(b)	b) Which of the particles in the above table							
	(i) is the same as a $\beta$ -particle,							
	(ii)	(ii) makes up cathode rays?						

[2]

[Total: 8]

For Examiner's Use

### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.