CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the October/November 2012 series

0625 PHYSICS

0625/32

Paper 3 (Extended Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2012 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



Page 2	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0625	32

NOTES ABOUT MARK SCHEME SYMBOLS AND OTHER MATTERS

M marks

are method marks upon which further marks depend. For an M mark to be scored, the point to which it refers must be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent marks can be scored.

B marks:

are independent marks, which do not depend on other marks. For a B mark to scored, the point to which it refers must be seen specifically in the candidate's answers.

A marks

In general A marks are awarded for final answers to numerical questions.

If a final numerical answer, eligible for A marks, is correct, with the correct unit and an acceptable number of significant figures, all the marks for that question are normally awarded.

It is very occasionally possible to arrive at a correct answer by an entirely wrong approach. In these rare circumstances, do not award the A marks, but award C marks on their merits. However, correct numerical answers with no working shown gain all the marks available.

C marks

are compensatory marks in general applicable to numerical questions. These can be scored even if the point to which they refer are not written down by the candidate, provided subsequent working gives evidence that they must have known it. For example, if an equation carries a C mark and the candidate does not write down the actual equation but does correct substitution or working which shows he knew the equation, then the C mark is scored

A C marks is not awarded if a candidate makes two points which contradict each other. Points which are wrong but irrelevant are ignored.

brackets () around words or units in the mark scheme are intended to indicate wording used to clarify the mark scheme, but the marks do not depend on seeing the words or units in brackets.

e.g. 10 (J) means that the mark is scored for 10, regardless of the unit given.

indicates that this must be seen in the answer offered, or something very similar. underlining

OR / or indicates alternative answers, any one of which is satisfactory for scoring the marks.

means "each error or omission". e.e.o.o.

o.w.t.t.e. means "or words to that effect".

Spelling

Be generous about spelling and use of English. If an answer can be understood to mean what we want, give credit. However, beware of and do not allow ambiguities, accidental or deliberate: e.g. spelling which suggests confusion between reflection / refraction / diffraction / thermistor / transistor / transformer.

Not/NOT

Indicates that an incorrect answer is not to be disregarded, but cancels another otherwise correct alternative offered by the candidate i.e. right plus wrong penalty applies.

Ignore

Indicates that something which is not correct or irrelevant is to be disregarded and does not cause a right plus wrong penalty.

Page 3	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0625	32

ecf

meaning "error carried forward" is mainly applicable to numerical questions, but may in particular circumstances be applied in non-numerical questions.

This indicates that if a candidate has made an earlier mistake and has carried an incorrect value forward to subsequent stages of working, marks indicated by ecf may be awarded, provided the subsequent working is correct, bearing in mind the earlier mistake. This prevents a candidate being penalised more than once for a particular mistake, but only applies to marks annotated ecf.

Significant Figures

Answers are normally acceptable to any number of significant figures \geq 2. Accept answers that round to give the correct answer to 2 s.f. Any exceptions to this general rule will be specified in the mark scheme.

Units

Deduct one mark for each incorrect or missing unit from a final answer that would otherwise gain all the marks available for that answer: maximum 1 per question. No deduction is incurred if the unit is missing from the final answer but is shown correctly in the working.

Arithmetic errors

Deduct one mark if the only error in arriving at a final answer is clearly an arithmetic one.

Transcription errors

Deduct one mark if the only error in arriving at a final answer is because given orpreviously calculated data has clearly been misread but used correctly..

Fractions e.g. $\frac{1}{2}$, $\frac{1}{4}$, $\frac{1}{10}$ etc are only acceptable where specified.

Crossed out work

Work which has been crossed out and not replaced but can easily be read, should be marked as if it had not been crossed out.

Use of NR

(# key on the keyboard) Use this if the answer space for a question is completely blank or contains no readable words, figures or symbols, or statements such as 'I don't know'.

1	(a)	$\frac{1}{2}$ mv^2 correct rearrangement to find v/v^2 23 m/s bald 0.73 scores first two marks	C1 C1 A1	[3]
	(b)	use of <i>mgh</i> (= 160 000 – 40 000 = 120 000 J) h = 20 m	C1 A1	[2]
	(c)	any three points from: KE of water PE of water sound heat/friction		
		Award one mark for each correct point	В3	[3]
2	(a)	horizontal by eye arrow to left idea of airliner accelerating/changing direction AND caused by force in that	M1 A1	
		direction o.w.t.t.e. OR centripetal force OR force/acceleration towards centre of circle	B1	[3]
	(b)	2 lines approximately length ratio 1.16:1 at 30°/150° to each other parallelogram with line across short diagonal/triangle with original lines at 30° resultant to the left, horizontal by eye for first two marks ignore arrows, ignore labels unless they clarify an otherwise confusing diagram	M1 M1 A1	[3]
		calculation route both forces used in cosine rule 3 rd force from previous line and correct angle used in sine rule calculation shows horizontal resultant	(M1) (M1) (A1)	
	(c)	direction changing (therefore) velocity changing or speed/magnitude constant	B1 B1	[2]
3	(a)	sensitive to box 5 linear to box 3 wide range to box 2	B1 B1 B1	[3]
	(b)	(i) 2 different metals (need not be named but must be identified as different)	M1	
		volt/millivolt/am/milliammeter/galvanometer/display reading V/mV/A/mA/°C AND circuit would work do not allow unlabelled box/meter ignore hot/cold junction labels	A1	[2]
		(ii) 1. metals will not melt/gives p.d. at high temperature/remote sensing Ignore can withstand/will not be damaged by high temperature2. small heat capacity/mass	B1 B1	[2]

Mark Scheme IGCSE – October/November 2012

Page 4

Syllabus 0625 Paper 32

	Pa	Page 5				Syllabus		aper					
				IGC	SE - (October/	Novembe	er 2012		0625		32	
4	(a)	(i)	(i) piston lower than original/single line below original lower face						B1	[1]			
		(ii) three points from: they OR air/gas molecules/particles move/collide ignore faster they OR air/gas molecules/particles collide with piston/walls						B1					
		1 (force grea num	re collisions e exerted or ter force/pro ber of collis	n <u>pistoi</u> essure sions o	<u>n</u> on top (f f <u>gas</u> mol	han botto ecules wi	th piston inc	creases			B1 B1	
		I	pisto	n moves ur	ntil <u>pre</u>	ssures/fo	<u>rces</u> equa	ıl					[3]
	(b)	(i)	pisto	on higher th	an orig	inal/sing	le line bel	ow above o	riginal l	ower face		B1	[1]
) 	mole more	points from: ecules of <u>ga</u> e/harder col ter force/pro	<u>ıs</u> movi Ilisions	of gas m	nolecules	with piston/				B1 B1	
		ı	pisto	n moves <u>ur</u>	<u>o</u> until <u>l</u>	pressure	s/forces e	qual					[2]
5	(a)			up not so ho			t about ai	r gan/mara	or botte	or inculation		B1	
				ı ıransier/se ny explanati				r gap/more	or belle	er insulation		B1	[2]
	(b)			(0,80) alway escends, st						nes 5 min		M1 A1	[2]
	(c)			ts from: stops (ener	gy loss	ses by) c	onvection					B1	
				stops (ener				1				B1	
		expla	anati	ion of mech	anism	of heat le	oss (by co			ion or radiation			
				nust do mo		•		ces neat ic	sses" s	scores 2/2 or	i this		[2]
6	(a)	$Q = I$ $\Delta T = I$		<i>T</i> in any for	m or <i>n</i>	ις∆Τ						C1 C1	
				000 J								A1	[3]
	(b)			= Pt OR : (170 × 8 ×			see 1 360 000 J	OR see	81 600	(= 1 360 × 6	0)	C1 A1	[2]
	(c)			y = output(e									
		ignor	e to	ower for end tal for input y = 0.16 or			ong/mixed	•	Accept	t useful for ou	utput,	C1 A1	[2]

	Page 6		Mark Scheme Syllabus			
			IGCSE – October/November 2012 0625	j	32	
	(d)		not finite/will not run out ignore can be re-used/replaced right idea e.g. accept sun always shines		B1	[1]
	(e)	high (init	nt from: work at night/cloud cover/no sun/variable output tial) cost (of panels) ccept too low unless appropriate for a clearly stated context		B1	[1]
7	(a)		rrows on rays ale quoted, mark as if drawn full size; accept scale diagrar	m if clearly		
		one corre	ect ray correct ray correct rays extended back meet 5–7 cm from lens		B1 B1	
		-	me indication that this is image e.g. arrow/label I or image		B1	[3]
	(b)		not be formed on a screen/rays diverge away <u>from the image/</u> not meet to form <u>image</u>		B1	[1]
		(ii) mag	nifying glass/lens/magnifier do not accept converging lens		B1	[1]
8	(a)		noving positive charge s/negative charges removed from balloon NOT attracted to h	nair	M1	
			o hair/hair becomes negatively charged/idea of net positive		A1	[2]
	(b)	charge o	on left: positive/neutral on right: negative		B1 B1	[2]
	(c)		deflected to right <u>in diagram</u> e) charges in water stream attracted by (charges on) balloon		M1 A1	[2]
	(d)	metal (go	ood) conductor/has free electrons o.w.t.t.e.		B1	[1]
9	(a)	α deflect α deflect γ no defle	ted into paper NOT more than one tick		C1 A1 B1	[3]
	(b)		stopped by <u>air/won't move</u> far		B1	
		•	ntinue OR \underline{air} ionised by α ive the ionisation mark if it is unclear whether the air or α is ion underlined but accept it/which etc. if clearly refers to air	ised	B1	[2]
	(c)	OR lead	ticles/rays in line with hole can pass through absorbs radiation(α or γ or unspecified ignore β) ce a (thin) beam of α or γ or particles or rays or radiation		B1 B1	[2]

	Page 7			Mark Scheme Syllabus				
				IGCSE – October/November 2012	0625	3	2	
10	(a)			$R_1 + 1/R_2$ or $R = R_1 R_2/(R_1 + R_2)$ or $R_1 R_2/(R_1 + R_2)$ 24 + 1/X OR 8 = 24R/(24 + R) or calculations/cle			C1	
			vrong values				C1 A1	[3]
	(b)		 (i) battery and resistors correct, condone twin small circles, cell, zig-zag resistors ammeter correct position ignore switches, condone breaks in circuit ≤ 1 mm condone wrong symbols if clear 					
			two i	resistors in series scores 0/2 as ammeter cannot be	in right place			[2]
			24 Ω	of $I = V/R$ in any form or V/R 2 resistor: $I = (6/24=) 0.25 A$ or resistor: $I = 6/h$ (a) correctly evaluated $(6/12 = 0)$.5A) accept 1 s	I	31 31	
			if coı	ntradiction between answer of (a) in working and an e marking on answer line	swer in answer lir		31	[3]
11	(a)	conc	angle with bar at apex, pointing either way NOT circle at apex ondone: nclosing circle (but must have horizontal lines to/from triangle), no line through angle, triangle filled in				B1	[1]
	(b)	()	must	ection/reasonable value/no deflection t be <u>consistent</u> with direction of recognisable arrow recognisable direction in symbol of (a) , assume arr	ow L to R	I	B1	[1]
			i.e. if	i) different way round f deflection in (ii); deflection in (i) must be no deflection in (ii); deflection in (ii) must be deflection in (ii);		I	31	[1]
	(c)			es up or down on alternate half cycles			B1	
			reasonable shapes of correct frequency AND amplitude 2.5–3V AND flats 0V (±1 small square)				31	[2]
	(d)	(i)	trans	sistor		I	31	[1]
		(ii) 1 st line of table: both off 2 nd line of table: both on give one compensatory mark: 1 st line both on AND 2 nd line both off accept HIGH/LOW or 1/0 for on/off ignore ticks/crosses/yes/no					31 31	[2]