



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS  
International General Certificate of Secondary Education

CANDIDATE  
NAME

CENTRE  
NUMBER

--	--	--	--	--

CANDIDATE  
NUMBER

--	--	--	--



**PHYSICS**

**0625/62**

Paper 6 Alternative to Practical

**October/November 2011**

**1 hour**

Candidates answer on the Question Paper.  
No Additional Materials are required.

**READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.  
Write in dark blue or black pen.  
You may use a pencil for any diagrams, graphs or rough working.  
Do not use staples, paper clips, highlighters, glue or correction fluid.  
**DO NOT WRITE IN ANY BARCODES.**

Answer **all** questions.


At the end of the examination, fasten all your work securely together.  
The number of marks is given in brackets [ ] at the end of each question or part question.

This document consists of **11** printed pages and **1** blank page.



1 The IGCSE class is investigating the law of moments.

Fig. 1.1 shows the apparatus used.



**Fig. 1.1**

(a) A student moulds a piece of modelling clay into a cube shape. He places the modelling clay on the rule so that its centre is a distance  $d = 10.0$  cm from the zero end of the rule, as shown in Fig.1.1.

He adjusts the position of the rule so that it is as near as possible to being balanced, with the 50.0 cm mark to the right of the pivot.

(i) On Fig.1.1, measure the distance  $x$  from the centre of the modelling clay to the pivot.

$x =$  .....

(ii) On Fig.1.1, measure the distance  $y$  from the pivot to the 50.0 cm mark on the rule.

$y =$  ..... [1]

(b) The diagram is drawn one tenth of actual size.

(i) Calculate the actual distance  $X$  from the centre of the modelling clay to the pivot.

$X =$  .....

(ii) Calculate the actual distance  $Y$  from the pivot to the 50.0 cm mark on the rule.

$Y =$  .....

(iii) Calculate the mass  $m_1$  of the piece of modelling clay using the equation

$$m_1 = \frac{MY}{X}$$

where the mass of the metre rule  $M = 112$  g.

$m_1 =$  ..... [4]

- (c) The student cuts the piece of modelling clay into two pieces, with one piece approximately twice the size of the other piece.

Using the larger piece of modelling clay, he repeats the procedure and obtains a result for the mass  $m_2$  of 64.9g.

Using the smaller piece of modelling clay, he repeats the procedure and obtains a result for the mass  $m_3$  of 34.5g.

Calculate  $(m_2 + m_3)$ .

$(m_2 + m_3) = \dots\dots\dots$  [1]

- (d) Assuming that the experiment has been carried out with care, suggest two reasons why  $(m_2 + m_3)$  may not be equal to  $m_1$ .

1. ....  
.....

2. ....  
.....[2]

- (e) Explain briefly how you would ensure that the centre of the cube of modelling clay is at the 10.0cm mark on the metre rule. You may draw a diagram.


.....  
.....  
.....[1]

[Total: 9]

- 2 An IGCSE student is investigating temperature changes when hot water and cold water are mixed. She is provided with a supply of hot water and a supply of cold water.

(a) The temperature  $\theta_c$  of the cold water is  $24^\circ\text{C}$ .

She pours  $100\text{cm}^3$  of the hot water into a beaker. Record the temperature  $\theta_h$  of this water, as shown on the thermometer.



**Fig. 2.1**

$\theta_h = \dots\dots\dots [1]$


- (b) She adds  $10\text{cm}^3$  of the cold water to the beaker of hot water. She briefly stirs the mixture of hot and cold water and records in Table 2.1 the temperature  $\theta_m$  of the mixture of hot and cold water. She quickly repeats this five times, adding  $10\text{cm}^3$  of cold water each time, until a total of  $60\text{cm}^3$  has been added. She records the temperature  $\theta_m$  of the mixture of hot and cold water at each stage.

**Table 2.1**

$V/$	$\theta_m/$
	78
	74
	68
	63
	61
	59

- (i) Complete the volume column in the table, where  $V$  is the total volume of cold water so far added.
- (ii) Complete the column headings in the table. [2]

(c) Plot the graph of temperature  $\theta$  ( $y$ -axis) against volume  $V$  ( $x$ -axis).



[4]

(d) If this experiment were to be repeated in order to check the results, it would be important to control the conditions. Suggest two such conditions that should be controlled.

- 1. ....
- 2. ....[2]


(e) Suggest a practical precaution that will enable readings in this experiment to be taken as accurately as possible.

.....  
 .....[1]

[Total: 10]

- 3 The IGCSE class is investigating the potential difference across resistors in a circuit.


Fig. 3.1 shows the circuit.



**Fig. 3.1**

- (a) A student measures the potential difference  $V_A$  across resistor  $R_1$ .

Write down the reading of  $V_A$  shown in Fig. 3.2.



**Fig. 3.2**

$V_A$  ..... [1]

- (b) He then measures the potential difference  $V_B$  across resistors  $R_2$  and  $R_3$  and the potential difference  $V_C$  across the combination of the three resistors.

The values are:  $V_B = 1.4\text{V}$  and  $V_C = 2.1\text{V}$ .

Theory suggests that  $V_C = (V_A + V_B)$ .

- (i) Calculate  $(V_A + V_B)$ .

$(V_A + V_B) = \dots\dots\dots$

- (ii) State whether the experimental results support the theory. Justify your statement by reference to the results.

statement .....

justification .....

.....

.....

[3]

- (c) The current  $I$  indicated by the ammeter is 0.27 A. Calculate the resistance  $R$  of the combination of the three resistors using the equation  $R = \frac{V_C}{I}$ .

$R =$  ..... [1]

- (d) On Fig. 3.1, draw in the voltmeter connected to measure the potential difference  $V_B$  across resistors  $R_2$  and  $R_3$ . Use the standard symbol for a voltmeter. [1]

- (e) Refer to Fig. 3.2. Comment on the student's choice of the 10V range for the measurement of  $V_A$ .

.....

.....

.....[1]

[Total: 7]

- 4 An IGCSE student is investigating the reflection of light by a plane mirror.

Fig. 4.1 shows her ray trace sheet.





Fig. 4.1

- (a) The line **MR** shows the position of a mirror.
- (i) Draw a normal to **MR** at its centre. Label the normal **NL** with **N** at the centre of **MR** and **L** on **AB**.
- (ii) Mark a point on **AB**, 3.0 cm to the left of **L**. Label this point **C**.

[2]



- (b) Fig. 4.2 shows the mirror which is made of polished metal and has a vertical line drawn on it. The lower end of this line is at point **N**.



**Fig. 4.2**

In the experiment, the student places a pin  $P_1$  at **C**. The student views the line on the mirror and the image of pin  $P_1$  from the direction indicated by the eye in Fig. 4.1. She places two pins  $P_2$  and  $P_3$  some distance apart so that the image of  $P_1$ , the line on the mirror, and pins  $P_2$  and  $P_3$ , all appear exactly one behind the other. The positions of  $P_2$  and  $P_3$  are shown.

- (i) Draw the line joining the positions of  $P_2$  and  $P_3$ . Continue the line until it meets the normal.
- (ii) Draw the line joining point **C** and point **N**. [1]
- (iii) Measure, and record in Table 4.1, the angle of incidence  $i$  between the normal **NL** and the line **CN**. Measure, and record in the table, the angle of reflection  $r$  between the normal and the line passing through  $P_2$  and  $P_3$ .
- (iv) Complete the column headings in the table.

**Table 4.1**

distance of $P_1$ from the normal/	$i/$	$r/$
3.0		
4.0	23	22
5.0	27	28

[2]

- (c) The student repeats the procedure using positions of  $P_1$  that are 4.0cm and 5.0cm from the normal. The readings are shown in the table.

In spite of carrying out this experiment with reasonable care, it is possible that the values of the angle of reflection  $r$  will not be exactly the same as the values obtained from theory. Suggest two possible causes of this inaccuracy.

- 1. ....
- .....
- 2. ....
- .....[2]

- (d) Suggest one precaution that you would take in this experiment to ensure that the results are as accurate as possible.

.....  
 .....[1]

[Total: 8]

- 5 The IGCSE class is investigating springs.

A student measures the length  $l_0$  of a spring and then uses a stand and clamp to suspend the spring vertically. He hangs a weight  $W$  on the spring and measures the new length  $l$ . He calculates the extension  $e$  of the spring. He repeats the procedure using a range of weights.

Table 5.1 shows some readings obtained by the student. The unstretched length  $l_0$  of the spring is 16 mm.

**Table 5.1**

$W/N$		
0	16	0
0.10	17	
0.20	19	
0.30	21	
0.40	23	
0.50	27	
0.60	33	

- (a) Complete the column headings in Table 5.1. [1]
- (b) Complete the third column in the table by calculating the extension  $e$  of the spring. [1]
- (c) State whether the results support the suggestion that the extension is directly proportional to the load. Justify your answer by reference to the results.

statement .....

justification .....

.....

.....[2]

- (d) Draw a diagram of the apparatus including the spring, clamp, a weight hanging on the spring and a ruler positioned to measure the length of the spring.

[2]

[Total: 6]

**BLANK PAGE**

---

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.