mun. Arenepabers.com

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the October/November 2011 question paper for the guidance of teachers

0625 PHYSICS

0625/63

Paper 6 (Alternative to Practical), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

	Page 2		Mark Scheme: Teachers' version Syllabus	Paper		
			IGCSE – October/November 2011 0625	63		
1	(a)	(i) p	pins P ₃ and P ₄ at least 5 cm apart	[1]		
	(ii) normal correct position and at 90°					
	(b)	(i) A	AB drawn neatly and $r = 20^{\circ} \pm 2^{\circ}$	[1]		
		(ii) 1	i = 32° \pm 2° and unit shown at least once and no contradiction	[1]		
	(c)	(c) view bases of pins / keep line of sight low / view close to table				
				[Total: 5]		
2	(a)	83 (°	PC)	[1]		
	(b)	5460				
			ົວ and J at least once, not contradicted ໑n from (a)	[1] [1]		
	(c)					
	(0)	/:\ .	no difference too levre	[4]		
			no, difference too large	[1]		
			any sensible suggestion involving heat loss to surroundings/ heat container	at gained by [1]		
	(d)		s in boxes 3 and 4	[2]		
		•	for any extra ticks in boxes 1, 2, 5 or 6 to minimum of 0 ly two boxes ticked, 1 correct and 1 incorrect scores 1 mark)			
				[Total: 7]		
3	(a)	table	e:			
		<i>l</i> in m	N V, I in A, R in Ω (words or symbols)	[1] [1]		
		R va	alues 1.6875, 3.4375, 5.03125 (2 or more significant figures)	[1] [1]		
	(b)	nume	irectly) proportional to $\it l$ o.w.t.t.e. rerical example given, allow two ratios	[1] [1]		
		idea	of within limits of experimental accuracy	[1]		
	(c)	•	liction 10 → 10.35, no unit needed king shown	[1] [1]		
		WOIK	ang onown	ניז		

	\ \ \ 	meter da wire gets nigher mo oower so	hot / burns out	[2] [Total: 11]
4	! !	now to avenoving le mark at collace / se	rom: rkened room roid parallax when taking readings ens back and forth to obtain clearest image entre of lens holder ectre ruler on the bench ect, screen perpendicular to the bench	[1]
		all plots o well-judg	raph: elled and scales correct to nearest ½ small square ed best-fit line and small plots, ≤ ½ small square	[1] [1] [1] [1]
			cepts correct to ½ small square veen 6.4 and 7.0	[1] [1] [Total: 7]
5	(a)	(i) h = 3	a.6, w = 3.4, d = 3.2 (cm) c.a.o.	[1]
	(,	39 OR 39.2 OR 39.17 OR 39.168 AND cm ³ ecf (i) .6 OR 2.63 OR 2.64, ignore significant figures and unit, ecf	[1] [1]
	(b)	(i) V ₁ =	50 (cm ³)	[1]
	(ii) V ₂ =	64 (cm ³)	[1]
	(i	ii) botto	m of meniscus, direct vision	[1]
			14 (cm³) ecf (i)(ii)	
	($ \rho = 2$.46, 2 or 3 significant figures AND g/cm ³ ecf (iv)	[1]

Mark Scheme: Teachers' version IGCSE – October/November 2011

Page 3

Syllabus 0625 Paper 63

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2011	0625	63

(c) (i) two from:

difficulty of making perfect cuboid shape o.w.t.t.e. measuring cylinder readings only to nearest cm³ o.w.t.t.e. smaller mass so greater inaccuracy volume of thread not taken into account air bubbles in clay / uneven density distribution / clay may absorb water / some clay may stick to the knife

(ii) either method but with sensible matching reason

[1]

[2]

[Total: 10]