

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

MARK SCHEME for the May/June 2010 question paper

for the guidance of teachers

0625 PHYSICS

0625/31

Paper 31 (Extended Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2 Mark Scheme: Teachers' version		Syllabus	Paper
	IGCSE – May/June 2010	0625	31

Notes about Mark Scheme Symbols and Other Matters

- B marks are independent marks, which do not depend on any other marks. For a B mark to be scored, the point to which it refers must actually be seen in the candidate's answer.
- M marks are method marks upon which accuracy marks (A marks) later depend. For an M mark to be scored, the point to which it refers **must** be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent A marks can be scored.
- C marks are compensatory method marks which can be scored even if the points to which they refer are not written down by the candidate, provided subsequent working gives evidence that they must have known it e.g. if an equation carries a C mark and the candidate does not write down the actual equation but does correct working which shows he knew the equation, then the C mark is scored.
- A marks are accuracy or answer marks which either depend on an M mark, or which are one of the ways which allow a C mark to be scored.
- c.a.o. means "correct answer only".
- e.c.f. means "error carried forward". This indicates that if a candidate has made an earlier mistake and has carried his incorrect value forward to subsequent stages of working, he may be given marks indicated by e.c.f. provided his subsequent working is correct, bearing in mind his earlier mistake. This prevents a candidate being penalised more than once for a particular mistake, but **only** applies to marks annotated "e.c.f."
- e.e.o.o. means "each error or omission".
- brackets () around words or units in the mark scheme are intended to indicate wording used to clarify the mark scheme, but the marks do not depend on seeing the words or units in brackets e.g. 10 (J) means that the mark is scored for 10, regardless of the unit given.

	Page 3		Mark Scheme: Teachers' version	Syllabus	Paper	
			IGCSE – May/June 2010	0625	31	
1	(a)	constant	es / braking / decelerating) t / steady / nothing) all 3 es / accelerate)		B1	
	(b)		time in any form, symbols, numbers or words area under graph used or stated OR 24 (s) seen or used in correct context		C1 C1 A1	
	(c)	rate of cł	hange of speed OR gradient of graph OR 18/12		C1	
		18 (m/s) 1.5 m/s²	OR 12 (s) seen or used in correct context		C1 A1	
	(d)		adient / slope OR equal speed changes in equal tin aph symmetrical	nes OR	B1	[8]
2	(a)	½mv² O 405 000	$PR \frac{1}{2} \times 900 \times 30^2$ J		C1 A1	
	(b)		listance OR 2000 x 30 I OR 60 kJ		C1 A1	
	(c)	60 000 V	V OR 60 000 J/s OR 60kW OR 60 kJ/s ecf from	(b)	B1	
	(d)	chemical	I		B1	
	(e)		energy loss / heat / sound / inefficiency / energy used ty of increase in P.E. Ignore work done against aga		B1	[7]
3	(a)		ment re-written to include force in first gap and <u>inver</u> onal to mass in second gap. NOT indirectly proportic		B1	
	(b)	F = ma	OR in words in any correct arrangement		B1	
	(c)	• •	ning OR continues as before OR same / constant v ne / constant speed & direction OR no acceleration	velocity OR	B1	
		• •	a of retardation. Ignore stop. Ignore brakes. Ignore go osite direction	bes in	B1	
		• •	ves in (arc of a) circle or curve OR deflected OR tunges direction	ırns OR	B1	[5]

	Page 4		•	Mark Scheme: Teachers' version	Syllabus	Paper	•
				IGCSE – May/June 2010	0625	31	
4	(a)) matt black		ck		B1	
	(b)	(i) L down and R up, equal amounts (by eye)					
		 (ii) on black side or on left (more) energy / heat absorbed OR greater temp rise OR heats up quicker 				B1	
			on b	lack side or on left greater expansion of air / greate	r pressure of air	B1	[4]
5	(a)		e <u>rgy</u> / e / pł	<u>heat</u> required to change state / phase / any exampl nase	e of change of	M1	
		with no change in temperature / at a specified temperature OR energy to break bonds between molecules /atoms with no change in K.E.				A1 M1 A1	
	(b)	any time or range of time between 1.6 (min) and 14.0 (min) inclusive [no UP]				B1	
	(c)	turns substance to gas / vapour OR causes evaporation OR escape from liquid				C1	
		energy to break bonds/separate molecules/overcome intermolecular forces Ignore move faster / PE increases				A1	
	(d)	(i) Pt / 2 × 4 / 2000 × 4 / 2 × 240 / 2000 × 240 / 8 / 8000 / 480 / 480000 480 000 J OR 480 kJ			C1 A1		
		 (θ =) 43 (°C) seen anywhere Q = mcθ OR 480000 = m x 1760 × 43 in any form ecf. from (i) 6.34 kg or 6.3 kg ecf. 		C1 C1 A1	[10]		
6	(a)	(i)	sam	e / unchanged / nothing		B1	
		(ii) reduced / slows down		B1			
		(iii) reduced				B1	
	(b)	v = f λ in any form or in words [not numbers] OR f =1/T in any form or in words [not numbers] 0.12 = f × 0.08 OR T = 0.08 / 0.12 1.5 Hz / cycles per sec / c.p.s. / per s				B1 C1	
		[only 2 marks if B1 mark above not scored]				A1	

	Page 5	Mark Scheme: Teachers' version Syllat		
		IGCSE – May/June 2010 062	5 31	
(c)		A B (DOD)		
	(ign wav A ar	by the shallow deep shallow water water ore length of waves) es bending in correct direction (be generous) ad B correct by eye, straight and parallel ad D parallel to A and B by eye	M1 A1 A1	[9
,	(a) idea	of light travelling (much) faster than sound	B1	
	(b) (i)	4.0 (min)	B1	
	(ii)	always a (measurable) time difference / never zero time difference Ignore time would be less	e B1	
	(iii)	distance/time in any form, symbols, words, numbers OR 1200/3 333.3 m/s to 2 or more sig figs	.6 C1 A1	
	(iv)	idea of light travelling instantaneously OR no wind OR idea of lightning at ground level OR no obstruction to sound Ignore echoes	B1	

(c)

	light waves	sound waves
longitudinal		\checkmark
transverse	\checkmark	
electromagnetic	\checkmark	
mechanical		\checkmark

-1 e.e.o.o. i.e. 1 mark subtracted from <u>3</u> for each error or omission B3 [9]

	Page 6		Mark Scheme: Teachers' version	Syllabus	Paper	·
	•		IGCSE – May/June 2010	0625	31	
8	(a)	• •	$I_1/N_2 = V_1/V_2$ in any form, symbols, words or number 2 (turns) [possible unit penalty]	S	C1 A1	
	(ii) m	nention of magnetic / electromagnetic field)			
			hange of flux linkage / magnetism) R field lines being cut)	any 3	B1 x 3	
		Ir	nduced current / emf / voltage		DIXS	
			ewer coils in secondary so smaller emf / voltage R larger current)			
	(i	e m	eat in either coil / wires) ddy currents in core / heat in core) a nagnetic leakage from core) ound from core/coil)	any 1	B1	
	(b)	(i) 1 2	2 V <u>d.c</u> . OR low <u>d.c</u> .voltage		B1	
	(ii) d	iode OR rectifier [Ignore extras unless wrong]		B1	
			V_2I_2 in any form, or words or numbers ower in = power out or equivalent		C1	
	8	3 A			A1	[10]
9			nger – field / magnetism / flux Id finger – current / charge flow (NOT electron flow))) both	B1	
	(b)		rush OR contact OR <u>sliding</u> connector plit ring OR commutator NOT slip ring		B1 B1	
	(lockwise OR right side down OR left side up OR n figure NOT turn to the right	correct arrows	B1	
	(i	rr st cl rr	nore current / more voltage / "stronger battery" / more nore turns on coil / more coils tronger magnet Ignore bigger magnets loser magnet / magnetic poles nore magnets on core)	2 B1, B1 [6]	

	Page 7		Mark Scheme: Te		Syllabus	Paper	
			IGCSE – May	y/June 2010	0625	31	
10	(a)		umber OR atomic numbe ition in periodic table OR		ns / electrons	B1	
	(b)	mass (number) OR nucleon number OR (number of) neutrons / nucleons OR (number of) protons <u>plus</u> (number of) neutrons					
	(c)	• •	ss (number) OR nucleon i (number of) protons <u>plus</u>	. ,	nucleons	B1	
		 (ii) proton number OR atomic number OR (number of) neutrons OR (number of) protons / neutrons / electrons OR position in periodic table OR chemical properties OR a neutron changes into a proton 				B1	[4]
11	(a)	(i) 4 Ω				B1	
		`		possible ecf from (i)	numbers	C1 C1 A1	
	(b)	R = ρL//	A OR R∝L/A OR R∝L	and $R \propto 1/A$ or $1/d^2$ or	· 1/r ²	C1	
		$R_2 = (0.4)$	_{A1} OR A ₂ = 0.25A ₁ 45/0.3) × R ₁ OR (3/2) x R 0.375 OR 37.5 %	1		C1 C1 A1	
			A OR R \propto L/A OR R \propto L	and $R \propto 1/A$ or $1/d^2$ or	1/r ²	C1	
		Resistar	nce of thinner wire with sar	ne length as thicker wire :	= 4 × 4 = 16 Ω	C1	
		Actual re	esistance of thinner wire =	1.8 /0.3 = 6.0 Ω		C1	
		Ratio: L	of thinner wire / L of thicke	er wire = 6.0 / 16 = 3/8 = 0	0.375 = 37.5 %	A1	[8]