## MARK SCHEME for the October/November 2007 question paper

## 0625 PHYSICS

0625/06

Paper 6 (Alternative to Practical), maximum raw mark 40

MMM. Hiremepapers.com

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2007 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



UNIVERSITY of CAMBRIDGE International Examinations

Page		ge 2	2	Mark Scheme	Syllabus	Paper		
_	(0)	24		IGCSE – October/November 2007	0625	06		
1	(a)	24				[1]		
	(b)	s, °C						
		23, 1 (-1 each error)						
	(c)	(i)	reas	on consistent with results		[1]		
		(ii) Three from: room temp/draughts etc						
		volume beaker						
			liquic					
			surfa	ice area		[3]		
	(d)	lid				[1]		
						[Total: 9]		
_		_				[2]		
2	(a)	8, 14, 20, 25, 34, 41 (-1 each error)						
	(b)	(i)	Grap	h: ble scales labelled symbol/unit		[1]		
			all pl	ots to nearest $\frac{1}{2}$ sq (-1 each error or omission hin and straight	n)	[1] [2] [1]		
			inte t			[']		
		(ii)		ect value (29mm – 31mm)to nearest ½ sq. how obtained		[1] [1]		
						[Total: 8]		
3	(a)	0.41, 0.13, 0.14, 0.12(-1 each error) I in A at least once						
	(b)	statement (yes) Reason – correct within limits of experimental accuracy						
	(C)	c) variable resistor/extra cell/variable power source/potential divider/potenti		ntial divider/potentiometer	• [1]			
	(d)	(i)		ect arithmetic for $R$ 3.90 (ecf)		[1]		
		(;;)		and 2/3 sf		[1]		
		(ii)	voitn	neter correct position and symbol		[1] [Total: 8]		

	Page 3	8	Mark Scheme	Syllabus	Paper		
			IGCSE – October/November 2007	0625	06		
4	(a) (i)	x = 2	2.1, 2.2		[1]		
	(ii)		6.5, 6.6 d <i>h</i> with same unit		[1] [1]		
	(iii)		ect arithmetic for n1.47 – 1.51 (ecf) of and no unit		[1] [1]		
	<b>(b)</b> two	equa	al heights from bench (or other valid method)		[1]		
					[Total: 6]		
5	(a) (i)	50, 7	75/76		[1]		
	(ii)	25 ( cm³	ecf) (at least once and not contradicted)		[1] [1]		
	(iii)	dens	sity 4.36 (ecf)		[1]		
	(b) V <sub>2</sub> , cm <sup>2</sup> der 5.6		[1] [1] [1] [1]				
	<b>(c)</b> Sar	(c) Same method, lots of grains					
					[Total: 9]		