

## **MARK SCHEME for the October/November 2012 series**

### **0580 MATHEMATICS**

**0580/32**

Paper 3 (Core), maximum raw mark 104

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2012 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

<b>Page 2</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – October/November 2012</b>	<b>0580</b>	<b>32</b>

### Abbreviations

cao	correct answer only
cso	correct solution only
dep	dependent
ft	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
www	without wrong working

Qu.	Answers	Mark	Part Marks
<b>1</b>	<b>(a) (i)</b> 94 500 ÷ (7 + 6 + 5) or 94 500 ÷ 18 Multiply by 5	<b>M1</b> <b>M1dep</b>	dependent on first mark
	<b>(ii)</b> 36 750	<b>1</b>	
	<b>(b) (i)</b> 3960	<b>2</b>	<b>M1</b> for $0.5 \times (76 + 100) \times 45$ oe
	<b>(ii)</b> $\frac{3960}{26250}$ oe	<b>1ft</b>	Ft for $\frac{\text{their (b)(i)}}{26250}$ provided answer is integer/integer and less than 1
	<b>(c)</b> 83.3(3...)	<b>1ft</b>	Ft for $\frac{30625}{\text{their (a)(ii)}} \times 100$
	<b>(d) (i)</b> 10 9	<b>1, 1</b>	
	<b>(ii)</b> $1 - \frac{10}{24} - \frac{9}{24}$	<b>M1ft</b>	Accept $1 - 19/24$
	<b>(iii)</b> 45	<b>1</b>	
<b>2</b>	<b>(a) (i)</b> 2 -7 2	<b>1,1,1</b>	
	<b>(ii)</b> 12 correctly plotted points	<b>3ft</b>	<b>P2ft</b> for 10 or 11 correct. <b>P1ft</b> for 8 or 9 correct
	2 smooth curves through 12 correct points and correct shape	<b>C1</b>	
	Two separate branches not crossing the y-axis	<b>B1</b>	
	<b>(iii)</b> 2	<b>1</b>	
<b>(iv)</b> 2.7 to 3.0, -3.0 to -2.7	<b>1</b> <b>1</b>		

Page 3	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0580	32

	<p>(b) (i) <math>\frac{1}{2}</math> or 0.5</p> <p>(ii) <math>-1 \quad 1 \quad 5</math></p> <p>(iii) Correct ruled continuous line drawn</p> <p>(c) (5.0 to 5.2, 3.5 to 3.7) (<math>-3.2</math> to <math>-3.0</math>, <math>-0.7</math> to <math>-0.5</math>)</p>	<p>1</p> <p>2</p> <p>1</p> <p>1ft 1ft</p>	<p><b>B1</b> for 2 correct</p> <p>Ft <math>\pm 0.1</math> from their intersections</p>
3	<p>(a) Translation <math>\begin{pmatrix} -6 \\ -5 \end{pmatrix}</math></p> <p>(b) (i) Correct reflection</p> <p>(ii) Correct rotation</p> <p>(c) Points <math>Q</math> and <math>R</math></p>	<p>1</p> <p>1</p> <p>1</p> <p>2</p> <p>1, 1</p>	<p><b>SC1</b> for <math>90^\circ</math> anti-clockwise about <math>A</math> or <math>90^\circ</math> clockwise about any other point.</p>
4	<p>(a) Parallelogram 0 Kite 1 Rhombus 2 Trapezium 0</p> <p>(b) (i) <math>Q</math> or <math>RQP</math> or <math>PQR</math></p> <p>(ii) 15</p>	<p>1,1 1,1 1,1 1,1</p> <p>1</p> <p>2</p>	<p><b>M1</b> for a complete correct method</p>
5	<p>(a) (i) Angle measured <math>80^\circ</math> <math>60 \div</math> their <math>80^\circ \times 360^\circ</math> oe</p> <p>(ii) (Blue) 47, 48 or 49 (Green) 56, 57 or 58</p> <p>(b) (i) <math>52^\circ</math></p> <p>(ii) Correct line drawn <math>52^\circ</math> Correct labels</p> <p>(c) (i) Bar chart with – vertical axis correctly scaled  – bars of correct and equal width, – and with equal or no gaps</p> <p>(ii) 360</p>	<p><b>B1</b> <b>M1</b></p> <p>3</p> <p>2</p> <p>1ft 1ft</p> <p>1</p> <p>2</p> <p>2</p>	<p>Or 2 for 1 correct or answers transposed Or <b>B1</b> for <math>64^\circ \pm 1^\circ</math> (blue) or <math>76^\circ \pm 1^\circ</math> (Green) seen <b>SC2</b> for 2 decimal answers in range</p> <p><b>M1</b> for <math>39 \div 270 \times 360</math> oe</p> <p>Ft if <i>their</i> (b)(i) is less than <math>140^\circ</math></p> <p><b>B1</b> for linear vertical scale to at least 40 shown</p> <p><b>B2</b> for all bars of correct heights and equal widths with equal or no gaps Or <b>B1</b> for all bars of correct heights but unequal widths/gaps or at least 3 bars of correct heights and equal widths</p> <p><b>M1</b> for <math>9 \times 40</math> or <math>40/100 \times 900</math> oe</p>

Page 4	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0580	32

6	(a) (i) (0)710	1	Accept (0)710 am
	(ii) 1 (h) 10 (min)	1	
	(b) Line from (08 20, 50) to (11 40, 142)	1	
	(c) Correct lines To (1200, 142)  Then to (12 30, 162)	1ft	1ft for a horizontal line from their (11 40, 142) of length two small squares.
		2ft	2ft is for line from end of their horizontal line 3 small squares across and 10 small squares up.
			<b>B1</b> for line from end of their horizontal line 10 small squares up or <b>M1</b> for $40 \times 30 \div 60$ (implied by 20 kilometres seen)
(d) 27	2	<b>M1ft</b> for their total distance $\div$ their time in hours <b>SC1</b> for 36 or 24.9...	
(e) (i) Line (10 10, their 142) to (13 20, 50)	2	<b>B1</b> for one of (10 10, their 142) or (13 20, 50) plotted.	
(ii) 70 to 72 (km)	1ft	Ft is their intersection–50, half square accuracy.	
7	(a) Arc of circle 3.5 cm from $T$ .	2	<b>M1</b> for any arc, centre $T$ .
	(b) (i) Correct construction with 4 correct arcs	2	<b>B1</b> for correct but without 4 arcs
	(ii) Bisector of $QR$ with 2 pairs of arcs.	2	<b>B1</b> for correct but without 2 pairs of arcs
	(c) (i) $F$ in correct region	1dep	Dependent on at least <b>B1</b> and <b>B1</b> in (b)

Page 5	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0580	32

	(ii) 1200 to 1700 (m <sup>2</sup> )	4dep	<p>Dependent on at least <b>B1</b> and <b>B1</b> in (b)</p> <p>If at least <b>B1</b> and <b>B1</b> in (b) then  <b>B1</b> for base <math>33 \leq b \leq 37</math>(m) or  <math>3.3 \leq b \leq 3.7</math>(cm)  <b>B1</b> for height <math>70 \leq h \leq 96</math>(m) or  <math>7.0 \leq h \leq 9.6</math>(cm)  <b>M1</b> for <math>\frac{1}{2} \times \text{their base} \times \text{their height}</math></p> <p>If <b>B0</b> in either (b)(i) or (b)(ii) but <i>F</i> marked in any triangle  <b>SC1</b> for <i>their base</i> <math>\pm 2</math>(m) or <math>\pm 0.2</math>(cm)  <b>SC1</b> for <i>their perpendicular height</i> <math>\pm 2</math>(m) or <math>\pm 0.2</math>(cm)  <b>SC1</b> for <math>\frac{1}{2} \times \text{their base} \times \text{their height}</math></p>
8	<p>(a) (i) Diagram 4 correctly drawn</p> <p>(ii) 17 22 27</p> <p>(b) (i) <math>5n + 2</math> oe final answer</p> <p>(ii) 147</p> <p>(c) (i) 8</p> <p>(ii) <math>4n - 4</math> oe final answer</p> <p>(d) <math>n + 6</math> cao</p>	<p>1</p> <p>2</p> <p>2</p> <p>1ft</p> <p>1</p> <p>2</p> <p>1</p>	<p>Clear intention</p> <p><b>B1</b> for 2 correct or a gap of 5 between Diagrams 3 and 4 <b>and</b> 4 and 5.</p> <p><b>B1</b> for <math>jn + 2</math> (<math>j \neq 0</math>) or <math>5n + k</math></p> <p>Ft a linear expression</p> <p><b>B1</b> for <math>jn - 4</math> (<math>j \neq 0</math>) or <math>4n + k</math></p>
9	<p>(a) (i) <math>6d + 160 = 430</math> oe</p> <p>(ii) 45</p> <p>(iii) 184 or \$1.84</p> <p>(b) (i) <math>3p + 2c = 92</math> oe</p> <p>(ii) <math>2p + 5c = 153</math> oe</p>	<p>1</p> <p>2ft</p> <p>2</p> <p>1</p> <p>2</p>	<p>Ft for <math>pd + q = r</math> <math>p, q</math> and <math>r \neq 0</math> and <math>p \neq 1</math>  <b>M1ft</b> for 1<sup>st</sup> step correct</p> <p><b>SC1</b> for 270</p> <p><b>M1</b> for <math>1.15 \times 160</math> oe  <b>SC1</b> for answer 1.84</p> <p>Final answer</p> <p><b>B1</b> for <math>2p + 5c</math> seen</p>

<b>Page 6</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – October/November 2012</b>	<b>0580</b>	<b>32</b>

	(iii) ( $p =$ ) 14 ( $c =$ ) 25 cao	<b>4</b>	<p><b>M2ft</b> for correct method to eliminate 1 variable  <b>A1</b> for a correct answer</p> <p>If not <b>M2</b>  <b>M1</b> for 2 equations with common coefficients of <math>p</math> or <math>c</math> seen  or  <b>M1</b> for correct rearrangement to <math>p =</math> or <math>c =</math> seen</p>
--	-------------------------------------	----------	--