www.xirenepapers.com

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the May/June 2012 question paper for the guidance of teachers

0580 MATHEMATICS

0580/22

Paper 2 (Extended), maximum raw mark 70

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2012 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	ge 2 Mark Scheme: Teachers' version		Paper
	IGCSE – May/June 2012	0580	22

Abbreviations

cao correct answer only cso correct solution only

dep dependent

ft follow through after error isw ignore subsequent working

oe or equivalent SC Special Case

www without wrong working

soi seen or implied

Qu	Answers	Mark	Part marks	
1	Wednesday 22 15 or 10 15pm	2	B1 B1	
2 (a)	I cao	1		
(b)	IN cao	1		
3	$x-5 \frac{x}{5} \frac{5}{x} 5x$	2	M1 evaluating all 4 expression the range. (1 and 2 are our	
4	25 (correct working essential)	2	M1 for 18 + 4 + 3 with de (oe is possible)	enominator 12 must be soi
5	64000 or 6.4 × 10 ⁴	2	SC1 for 63800 or 6.38 × in answer space.	10^4 or figs 64 or 6.4×10^k
6	1, 2, 3, 4	3	M1 $10x < 45$ A1 $x < 4.5$	
7	4.46 or 4.456 to 4.459 cao	3	B1 for 28 seen M1 ft for $\frac{their28}{2\pi}$ oe or be	etter.
8	13500 408	3	M1 135×10^2 or 408000	$\div 10^3$ oe A1 A1
9	452	3	M1 tan $78.3 = \frac{x}{58.4}$ M1 "282" + 170	SC2 282 in answer space
10 (a)	50	1		
(b)	15	2	M1 finding area under graph SC1 15000	
11	196	3	M1 $y = k(x-3)^2$ A1 $k = 4$	M1 $y = \frac{(x-3)^2}{k}$ A1 $k = \frac{1}{4}$
				$\mathbf{A1} \ k = \frac{1}{4}$

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2012	0580	22

		1		
12	(a)	10(.0)	2	$\mathbf{M1} \ \frac{1}{2} \times 8 \times 5 \times \sin 150$
	(b)	210	2	M1 30° correctly placed at B or C oe
13	(a)	15	2	M1 for $\frac{(9-3)}{0.4}$ oe
	(b)	11.7(0)	2	M1 for 9×1.3 oe
14	(a)	Shear, SF2, <i>x</i> axis invariant	3	B1 shear B1 SF2 B1 x axis invariant
	(b)	$\begin{pmatrix} 1 & 2 \\ 0 & 1 \end{pmatrix}$	2ft	$\begin{pmatrix} 1 & k \\ 0 & 1 \end{pmatrix}$ 2 marks if $k = 2$ or their SF in (a) 1 mark for any other $k, k \neq 0$
15	(a)	29 to 29.5	1	
	(b)	20 to 20.5	1	
	(c)	14 to 14.5	1	
	(d)	$\frac{13}{15}$ oe or 0.867	2	M1 8 seen
16	(a)	0.7 to 0.8 and 5.2 to 5.4	2	B1 B1
	(b)	-2 to -1 but must have a tangent at $x = 1$ for full marks	3	M1 drawing tangent at $x = 1$ M1 for using y step/ x step on their tangent wherever it is drawn
17	(a)	(-5, 0)	2	B1 (<i>k</i> , 0) or (–5, <i>k</i>)
	(b)	-2	1	
	(c)	$2\frac{1}{2}$ or $\frac{5}{2}$	2	$\mathbf{M1} \ \frac{5}{4} = \frac{k}{2} \ \text{oe}$
18	(a)	$2(x+2)^3$ or $2x^3 + 12x^2 + 24x + 16$	2	M1 v. clear evidence of $f(x) \times 2$ then add 10
	(b)	$\sqrt[3]{(x+5)}-2$	3	M1 correct first step M1 correct second step
	(c)	0	2	M1 g(-5) seen or $2 \times -5 + 10$
19	(a)	$3\frac{1}{2}$	2	M1 $2x - 7 = 0$
	(b)	3 and -3	3	$\mathbf{M1} \ x^2 - 8 = 1 \mathbf{A1} \ x = 3 \mathbf{A1} \ x = -3$
	(c)	5	2	M1 x - 2 = 3
			l	