www.xiremepaders.com

## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

**International General Certificate of Secondary Education** 

## MARK SCHEME for the October/November 2009 question paper for the guidance of teachers

## 0580 MATHEMATICS

0580/04

Paper 4 (Extended), maximum raw mark 130

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2009 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2009	0580	04

## **Abbreviations**

cao correct answer only cso correct solution only

dep dependentft follow through

isw ignore subsequent working oe or equivalent

oe or equivalent SC Special Case soi seen or implied

www without wrong working

1 (a) (i)	8.4(0)	B2	B1 for 1.2 or 3.6 seen or SC1 for figs 84 in answer
(ii)	$\frac{their(i)}{20} \times 100  \text{oe}$ 42 ft www2	M1 A1ft	ft their $8.4 \times 5$ After 0 scored <b>SC1</b> ft for 58% or $\frac{20 - their(i)}{20} \times 100 \text{ correctly given}$
(b)	6	B2	<b>M1</b> for 9 or $8 \div (1 + 8 + 3)$ soi
(c)	$\frac{2.4}{2} \times 3  \text{oe (= 3.6 seen)}$ or their (a) (i) ÷ 7 × 3	M1	
	$\frac{3}{12} \times 9  \text{oe } (= 2.25 \text{ seen})$	M1	
	1.6(0) cao www3	A1	
(d)	$\frac{2.40}{1.25}$ oe	M1	Implied by figs 192
	1.92 www2	A1	[11]

2 (a) (i)	Reflection (M), $x = 1$	B1,B1	If extra transformations given in part (a) then zero scored
(ii)	Rotation (R) 180 (centre) (1, 0)	B1 B1 B1	Must be "rotation". Allow half turn for 180. Allow other clear forms of (1, 0)
(iii)	Enlargement (E) (centre) (6, 4) (scale factor) 3	B1 B1 B1	Must be "enlargement" Allow other clear forms of (6, 4) e.g. vector Accept 3: 1 or 1:3
(iv)	Shear (H) y-axis invariant oe  (factor) -1	B1 B1	Must be "shear" Allow other explanation for invariant but not "parallel to" isw after y-axis invariant seen

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2009	0580	04

(b) (i)	$\begin{pmatrix} 1 & 0 \\ 0 & -1 \end{pmatrix}$	B2	B1 for correct right-hand column in 2 by 2 matrix
(ii)	$\begin{pmatrix} 1 & 0 \\ -1 ft & 1 \end{pmatrix}$	B2ft	Ft only their factor in (a) (iv) provided not zero <b>B1ft</b> for left-hand column in 2 by 2 matrix provided shear factor is not zero or <b>SC1</b> for $\begin{pmatrix} 1 & 0 \\ 1 & 1 \end{pmatrix}$ if not ft
			[15]

3 (a) (i)	1	B1	Penalty of -1 in question if any answers given as decimals or percentages (to 3sf) alone, but isw cancelling/conversion after correct answer
(ii)	$\frac{3}{6}$ oe	B1	
(b) (i)	$\frac{2}{30}$ oe www2	B2	<b>M1</b> for $\frac{2}{6} \times \frac{1}{5}$
(ii)	6–12 and 12–6 and 7–11 and 11–7 soi	M1	Evidence of all pairs adding up to 18 but no extras e.g. $4/6 \times 1/6$
	$k \times \frac{1}{6} \times \frac{1}{5}$ for $k = integer$	M1	Without seeing the first M, $\frac{4}{6} \times \frac{1}{5}$ oe scores
	$\frac{4}{30}$ oe www3	<b>A1</b>	M2, $\frac{2}{6} \times \frac{1}{5}$ oe scores M1
(iii)	6 5	M1	
	$\frac{8}{30}$ oe www2	<b>A1</b>	
(c)	$\frac{2}{6} + \frac{4}{6} \times \frac{2}{5}$ oe	M1	$\frac{2}{6}$ + their (b) (iii)
	$\frac{18}{30}$ oe cao www2	<b>A1</b>	
(d)	4	B2	M1 for $(1 + 1 + 6 + 7 + 11 + 12 + x) \div 7 = 6$ or better
			[13]

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2009	0580	04

4 (a) (i)	Accurate triangle with 2 arcs seen, 2 mm accuracy for lines AC and BC	B2	SC1 if accurate but no arcs or one arc or if AC and BC are wrong way round with arcs
(ii)	Accurate bisector of angle $ACB$ , 2° accuracy and both pairs of arcs shown (accept equidistant marks on edges for 1 <sup>st</sup> set of arcs) + must meet $AB$	B2ft	Ft their triangle  SC1ft if accurate but no/one pair of arcs or short with arcs In both (ii) and (iii) isw
(iii)	Accurate perpendicular bisector of <b>AD</b> 2 mm accuracy at mid-point and 2° for right angle and shows both sets of arcs + must meet <b>AC</b>	ft their D, which must be on AB SC1ft if accurate but no/one pair of arcs short with arcs	
(iv)	Correct region shaded cao	B1	Dependent on correct triangle, accurate bisectors of angle $ACB$ and side $AD$ with correct $D$
(b) (i)	$(\cos C) = \frac{140^2 + 180^2 - 240^2}{2 \times 140 \times 180}$ oe	M2	(-5600/50400 or -14/126) Allow use of 7, 9 and 12 M1 for correct implicit statement Verification using 96.4 scores M2 max
	- 0.111(1)or better or 96.37 to 96.38	<b>E</b> 1	Accept $-\frac{1}{9}$ but not a non-reduced fraction
(ii)	0.5 × 140 × 180 sin (their 96.4) oe 12521 to 12523 or 12 500 or 12520 cao www2	M1 A1	(s = 280), allow use of 7, 9 (31.3)
(iii)	(Sin $B =$ ) $\frac{140 \sin(their 96.4)}{240}$ oe 35.4 or 35.42 to 35.44 cao www3	M2 A1	Allow use of 7, 12  M1 for correct implicit statement  SC2 for correct answer by other method  [15]

5 (a) (i)	(x+3)(2x+5) - x(x+4) = 59 oe $2x^2 + 6x + 5x + 15 - x^2 - 4x = 59$ oe $x^2 + 7x - 44 = 0$	M1 A1 E1	Implies <b>M1</b> (allow $11x$ for $6x + 5x$ ) Correct conclusion – no errors or omissions
(ii)	(x+11)(x-4)	B2	SC1 any other $(x + a)(x + b)$ where $a \times b = -44$ or $a + b = 7$
(iii)	<b>–11, 4</b> www ft	B1ft	Strict ft dep on at least SC1 in (ii) allow recovery if new working seen
(iv)	$tan = \frac{(their + ve  root) + 3}{2(their + ve  root) + 5}  oe$ $28.3  (00)  \text{ft}  www2$	M1 A1ft	Could be alt trig method oe <b>M1</b> where trig function is explicit ft one of their positive roots $(27.4^{\circ} (27.40 - 27.41) \text{ from } x = 11)$

Page 5	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2009	0580	04

(b) (i)	$\frac{2x+5}{x+4} = \frac{x+3}{x} \text{ oe}$ $x^2 + 4x + 3x + 12 = 2x^2 + 5x$ $x^2 - 2x - 12 = 0$	M1 A1 E1	Must be seen. Allow ratio or correct products  Correct expansion of brackets seen (allow $7x$ for $4x + 3x$ )  Correct conclusion – no errors or omissions <b>M1</b> must be seen
(ii)	$\frac{-(-2) \pm \sqrt{(-2)^2 - 4(1)(-12)}}{2(1)}$ or $(x-1)^2 - 12 - 1$ (B1) and $x - 1 = \pm \sqrt{13}$ (B1) - <b>2.61, 4.61 final answers</b> www4	B1,B1	In square root <b>B1</b> for $(-2)^2 - 4(1)(-12)$ or better  If in form $\frac{p + \sqrt{q}}{r}$ or $\frac{p - \sqrt{q}}{r}$ , <b>B1</b> for $-(-2)$ and $2(1)$ or better
	- 2.01, 4.01 iiiiai answers   www4	D1,D1	If B0, SC1 for -2.6 and 4.6 or both answers correct to 2 or more dps rot -2.6055, 4.6055
(iii)	<b>26.4</b> ( <b>26.42</b> to <b>26.44</b> ) ft	B1ft	ft $4 \times a$ positive root $+ 8$ [16]

6 (a) (i)	-16	B1	
(ii)	18 to 19	B1	
(b) (i)	-4.3 to -4.2, 1.5 to 1.6	B1,B1	
(ii)	-4.5 to -4.4 , 1.3 to 1.4	B1,B1	
(iii)	<b>-4.5 to -4.4</b> < x < <b>1.3 to 1.4</b> ft	B1ft	Ft their (ii). Allow clear worded explanations and condone ≤ signs
(c)	$-\frac{30}{7}$ oe isw conversion	B2	Accept $-4\frac{2}{7}$ , 30/-7  M1 for 30/7 oe fracts, isw conversion or for $-30/7$ oe soi
(d)	Ruled line passing within 2 mm of (-5, 30) and (2, 0)	B2	<b>B1</b> for ruled line parallel to $g(x)$ . By eye (21° to 25° to horizontal if in doubt) allow broken line
(e) (i)	Ruled horizontal line through (-3, -27)	B1	No daylight, not chord (allow broken)
(ii)	y = -27	B1	
(f)	Ruled lines $x = -3$ , $x = -2$ , $y = 40$ Region enclosed by lines $x = -3$ , $x = -2$ , $y = 40$ and $y = g(x)$	B1 B1	Long enough to be boundary of region – allow broken or solid ruled lines  Allow any clear indication  [15]

Page 6	6 Mark Scheme: Teachers' version		Paper
	IGCSE – October/November 2009	0580	04

7 (a) (i)	$\frac{60}{360} \times \pi \times 2 \times 24$ oe <b>25.1 (25.12 to 25.14)</b> www2	M1 A1	Accept 8 π
(ii)	$\frac{60}{360} \times \pi \times 24^2$ oe 301 or 302 or 301.4 to 301.7 www2	M1 A1	Accept 96 $\pi$
(b) (i)	$\pi d = their$ (a) (i) oe 4 (3.99 – 4.01) cao www2	M1 A1	
(ii)	24 <sup>2</sup> – (their radius) <sup>2</sup> 23.7 (23.66 to 23.67) cao www2	M1 A1	Alt trig method for $h$ explicit Accept $\sqrt{560}$ , $2\sqrt{140}$ , $4\sqrt{35}$
(iii)	$\frac{1}{3} \times \pi \times (\text{their } r)^2 \times (\text{their } h)$ $394 - 398  \text{cao www2}$	M1 A1	Not for $h = 24$
(c) (i)	27W	B1	
(ii)	4 <i>W</i>	B1	If B0, B0 in (c), <b>SC1</b> for 27 and 4 alone [12]

8	(a)	$5.5 < t \le 6$	B1	Condone poor notation
	(b)	4.25, 4.75, 5.25, 5.75, 6.25, 6.75 $(2 \times 4.25 + 7 \times 4.75 + 8 \times 5.25 + 18 \times 5.75 + 10 \times 6.25 + 5 \times 6.75)$ (= 283.5) ÷ 50 or their $\sum f$ 5.67 www4	M1 M1 M1 A1	At least 5 correct mid-values seen $\sum fx$ where $x$ is in the correct interval allow one further slip Depend on second method After M3 allow 5.7 isw conversion to mins/secs and reference to classes
	(c) (i)	17, 15	B1	
	(ii)	Rectangular bars of heights 11.3 and 15  Correct widths of 1.5 and 1 – no gaps	B1ft B1ft	ft their 17 divided by 1.5 ft their 15 11.3 plot between 11 and 12 include lines and 15 to be touching the 15 line
	(iii)	2.5 cao	B1	[10]

Page 7	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2009	0580	04

9 (a)	$3(m-3) + 4(m+4) = -7 \times 12$ $3m-9 + 4m + 16 = -84$	M2 A1	Allow <u>all over</u> 12 at this stage M1 for $3(m-3) + 4(m+4)$ seen Allow <u>all over</u> 12 at this stage
	-13 www4	A1	May be seen in stages
(b) (i)	0.5 oe	B1	
(ii)	$\frac{3(x+3) - 2(x-1)}{(x-1)(x+3)}$ $\frac{x+11}{(x-1)(x+3)}$ final answer	M1 A1	If brackets not seen allow $3x + 9 - 2x \pm 2$ as numerator with a correct denominator isw incorrect expansion of denominator if correct brackets seen
(iii)	$\frac{x(x+11)}{(x-1)(x+3)} = 1$ ft <b>or</b>		
	$x + 11 = \frac{1}{x} (x - 1)(x + 3) \text{ or better ft}$ $x^{2} + 11x = x^{2} + 3x - x - 3$ $-\frac{1}{3} \text{ oe cso www3}$	M1 M1 A1	Must clear one denominator correctly Ft their <b>(b)(ii)</b> dep on fraction in <b>(ii)</b> with $(x-1)(x+3)$ oe as denominator Depend on previous <b>M1</b> $-0.33(33)$
(c)	p(q-1) = t oe pq = t + p $\frac{t+p}{p}$ oe final answer www3	M1 M1 M1	Multiplying by $(q-1)$ Ft their first step e.g. $pq$ only term on one side Ft their $2^{\text{nd}}$ step e.g. dividing by $p$ Note: $q-1=\frac{t}{p}$ is <b>M2</b> and then $q=\frac{t}{p}+1$ is <b>M1</b>
			[13]
10 (a)	21 + 23 + 25 + 27 + 29 = 125 31 + 33 + 35 + 37 + 39 + 41 = 216	B1 B1	
(b)	Cubes	B1	
(c) (i)	n oe	B1	
(ii)	$n^3$ oe	B1	
(d)	$4^2 - 4 + 1 = 13$ www	E1	Allow 16 for 4 <sup>2</sup> , otherwise all must be seen
(e)	$7 \times 43 + 2 + 4 + 6 + 8 + 10 + 12$	B1	All must be seen
(f)	n(n-1) final answer oe	B1	
(g)	$n(n^2 - n + 1) + \text{their } (\mathbf{f})$ $n^3 - n^2 + n + n^2 - n = n^3$	M1 E1	All must be seen, no errors or omissions [10]