

**UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS**  
International General Certificate of Secondary Education

**MARK SCHEME for the October/November 2009 question paper  
for the guidance of teachers**

**0580 MATHEMATICS**

**0580/12**

Paper 12 (Core), maximum raw mark 56

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2009 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



<b>Page 2</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – October/November 2009</b>	<b>0580</b>	<b>12</b>

Qu.	Answers	Mark	Part Marks
1	$2 \times 8 - (5 - 4) = 15$	1	
2	$28\% < 0.283 < \frac{2}{7}$	1	
3	54.9 or 54.87 or 54.872	1	
4	252	2	W1 for 108 or 72 correctly shown on the <b>diagram at B</b> . Or M1 for $180 + 72$ or $360 - (180 - 72)$ soi
5	$15500 \leq N < 16500$	1, 1	If zero, SC1 for correct but reversed
6	$\frac{8}{3}$ <b>and</b> $\frac{12}{11}$ seen $\frac{96}{33}$ oe fraction or $2 \frac{30}{33}$ oe	M1  A1	isw incorrect cancelling after $\frac{96}{33}$ oe Final answer is a decimal, maximum M1.
7	Correct angle bisector ( $\pm 2^\circ$ ) with two pairs of correct arcs. Line ( $\pm 2$ mm) from <i>B</i> .	2	W1 correct bisector without arcs or incorrect arcs or absent arcs. Line ( $\pm 2$ mm) from <i>B</i> .
8	(a) $\sqrt{25}$ or 5  (b) $\sqrt{8}$ isw	1  1	
9	(a) 15 18 isw or 3.18 pm isw.  (b) 98	1  2cao	Not 03 18 or 3 18 alone. Not 15h(ours)18 M1 for $441 \div 4.5$ (or 4h 30min or 270) Method mark is for formula with values.
10	( $x =$ ) 3 and ( $y =$ ) 4 www	3	M1 for complete correct method for one value A1 for 1 correct answer. ww both correct W3 ww one correct W0 Reversed answer, look in working to be convinced of transcription error.
11	(a) Ruled line from (0, 0) to (24, 15) End point <b>between</b> (23.5, 15) and (24.5, 15). Start point within 1 mm of (0, 0)  (b) 11 to 11.5	2  1ft	W1 for correct freehand or short of (24, 15) but within allowed limits and to at least 7 miles. If zero SC1 Ruled line from (0, 0) to (23.5, 15) or to (24.5, 15)  Answer in range. If 0 or W1 gained in part (a) follow through line with positive gradient only $\pm 1$ mm

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2009	0580	12

12	Correct net layout	1	2 rectangles and 2 equilateral triangles (one on each side) in correct position to make a net.  within 2 mm of central grid line
	2 accurate, 7 cm by 4 cm, rectangles on top and bottom.	1	
	2 accurate equilateral triangles at the sides (height 3.3 cm to 3.7 cm)	1	
13	(a) (-2, 1)	1	All coordinates/components reversed. ie (a) (1, -2), (b) $\begin{pmatrix} 4 \\ 6 \end{pmatrix}$ , (c) (1, 0)  mark 0, 0, SC1
	(b) $\begin{pmatrix} 6 \\ 4 \end{pmatrix}$	1	
	(c) H at (-1, 2)	1	
14	(a) -3 final answer	1	W1 for $4s^n$ ( $n \neq 0$ ) or $ks^3$ ( $k \neq 0$ ) seen
	(b) 6 final answer	1	
	(c) $4s^3$ or $\frac{4}{s^{-3}}$ final answer	2	
15	(a) 12	2	M1 for $32 = \frac{8d}{3}$ or better.
	(b) $(d=) \frac{3J}{m}$	2	M1 for $3J = md$ or $\frac{J}{m} = \frac{d}{3}$
16	(a) $1.67 \times 10^3$	2	W1 for $1.67 \times 10^n$ ( $n \neq 0$ ) or $1.(.....) \times 10^3$ as answer If zero SC1 for figs 167 in answer.
	(b) 464 or 463.8(3.....)	2	
17	(a) $p(3m + 7p)$ final answer	1	Ignore check by expansion.  W1 for $24m + 8p$ <b>and</b> W1 for $-10m + 15p$ If zero ww SC1 for $14m$ or $(+)23p$ in answer
	(b) $14m + 23p$ www	3	
18	(a) 75 Angle(s) (on a straight) line (=) 180	1, 1	Or reference to straight line and 180  or exterior angle (of triangle is) sum of interior (opposite) angles
	(b) 67 Angle(s) (in a) triangle (sum to) 180	1ft,1	
	(c) 67 (vertically) opposite	1ft,1	

<b>Page 4</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – October/November 2009</b>	<b>0580</b>	<b>12</b>

<b>19</b>	<b>(a)</b> 60	1	
	<b>(b)</b> $36 \div 240 \times 360$ oe 54	M1 A1	oe e.g. $36 \times 90 \div 60$ W2 54 with some relevant working shown
	<b>(c) (i)</b> 116 to 118	1	
	<b>(ii)</b> 32.5 or their <b>(c) (i)</b> $\div 3.6$	2ft	M1 for their <b>(c) (i)</b> $\div 360 \times 100$ Or for their <b>(c) (i)</b> $\times (60 \div 90) \div 240 \times 100$ Allow revised angle in range 116 – 118 seen with working