

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

MARK SCHEME for the May/June 2008 question paper

0580, 0581 MATHEMATICS

0580/04, 0581/04 Paper 4 (Extended), maximum raw mark 130

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2008 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



| | | | |
|---------------|------------------------------|-------------------|--------------|
| Page 2 | Mark Scheme | Syllabus | Paper |
| | IGCSE – May/June 2008 | 0580, 0581 | 04 |

| | | | |
|------------------|--|---------------------------|--|
| 1 (a) (i) | 250 | B1 | |
| (ii) | their (a)(i) $\div 5 \times 52$ o.e. 2600 ft www2 | M1 A1 ft | SC1 for $12.5 \div 5 \times 52$, implied by 130 |
| (iii) | $\frac{\text{their (a)(ii)} - 2450}{2450} \times 100$ o.e. 6.1(22.....) ft www2 | M1 A1 ft | $\frac{\text{their (a)(ii)}}{2450} \times 100 - 100, \frac{2450}{100} = \frac{150}{x}$ ft M & A only if their (a)(ii) > 2450 |
| (b) (i) | $20 \div 5 \times 3$ 12 www2 | M1 A1 | Accept 12, 8 or 8, 12 |
| (ii) | their (b)(i) $\div 3$ and $(20 - \text{their (b)(i)}) \div 2.5$ 7 hours 12 mins cao www2 | M1 A1 | 4 and 3.2 or 7.2 or 7h 20 mins seen imply M1 Condone poor notation e.g. 7-12 |
| (iii) | 2.78 (2.777–2.778) o.e. cao o.e. in other units | B1 | o.e. must have units stated e.g. 0.7716..m/s, 46.29 – 46.30 m/min |
| (iv) | 16 07 o.e. ft | B1 ft | ft their (b)(ii) + 08 55 iff finishes on same day and (b)(ii) has hours and mins |
| (c) | $20 \times 100000 \div 80$ o.e. 25 000 or 2.5×10^4 www2 | M1 A1 | 25 000 seen in final ans. After M0, SC1 for figs 25 or 0.00004 final answer [13] |

| | | | |
|------------------|--|-------------------------------------|--|
| 2 (a) (i) | $(x + 4)(x - 5)$ | B2 | If B0, SC1 if of form $(x \pm 4)(x \pm 5)$, |
| (ii) | -4, 5 ft | B1 ft | Only ft the SC -4, and 5 not from $(x - 4)(x + 5)$. |
| (b) | $\frac{-(-2) \pm \sqrt{(-2)^2 - 4.3 - 2}}{2.3}$ -0.55, 1.22 cao | B1,B1 B1,B1 | B1 for $(-2)^2 - 4(3)(-2)$ (or better) seen inside a square root. The expression must be in the form $\frac{p + (\text{or}-)\sqrt{q}}{r}$ then B1 for $p = -(-2)$ and $r = 2.3$ or better Allow recoveries from incomplete lines If B0, SC1 for -0.5 and 1.2 or both answers correct to 2 or more decimal places (rounded or truncated). -0.54858, 1.21525... |
| (c) (i) | $(m - 2n)(m + 2n)$ | B1 | |
| (ii) | -12 | B1 | |
| (iii) | 20x + 5 o.e. cao final ans | B2 | B1 for $(4x^2 + 6x + 6x + 9)$ or $(x^2 - x - x + 1)$ or $(2x + 3 - 2(x - 1))(2x + 3 + 2(x - 1))$ |
| (iv) | $4n^2 = m^2 - y$ o.e. $n^2 = \frac{m^2 - y}{4}$ o.e. $(n) = \sqrt{\frac{m^2 - y}{4}}$ o.e. www3 Mark final answer | M1 M1 M1 | M1 for correct re-arrangement for n^2 term (may be $-n^2$) M1 for correct division by 4 or -4 M1 for correctly taking square root of n^2 term SC2 for $\sqrt{\frac{y \pm m^2}{4}}$ or $\sqrt{\frac{m^2 - y}{4}}$ o.e. ww |
| (d) (i) | 4 or -4 or ± 4 | B1 | |
| (ii) | $n(m^4 - 16n^4)$ or $(m^2n - 4n^3)(m^2 + 4n^2)$ or $(m^2n + 4n^3)(m^2 - 4n^2)$ or $n(m - 2n)(m + 2n)(m^2 + 4n^2)$ | M1 A1 | Correctly taking out n or a correct factor with n still in one bracket Must be final answer [17] |

| | | | |
|---------------|------------------------------|-------------------|--------------|
| Page 3 | Mark Scheme | Syllabus | Paper |
| | IGCSE – May/June 2008 | 0580, 0581 | 04 |

| | | | |
|----------------|--|------------------------|--|
| 3 | | | <p>Accept all probability answers as fractions (non-reduced or reduced), decimals or percentages. –1 once for 2 sf answers or correct words. Condone numerical errors in simplifying or converting after correct answers seen. Ratio answers score zero throughout.</p> |
| (a) (i) | $\frac{1}{3}, \frac{3}{8}, \frac{6}{8}, \frac{2}{8}$ o.e. | B3 | –1 each error bod if no letters given |
| (ii) | $\frac{2}{3} \times \frac{5}{8}$ $\frac{5}{12}$ o.e. www2 | M1 A1 | $\frac{10}{24}$, etc., 0.416(6...) |
| (iii) | their $\frac{5}{12} + \frac{1}{3} \times \frac{6}{8}$ $\frac{2}{3}$ o.e. cao www2 | M1 A1 | $\frac{16}{24}, \frac{8}{12}$, etc., 0.666(6...) |
| (b) (i) | $\frac{3}{10} \times \frac{2}{9} \times \frac{1}{8}$ $\frac{1}{120}$ o.e. www2 | M1 A1 | $\frac{6}{720}$, etc., 0.00833(3...) |
| (ii) | $\frac{119}{120}$ o.e. | B1ft | $\frac{714}{720}$, etc., 0.991(6...) ft 1 – their (i) not for 7/10 Could start again and have a correct answer independently [10] |

| | | | |
|------------------|--|--------------|---|
| 4 (a) (i) | 36 (36.0–36.4) | B1 | |
| (ii) | 50 (50.0–50.4) | B1 | |
| (iii) | 29 (28.6–29.4) | B1 | |
| (iv) | 20 | B2 | If B0, SC1 for 19 or 21 or 180 seen |
| (b) (i) | $p = 16, q = 4$ | B1,B1 | If B0, SC1 if p and q add up to 20 |
| (ii) | $\left(\frac{7220}{200}\right) = 36.1$ cso www4 | B4 | <p>Answer 36 scores 4 marks after some correct working shown with no incorrect working seen</p> <p>M1 for using mid-values at least four correct from 5, 15, 25, 35, 45, 55, 65, 75</p> <p>M1 (dep on correct mid values or mid-values ± 0.5) for $\sum fx$ (at least four correct products)</p> <p>M1 (dependent on 2nd M1) for dividing sum by 200 or 180 + their p + their q</p> |
| (c) | 8.2 (8.19–8.20), 11.4, 5 (5.00–5.01) | B4 | <p>B3 for 2 correct or B2 for 1 correct</p> <p>After B0, SC2 for fd's 2.7(3...) o.e., 3.8 o.e, 1.6(6...) o.e. or SC1 for 2 of fd's correct (15)</p> |
| 5 (a) (i) | $360 \div 8$ or $(8 - 2) \times 180$ | M1 | allow 6×180 |

| Page 4 | Mark Scheme | Syllabus | Paper |
|--------|-----------------------|------------|-------|
| | IGCSE – May/June 2008 | 0580, 0581 | 04 |

| | | | |
|---------|--|----------------|---|
| | 180 – their (360 ÷ 8) o.e. ÷ 8 | M1 | dependent |
| (ii) | 45° used or use implied o.e. | E1 | Accept sketch with values |
| (b) (i) | $\frac{l}{12} = \cos 45$ o.e. (PH =) 8.49 (8.485....) www2 | M1 A1 | For o.e. allow implicit expression Accept $\sqrt{72}$, $2\sqrt{18}$, $3\sqrt{8}$, $6\sqrt{2}$ |
| (ii) | (PQ =) $2 \times$ their PH + 12 o.e. (PQ =) 29.0 (28.96–29.00) ft www2 | M1 A1 ft | ft their PH accept surd form |
| (iii) | their PH × their PH ÷ 2 o.e. (Area APH =) 36 (35.95–36.1) ft www2 | M1 A1 ft | ft their PH |
| (iv) | (their PQ) ² – 4 × their area of triangle o.e. (Area octagon =) 695 (694.0–697.1) cao www3 | M2 A1 | If M0, M1 for a clear collection of areas leading to the octagon possibly without any calculation shown |
| (c) (i) | 0.5 of their PQ o.e. 14.5 (14.47–14.53) cao www2 | M1 A1 | e.g. $6 + PH$, $6 \tan 67.5^\circ$ accept surd form |
| (ii) | $\pi \times (\text{their } r)^2$ $\frac{\text{their circle area}}{\text{their octagon area}} \times 100$ 94.8 (94.35 to 95.60) cao www3 | M1 M1 A1 | (660.5...) Dependent on first M1 and circle smaller than the octagon |

[17]

| | | | |
|-----------|--|----------------------|--|
| 6 (a) (i) | $\begin{pmatrix} 2 \\ 1 \end{pmatrix}$ | B1 | Allow (2 1), condone omission of brackets |
| (ii) | $\begin{pmatrix} 2 \\ 1 \end{pmatrix}$ ft | B1ft | Allow (2 1), condone omission of brackets ft their (i) if a vector |
| (b) | Translation $\begin{pmatrix} 0 \\ -4 \end{pmatrix}$ o.e. | B1, B1 | Allow (0 –4), condone omission of brackets, allow in words Any extra transformation spoils both marks |
| (c) | $y > 0$ o.e. $x < 2$ o.e. $y > \frac{1}{2}x$ o.e. $y < 2x + 4$ o.e. | B1 B1 B1 B2 | For all four, condone strict inequalities and only penalise first incorrect sign, which may be = or an inequality sign If B0, B1 for $2x$ or for 4 if other co-efficient is not zero $y < \frac{1}{2}x + 4$ gets zero |

[9]

| | | | |
|-----------|--|----------------|--|
| 7 (a) (i) | cyclic | B1 | Condone concyclic |
| (ii) | Any one of 40, 45, 50 Any one of 20, 25, 30 Any one of 105, 110, 115 | B1 B1 B1 | Angle BCT = 40° is inconsistent with ST parallel to OB. So different values of angles x, y, z, OCT and AOC can be arrived at, depending on route taken. |
| (iii) | Any one of 80, 85, 90 | B1 | |
| (iv) | Any one of 210, 215, 220, 225, 230 | B1 | |
| (b) (i) | Similar (or enlargement) | B1 | |
| (ii) | $\left(\frac{7}{10}\right)^2$ or $\left(\frac{10}{7}\right)^2$ o.e. seen 9.8 (9.79 to 9.81) www2 | M1 A1 | (0.49), (2.04) It is possible to do (iii) then (ii) and full marks can still be scored |
| (iii) | $\frac{1}{2} \times 10 \times \text{height} = 20$ 4 www2 | M1 A1 | |

[11]

| | | | |
|---------------|------------------------------|-------------------|--------------|
| Page 5 | Mark Scheme | Syllabus | Paper |
| | IGCSE – May/June 2008 | 0580, 0581 | 04 |

| | | | |
|----------------|---|---|--|
| 8 (a) | 108(.16) (allow 108.2(0)) www2 | M1 A1 | M1 for method of compound interest used |
| (b) | 148(.02...) 324(.3...) | B1 B1 | |
| (c) | Correct axes full domains 5 correct pts 100, 148 ft, 219, 324ft, 480 Smooth exponential curve, correct shape through 5 points | S1 P3ft C1 | Condone absence of labels P2ft for 4 correct, P1ft for 3 correct Points must be in correct square vertically, including on line Scale error – remove that part and try to mark the rest |
| (d) (i) | 265 – 270 | B1ft | If out of range, then ft their graph at 25 years |
| (ii) | 17 or 18 cao | B1 | |
| (e) (i) | $\frac{(100) \times 7 \times 20}{(100)}$ o.e. 100 + 7 × 20 or better | M1 E1 | No errors |
| (ii) | 380 | B1 | |
| (iii) | Correct straight ruled line for x – range 0 to 35 | L2 | P1ft for 2 of (0,100), (20,240) (40,380)ft correctly plotted |
| (f) | 27 – 29 cao | B1 | [17] |

| | | | |
|------------------|---|---------------------------|---|
| 9 (a) (i) | p + r | B1 | Answers in bracketed column form penalise only once throughout |
| (ii) | -p + r | B1 | |
| (iii) | $-p + \frac{2}{3}r$ | B1 | |
| (iv) | $p + \frac{1}{2}r$ | B1 | |
| (b) (i) | $\frac{3}{2} \times (-p + \frac{2}{3}r)$ or $-\frac{3}{2}p + r$ isw after correct answer seen | B1 ft | ft only $\frac{3}{2} \times$ their (a)(iii) |
| (ii) | $\overrightarrow{QP} + \overrightarrow{PS}$ o.e. $-\frac{3}{2}p$ www 2 | M1 A1 ft | o.e. is any correct route of at least 2 vectors ft their (b)(i) – r |
| (c) | lie on a straight line | B1 | dependent on their (b)(ii) being a multiple of p [8] |

| | | | |
|------------------|--|----------------------------|---|
| 10(a) (i) | 4 | B1 | |
| (ii) | 24 | B1 | |
| (b) (i) | $x + 12, x + 14$ o.e. | B1,B1 | Any order ignore ref to <i>g</i> and <i>i</i> |
| (ii) | $(x + 14 - x)$ and $(x + 12 - (x + 2))$ 14 – 10 or 14 – 12 + 2 or 4 | E1 | $x + 12$ and $x + 14$ must be seen to be used No errors seen |
| (iii) | $(x + 2)(x + 12) - x(x + 14)$ 24 | B1 E1 | Subtraction can be implied later Dep on B1 and no errors anywhere for the E mark |
| (c) (i) | 4 | B1 | |
| (ii) | 20 | B1 | |
| (d) (i) | 4 | B1 | |
| (ii) | $x + 2n$ o.e., $x + 2 + 2n$ o.e. | B1,B1 | |
| (iii) | 4n | B1 | Allow $4 \times n, n \times 4, n4$ [13] |