www.xiremepaders.com

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the May/June 2007 question paper

0580 and 0581 MATHEMATICS

0580/04 and 0581/04 Paper 4 (Extended), maximum raw mark 130

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2007 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2007	0580 and 0581	04

1	(a)	(i)	2 400	B2	SC1 for figures 24
		(ii)	520 000	B2	SC1 for figures 52
	(b)	(i)	1 : 5 000 000 or <i>n</i> = 5 000 000	B2	SC1 for 5 000 000 seen in final answer or $n = \text{figs 5}$ oe in final answer
		(ii)	Time = 2hrs 8 mins or 128 (mins)	В1	
			= 2.13(33) (hours) oe soi	B1	Implies previous B1 Accept 128/60
			1580 ÷ their time	M1 A1	soi is by correct answer
			738 – 742 cso	AI	www 4 (12.3 seen earns B1M1) [10]
2	(a)		Axes to correct scale	S1	Accept 2mm accuracy throughout
	(b)		Correct triangle A(2,1)B(3,3)C(5,1)	B1	Condone absence of labels
	(c)		A ₁ (1,2), C ₁ (1,5), B ₁ (3,3) ft their ABC	B2	B1 for 2 correct points Condone absence of labels and sides but not incorrect suffices
	(d)		$A_2(-2,1), C_2(-5,1), B_2(-3,3)$ ft their $A_1B_1C_1$	B2	B1 for 2 correct points Condone absence of labels and sides but not incorrect suffices SC1 for rotation of their A ₁ B ₁ C ₁ 90° clockwise about the origin If triangle ABC is rotated correctly treat as mis-read
	(e)		Reflection y-axis oe cso	B1 B1	Indep (Only possible answer)
	(f)	(i)	A ₃ (2, -1), C ₃ (5, -4), B ₃ (3,0)	В3	B2 for 2 correct points plotted Condone absence of labels and sides If B0, M1 for any set up of matrix multiplication seen for at least one point and A1 for correct result (If correct triangle A ₂ B ₂ C ₂ used treat as MR, and the co-ords are (-2, 3), (-5, 6), (-3, 6))
		(ii)	Shear, y-axis invariant oe	B1,B1	Allow factor of either +1 or -1 if invariant line omitted, but dependent on shear or stretch
		(iii)	$\begin{pmatrix} 1 & 0 \\ 1 & 1 \end{pmatrix}$	B2	B1 for the left hand column [15]

Page 3	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2007	0580 and 0581	04

3 (a)	(i)	0.5×40.3×26.8sin92 oe	M1	Any other method must be complete $(s = 58.13 - 58.15)$
		539.6 – 540	A1	(8 – 36.13 – 36.13) ww scores zero
	(ii)	$\frac{AB}{\sin 92} = \frac{40.3}{\sin 55} \text{oe}$	M1	$(AB^{2}) = 40.3^{2} + 26.8^{2}$ $-2 \times 40.3 \times 26.8 \cos 92$ M1
		$(AB =) \frac{40.3 \times \sin 92}{\sin 55}$	M1	(AB =) square root of above and a correct combination M1 (dep) Accept if found in (i) ww scores zero
		49.2 or 49.16 – 49.18	A1	WW Scores Zero
	(iii)	55 Angles in the same segment oe	B1 B1dep	
	(iv)	33 correct or ft	B1	ft 88 – their 55, if answer is positive
	(v)	Similar or enlarged	B1	
	(vi)	$\frac{XD}{40.3} = \frac{20.1}{26.8}$ oe	M1	$\frac{XD}{\sin their(iii)} = \frac{20.1}{\sin their(iv)}$
		40.3 26.8 30.2(25)	A1	$\sin their(iii)$ $\sin their(iv)$ 30.2(309) cao
				Any other method must be complete www scores zero
(b)	(i)	$\frac{y}{y+2} = \frac{y+1}{2y-1}$ oe	M1	May be implied by next line Accept correct ratio statement
		y(2y-1) = (y+1)(y+2) $2y^{2} - y = y^{2} + y + 2y + 2$ $y^{2} - 4y - 2 = 0$	M1	May be implied by next line Implies previous M2
		$y^2 - 4y - 2 = 0$	E1	Dep (no errors in any line)
				If M0, SC1 for $y(2y-1) - (y+1)(y+2) = 2y^{2} - y - y^{2} - y - 2y - 2 = y^{2} - 4y - 2$
	(ii)	$\frac{4\pm\sqrt{16+8}}{2}$	B1,B1	If of form $\frac{p + (or -)\sqrt{q}}{r}$
		2		B1 for 4 and 2, B1 for 4 ² -4(1)(-2)
				If of form $p + (or -) \frac{\sqrt{q}}{r}$
		-0.45, 4.45 cao	B1,B1	B1 for 4 ² -4(1)(-2) but may recover the other B1 from answers SC1 for rounding or truncating to 1 dp or more – 0.44948, 4.44948 www scores max of 2
	(iii)	7.9(0) or better 7.8989 ft	B1ft	ft $2 \times a$ positive root -1 [19]

Page 4	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2007	0580 and 0581	04

4	(a)	(i)	3	B1	
		(ii)	-4.25 to -4	B1	
		()			
	(b)	(i)	-1.6, 2.0, 8.6 to 8.63	B2	B1 for any one correct
	(~)	(-)	110, 210, 510 to 5100	22	21 for any one correct
		(ii)	9.2	B1	
		(11)	J.2	Di	
	(c)		-9, 3	B1,B1	-1 each extra incorrect value
	(0)		-9, 3	Б1,Б1	-1 cach extra meorreet value
	(L)		Occide (in Ota Cambri) an	D2	A a count (0, C) [0, C] (0, 2) to (C, 0)
	(d)		0 < x < 6, (i.e.0 to 6 only) oe	B2	Accept $(0,6)$, $[0,6]$, $(0,3)$ to $(6,-9)$.
					SC1 for other inequality errors or
					answers using 0 and 6 as boundaries
	(e)	(i)	1-x oe	B1	If re-arranged it must be correct
					equation with y or $f(x)$ in it but exclude
					f(x) + x - 1 = 0
		(ii)	3	B1	
					[11]

Page 5	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2007	0580 and 0581	04

				,	
5	(a)		Using a right-angled triangle with 25 and 7	M1	25 and 7 seen is sufficient (or 50, 14)
			$25^2 - 7^2$ oe (or $50^2 - 14^2$)	M1	Must be a correct numerical calculation
					oe includes trig methods, which can
					round to 24, then 48 for the E mark
			$(BD) = 48 \text{ (or } 24 \times 2)$	E1	Dep on M2, correctly established
	(b)	(i)	,(7)	M1	If scale drawing seen then M0
	` /	()	$\cos^{-1}\left(\frac{7}{25}\right) \times 2$ oe		
			147° cao	A1	www 2
					147.47 score M1 only
		(ii)	air 32 -34 or ft	B1	ft 180 – their 147
		48 3			
	(c)	(i)	$\mathbf{q} + \mathbf{p}$ oe	B1	
		(ii)	$\mathbf{q} - \mathbf{p}$ oe	B1	
	(1)			2.61	110
	(d)		$\overrightarrow{OC} + \overrightarrow{CE}$ oe	M1	any correct unsimplified expression 2q + their (c) (i)
			e.g. their $(\mathbf{q} - \mathbf{p}) + 2 \times \text{their } (\mathbf{q} + \mathbf{p})$		_ · · · · ·
			$\mathbf{p} + 3\mathbf{q}$ cao	A1	www 2
	(e)		$\overrightarrow{OC} + \frac{1}{2}\overrightarrow{OB}$ oe	M1	any correct unsimplified expression
			-		$2q + \frac{1}{2}$ their (c) (i)
			0.5p + 2.5q cao	A1	www 2
	(f)				Accept any reasonable notation in both
				F.1	parts
		(i)	$\begin{pmatrix} 0 \end{pmatrix}$	B1	
			(24)		
		(ii)		B1	
		(11)		B1	
			(-24)		
	(g)		50	B1	
					[16]

Page 6	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2007	0580 and 0581	04

6 (a)		$1.5 < x \le 2$	B1	
(b)		(8×0.25 + 27×0.75 + 45×1.25 + 	M1 M1	For mid-values (allow two slips) For Σfx (allow two slips) dep on first M1, or mid-values ± 0.05
		their 345.5 ÷ 200 1.7275, 1.727, 1.728 or 1.73 cso	M1 A1	for ÷ 200 dep on second M1 www 4
(c)		8, 35, 80, 130, 169, 190, 197, 200	B2	If B0, allow M1 for clear attempt to add accumulatively
(d)		axes correct scale 8 points plotted ft part (c) (0.5, 8), (1, 35), (1.5, 80), (2, 130), (2.5, 169), (3, 190), (3.5, 197), (4, 200)	S1 P3dep	Not reversed and must reach 200 vertically, even if not labelled dep on at least M1 in (c) 8 points from their values For <i>x</i> -values (upper boundary values), points must touch grid line For <i>y</i> -values, even, must touch grid line, odd must be inside square. P2 for 6 or 7 points ft P1 for 4 or 5 points ft
		curve (or polygon) either correct or through 8 points and correct shape	C1	Allow 1 mm tolerance Ignore any bars drawn if they do not compromise the points and graph
(e)	(i)	1.65-1.75	B1	
	(ii)	1.5	B1	
	(iii)	23 – 29 integers only	B2	If B0 allow SC1 for non-integer in correct range, or 172 – 177 seen (may be written on graph)
(f)		54 – 56.5	B2	SC1 for figures 108 – 113 or 87 – 92 Accept if written on graph www 2 [18]

Page 7	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2007	0580 and 0581	04

_	()		1.2 0.2 2	3.51	(1.00)
7	(a)		$1.2 \times 0.3 \times 3$ oe	M1	(1.08) or $3 \times 60 (180)$
			× 60 oe	M1dep	× 1.2 × 0.3 (0.36)
			64.8 cao	A1	www 3
	(b)		$1.2 \times 0.8 \times 15 \times 60$ oe (= 864 seen)	M1	Their (a) $\frac{8}{3} \times 5$ oe seen
	` '		Their 864 – their (a)	M1ind	or their $864 \div \text{their (a)} \times 100 (1333.3)$
			$\div \text{ their (a)} \times 100$	M1dep	subtract 100 (Dep on second M1)
			1230 (%) or better (1233.3) cao	A1	www 4
			1235 (70) 61 56461 (1233.5)		(1330 or 1333.3www M1M1M0)
					,
	(c)		$\pi r^2 \times \text{ figs } 13 = \text{ figs } 2 \text{ oe}$	M1	
			2 ÷ 0.0013	M1ind	(implied by 1538.46)
			$(r^2) = \frac{2}{\pi \times 0.0013}$ oe	M1dep	Dep on M2 (489.7)
				_	Dep on W2 (469.7)
			22.1 or 22.12 – 22.14 cao	A1	www 4 figs 221 imply first M1
	(P)		0.0 + 1.2 + 0.0 (2.0)	3.51	
	(d)		0.8 + 1.2 + 0.8 = (2.8)	M1	Accept 2.8 seen
			$50.40 = \text{area} \times 0.12$ oe	Mlind	Accept 420 seen
			Length \times their perimeter = their area oe	M1	
			150 cao	A1	www 4
			130 Cao	711	[15]
					[20]
8	(a)		105	B1	Do not allow $x =$, but allow other letter
			$\frac{}{x}$		and condone presence of units
	(b)		105	B1	Do not allow $x =$, but allow other letter
			$\frac{1}{x+4}$		and condone presence of units
	(c)		105 105 -0.8 00	M2	SC1 if \pm signs between terms incorrect
			$\frac{105}{x} - \frac{105}{x+4} = 0.8$ oe		or SC1 for their (a) – their (b) = 0.8 oe
					if (a) and (b) are fractions with linear
					denominators
			105(x+4) - 105x = 0.8x(x+4) oe	M1	Dep on M2 or SC1 and allow all over
					x(x+4) at this stage
			0.0.2 + 2.2 420 0		Condone any sign error in any
			$0.8x^2 + 3.2x - 420 = 0 \text{oe}$		expanding done first (this is taken into
					account in the E mark) Completed without any errors
			$x^2 + 4x - 525 = 0$	E1	dep on M3
			x + 7x - 323 - 0	101	dep on wis
	(d)	(i)	(x+25)(x-21)	B2	B1 for $(x-25)(x+21)$
		(ii)	-25, 21	B1	ft - allow 25 and -21 from above only
	(e)		46	B1 ft	ft $2 \times a$ positive root + 4
	(0)		70	ווע	10 2 ^ a positive root + 4
	(f)		210 ÷ (their (e))	M1	
			4.57 or better (4.565) ft	A1 ft	www 2, but 4.6 ww scores zero
					[12]

Page 8	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2007	0580 and 0581	04

_			~		<u> </u>	
9	(a)		Sketch of 4 by 4 diagram	B1		
	(b)	(i)	25, 40	B1,B1		
	(~)	(-)		,		
		(ii)	n^2	B1		
		(11)	$(-1)^2$	B1		
			$(n+1)^2$ oe $(n+1)^2 + n^2 - 1$ or $2n^2 + 2n$) or		. 1:000	
				B2	Any one of these oe isw and if B0	
			2n(n+1) oe		allow	
					SC1 for their $(n+1)^2$ + their (n^2) – 1 or	
					an expression containing $2n^2$, as the	
					highest order term, soi	
					g,	
	(c)	(i)	2	B1		
	(c)	(1)	$\frac{2}{3} + f + g = 4$	DI		
		(ii)	$\frac{2}{3} \times 2^3 + f \times 2^2 + g \times 2$ oe	M1	io for substituting ?	
		(11)	$\frac{1}{3} \times 2 + j \times 2 + g \times 2$ de		ie for substituting 2	
			$4f + 2g = \frac{32}{3}$	E1	No errors Allow 10, ² / ₃ 10., 10.7,	
			17 1 28 3			
		(iii)	$2f + 2g = \frac{20}{3}$	M1	for correctly setting up for elimination	
		` '	J		of one variable	
			$4f + 2g = \frac{32}{3}$		or one variable	
			3	Λ1Λ1	www.2 accept 6/ for 2	
			$(f =)2, (g =)\frac{4}{3}$ oe cao	A1A1	www 3 accept \(\gamma_3 \) for 2	
		(iv)	880 cao	B1		
		(11)	000 000	<i>D</i> .	[14]	
					[2.1]	
				ı		