CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International General Certificate of Secondary Education

MARK SCHEME for the October/November 2015 series

0610 BIOLOGY

0610/51

Paper 5 (Practical Test), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2015 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.



Page 2	Mark Scheme		Paper
	Cambridge IGCSE – October/November 2015	0610	51

Abbreviations used in the Mark Scheme

separates marking points

I separates alternatives within a marking point

• R reject

ignore mark as if this material was not present

A accept (a less than ideal answer which should be marked correct)
 AW alternative wording (accept other ways of expressing the same idea)
 underline words underlined (or grammatical variants of them) must be present indicates the maximum number of marks that can be awarded
 mark independently the second mark may be given even if the first mark is wrong

mark independently
 ecf
 the second mark may be given even if the first mark is wrong
 credit a correct statement that follows a previous wrong response
 the word / phrase in brackets is not required, but sets the context

ora or reverse argument AVP any valid point

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2015	0610	51

Question	Answer	Mark	Additional Guidance
1 (a) (i)	starch: blue-black; water: (stays) orange/brown/red;	[2]	
(ii)	for comparison/negative test colour/control;	[1]	
(b) (i)	headings and units time / min, pH5, pH7; appropriate number of columns; appropriate number of rows;	[3]	
(ii)	results recorded in each box; blue-black to orange/ brown /red in both pH5 and pH7; pH5 goes orange/ brown / red before pH7;	[3]	
(c)	pH5 is faster than pH7 ; use of data ;	[2]	
(d)	any three from: control temperature – keep the same; agitation/shaking/AW; use fresh enzyme; repeat; separate timing; shorter time interval between samples; use of colour standard for comparison of end point; equal size drops on tile/use pipette to measure volume of drops;	max [3]	ignore longer testing periods ignore testing other pH values as this is a separate investigation
		[Total: 14]	

Page 4	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2015	0610	51

2 (a) (i)	outline – clear, no shading, 5 grains drawn; size at least half the space is used; details of shape of each grain;	[3]	
(ii)	measurement of one separated grain ; units ;	[2]	
(iii)	scaled drawing – six times larger than stated measurement in (ii); clear outline and attachment shown; label;	[3]	
(b) (i)	light 19–21 and dark 20–22 ;	[1]	
(ii)	1:1;	[1]	
(iii)	smooth/wrinkled/have a dent/speckled/size/shape/AW;	[1]	

Page 5	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2015	0610	51

(c	any 5 from: crushing grain in preparation ONCE only for either test; protein test: reagent: biuret (solution); colour change observed: – blue to purple;		R heating/acid added
	fat test: add alcohol/ethanol; water is added to alcohol; emulsion formed/clear to cloudy/milky/white;	max [5]	

Page 6	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2015	0610	51

(d) (i)	axes labelled and scaled evenly; size to fill at least half or more of printed grid; plotted points accurate to ½ of a small square;; bars not touching and equidistant; key;	[6]	bar chart
(ii)	2;	[1]	
(ii)	oats;		
	any 2 from:		
	fat content high <u>est</u> ; protein content high; fat has a higher energy content than protein;	max [3]	
		[Total: 26]	