

Cambridge International General Certificate of Secondary Education

CHEMISTRY

Paper 1 Multiple Choice (Core)

0620/12 February/March 2016

45 Minutes

Additional Materials: Multiple Choice Answer Sheet Soft clean eraser Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid. Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you. DO **NOT** WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers A, B, C and D.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.


Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 16. Electronic calculators may be used.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level1/Level 2 Certificate.

This document consists of 14 printed pages and 2 blank pages.




1 Two gas jars are set up as shown.



The lid is removed and the gas jars are left to stand. After some time the contents of both gas jars are brown.

Which process causes this to happen?

- A condensation
- **B** diffusion
- **C** evaporation
- **D** filtration
- 2 Which piece of apparatus is used to measure variable quantities of liquid in a titration?



- 3 Which method separates a mixture of sugar and glass?
 - A dissolve, filter and evaporate
 - B distil and filter
 - C fractionally distil
 - **D** use chromatography


4 In which row are the substances correctly classified?

| | element | compound | mixture |
|---|---------|----------|---------|
| Α | brass | sulfur | water |
| В | sulfur | brass | water |
| С | sulfur | water | brass |
| D | water | sulfur | brass |

5 Element Q has 4 electrons in its outer shell and has 69 neutrons. Q conducts electricity.

What is Q?

- A carbon (C)
- B lead (Pb)
- **C** thulium (Tm)
- **D** tin (Sn)
- 6 Which statement describes positive ions?
 - **A** Positive ions have more electrons than neutrons.
 - **B** Positive ions have more protons than neutrons.
 - **C** Positive ions have more electrons than protons.
 - D Positive ions have more protons than electrons.
- 7 The electronic structures of atoms X and Y are shown.



X and Y form a covalent compound.

What is its formula?

A X_2Y **B** XY **C** XY_2 **D** XY_6

8 The compound magnesium nitrate has the formula $Mg(NO_3)_2$.

What is the relative formula mass of magnesium nitrate?

A 86 **B** 134 **C** 148 **D** 172


9 The diagram shows, in cross-section, the arrangement of aluminium and steel wires in an electric power cable.



Which metal wire is the better conductor and which metal wire has the greater mechanical strength?

| | better conductor | greater mechanical strength | | | | |
|---|------------------|--------------------------------|--|--|--|--|
| Α | aluminium | aluminium | | | | |
| в | aluminium | steel | | | | |
| С | steel | aluminium | | | | |
| D | steel | steel | | | | |

10 When concentrated hydrochloric acid is electrolysed, gases P and Q are formed.



What are P and Q?

| | Р | Q | | | | |
|---|----------|----------|--|--|--|--|
| Α | chlorine | hydrogen | | | | |
| в | chlorine | oxygen | | | | |
| С | hydrogen | chlorine | | | | |
| D | hydrogen | oxygen | | | | |

- 11 Which substance could **not** be used as a fuel to heat water in a boiler?
 - A ethanol
 - **B** hydrogen
 - C methane
 - D oxygen
- 12 Which statement about reactions that produce heat is **not** correct?
 - A Burning magnesium produces heat energy.
 - **B** The overall reaction is exothermic.
 - **C** The products have more energy than the reactants.
 - **D** The temperature of the surroundings increases.
- 13 Which changes increase the rate of reaction?
 - 1 increasing the concentration of the reactants
 - 2 increasing the particle size of a solid reactant
 - 3 increasing the temperature
 - A 1, 2 and 3 B 1 and 2 only C 1 and 3 only D 2 and 3 only
- 14 Two reactions involving water are shown.
 - X anhydrous cobalt(II) chloride + water \rightarrow hydrated cobalt(II) chloride
 - Y iron + oxygen + water \rightarrow rust

Which reactions are reversible by heating?

| | Х | Y |
|---|--------------|--------------|
| Α | \checkmark | \checkmark |
| в | \checkmark | x |
| С | x | \checkmark |
| D | X | X |

15 Iron is extracted from iron oxide using carbon monoxide as shown.

iron oxide + carbon monoxide \rightarrow iron + carbon dioxide

Which statement is correct?

- A Carbon monoxide is oxidised to carbon dioxide.
- **B** Carbon monoxide is reduced to carbon dioxide.
- **C** Iron is oxidised to iron oxide.
- **D** Iron oxide is oxidised to iron.
- 16 Four different solutions, W, X, Y and Z, are tested with Universal Indicator.

| solution | W | Х | Y | Z | |
|------------------------------------|-------|-----|--------|--------|--|
| colour with Universal Indicator | green | red | purple | orange | |

Which solutions are acidic?

| Α | W and Z | В | X and Z | С | X only | D | Y only |
|---|---------|---|---------|---|--------|---|--------|
|---|---------|---|---------|---|--------|---|--------|

17 Methyl orange turns red in the solution formed when substance R reacts with water.

What is R?

- A calcium oxide
- B potassium oxide
- C sodium oxide
- D sulfur dioxide
- **18** A salt is made by adding an excess of an insoluble metal oxide to an acid.

How is the excess metal oxide removed from the mixture?


- A chromatography
- **B** crystallisation
- **C** distillation
- **D** filtration

19 A substance is heated with aluminium foil in aqueous sodium hydroxide. A gas is produced which turns damp, red litmus paper blue.

Which anion is present in the substance?

- A carbonate
- **B** iodide
- **C** nitrate
- D sulfate
- 20 An element does not conduct electricity and exists as diatomic molecules.

Where in the Periodic Table is the element found?



- **21** In the Periodic Table, how does the metallic character of the elements vary from left to right across a period?
 - A It decreases.
 - B It increases.
 - **C** It increases then decreases.
 - **D** It stays the same.
- **22** The elements in a group of the Periodic Table show the following trends.
 - 1 The element with the lowest proton number has the lowest reactivity.
 - 2 All the elements in the group form basic oxides.
 - 3 The density of the elements increases down the group.
 - 4 The melting point of the elements decreases down the group.

In which group are the elements found?

A I **B** IV **C** VI **D** VII

| | melting point in °C | density in g/cm ³ | colour of oxide |
|---|---------------------|------------------------------|-----------------|
| Α | 98 | 1.0 | white |
| в | 328 | 11.3 | yellow |
| С | 651 | 1.7 | white |
| D | 1240 | 7.4 | black |

23 Which element is a transition metal?

24 Uranium is a radioactive element but it is also a typical metal.

What is not a property of uranium?

- A It can be hammered into shape.
- B It conducts heat.
- **C** It is used as a source of energy.
- **D** It forms covalent compounds.
- 25 Which metal reacts with steam but not with cold water?
 - A calcium
 - B copper
 - C sodium
 - D zinc
- 26 Iron is extracted from hematite in the blast furnace.

The hematite contains silicon(IV) oxide (sand) as an impurity.

What reacts with this impurity to remove it?


- A calcium oxide
- B carbon
- **C** carbon dioxide
- D slag

27 The bodies of aircraft are often made using aluminium.

Which two properties of aluminium make it suitable for this use?

| | property 1 | property 2 |
|---|-------------------------------|------------------------|
| Α | good conductor of electricity | good conductor of heat |
| в | good conductor of electricity | strong |
| С | good conductor of heat | low density |
| D | strong | low density |

28 The diagram shows how water is treated to make it suitable for drinking.



What happens in stage 2?

- A condensation
- **B** distillation
- **C** evaporation
- **D** filtration
- **29** Pure air contains nitrogen, oxygen and small amounts of other gases. The noble gases have been left out of the table.

Which row shows the composition of dry, unpolluted air?

| | nitrogen/% | oxygen/% | other gases |
|---|------------|----------|---------------------------------|
| Α | 21 | 78 | small amount of carbon dioxide |
| в | 21 | 78 | small amount of carbon monoxide |
| С | 78 | 21 | small amount of carbon dioxide |
| D | 78 | 21 | small amount of carbon monoxide |


- 30 Which pollutant gas can be produced as a result of incomplete combustion of octane, C₈H₁₈?
 - A carbon
 - B carbon dioxide
 - C carbon monoxide
 - D methane

31 Fertilisers are used to provide three elements needed to increase the yield of crops.

Which two compounds would provide all three of these elements?

- A ammonium nitrate and calcium phosphate
- **B** ammonium nitrate and potassium sulfate
- **C** potassium nitrate and calcium phosphate
- **D** potassium nitrate and potassium sulfate
- 32 Which statement describes a disadvantage of sulfur dioxide?
 - **A** It can be used as a bleach in making wood pulp.
 - **B** It can be used to kill bacteria in food.
 - **C** It can be used to manufacture sulfuric acid.
 - **D** It can dissolve the limestone in statues.
- 33 Why does a farmer put lime (calcium oxide) on the soil?
 - A to act as a fertiliser
 - **B** to kill pests
 - **C** to make the soil less acidic
 - **D** to make the soil less alkaline


34 What is the name of fraction X?




- A alcohol
- **B** fuel oil
- C naphtha
- **D** paraffin
- 35 Which pair of molecules are hydrocarbons?
 - A ethane and ethanol
 - B ethane and ethene
 - C ethanoic acid and ethene
 - D ethanol and ethanoic acid
- **36** Which bond is **not** present in the structure of ethanol, CH₃CH₂OH?

A C–C **B** H–H **C** H–O **D** O–C

Some of the reaction products are not shown on the diagram.



38 The structures of three molecules are shown.




Which homologous series is not represented?

- A alcohols
- B alkanes
- C alkenes
- D carboxylic acids
- **39** Information about four hydrocarbons is shown.

| hydrocarbon | number of carbon atoms in the molecule | reaction with bromine water |
|-------------|---|-----------------------------|
| W | 1 | no reaction |
| х | 2 | no reaction |
| Y | 3 | decolourises it |
| Z | 4 | decolourises it |

Which statement is correct?

- A Hydrocarbon W has the formula CH₄ and can be polymerised.
- **B** Hydrocarbon X has the formula C_2H_4 and can be polymerised.
- **C** Hydrocarbon Y has the formula C_3H_6 and can be polymerised.
- **D** Hydrocarbon Z has the formula C_4H_{10} and can be polymerised.



13

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.



| 062 | |
|------|--|
| 0/12 | |
| /F/M | |
| /16 | |

| | | | | | | | | Gr | oup | | | | | | | | |
|---------------------------------|-----------------------------|--|---------------------------------|---------------------|------------------------|--------------------------|-----------------------------------|----------------------|------------------------|--------------------------------|-----------------------------|--------------------------------|------------------------------------|-----------------------------|-------------------------|------------------------------|-------------------------|
| I | II | | | | | | | • | P | | | | IV | V | VI | VII | VIII |
| | | | | Key | | | 1 H hydrogen 1 | | | | | | | | | | 2 He helium 4 |
| 3 Li lithium 7 | 4 Be beryllium 9 | 4 atomic number Be atomic symbol eryllium name | | | | | | | | | | 5 B boron 11 | 6 C carbon 12 | 7 N nitrogen 14 | 8 O oxygen 16 | 9 F fluorine 19 | 10 Ne neon 20 |
| 11 Na sodium 23 | 12 Mg magnesium 24 | | | | | | | | | | | 13 Al aluminium 27 | 14 Si silicon 28 | 15 P phosphorus 31 | 16 S sulfur 32 | 17 Cl chlorine 35.5 | 18 Ar argon 40 |
| 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
| K potassium 39 | Ca calcium 40 | Sc scandium 45 | Ti ^{titanium} 48 | V vanadium 51 | Cr chromium 52 | Mn manganese 55 | Fe iron 56 | Co cobalt 59 | Ni nickel 59 | Cu copper 64 | Zn ^{zinc} 65 | Ga _{gallium} 70 | Ge _{germanium} 73 | As arsenic 75 | Se selenium 79 | Br bromine 80 | Kr krypton 84 |
| 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 |
| Rb ^{rubidium} 85 | Sr strontium 88 | Y yttrium 89 | Zr zirconium 91 | Nb niobium 93 | Mo molybdenum 96 | Tc technetium | Ru ^{ruthenium} 101 | Rh rhodium 103 | Pd palladium 106 | Ag ^{silver} 108 | Cd cadmium 112 | In indium 115 | Sn ^{tin} 119 | Sb antimony 122 | Te tellurium 128 | I iodine 127 | Xe xenon 131 |
| 55 | 56 | 57–71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 |
| Cs | Ba | lanthanoids | Hf | Та | W | Re | Os | Ir | Pt | Au | Hg | Τl | Pb | Bi | Po | At | Rn |
| caesium 133 | barium 137 | | hafnium 178 | tantalum 181 | tungsten 184 | rhenium 186 | osmium 190 | iridium 192 | platinum 195 | gold 197 | mercury 201 | thallium 204 | lead 207 | bismuth 209 | polonium — | astatine - | radon — |
| 87 | 88 | 89–103 | 104 | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | | 114 | | 116 | | |
| Fr francium | Ra | actinoids | Rf rutherfordium | Db dubnium | Sg seaborgium | Bh ^{bohrium} | Hs hassium | Mt meitnerium | Ds darmstadtium | Rg roentgenium | Cn copernicium | | F <i>l</i> flerovium | | Lv livermorium | | |

lanthanoid

actinoids

| | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 |
|---------|-----------|---------|--------------|-----------|------------|-----------|-----------|------------|-----------|-------------|-------------|---------|-------------|-----------|------------|
| nanoids | La | Ce | Pr | Nd | Pm | Sm | Eu | Gd | Tb | Dy | Ho | Er | Tm | Yb | Lu |
| | lanthanum | cerium | praseodymium | neodymium | promethium | samarium | europium | gadolinium | terbium | dysprosium | holmium | erbium | thulium | ytterbium | lutetium |
| | 139 | 140 | 141 | 144 | - | 150 | 152 | 157 | 159 | 163 | 165 | 167 | 169 | 173 | 175 |
| ioids | 89 | 90 | 91 | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 |
| | Ac | Th | Pa | U | Np | Pu | Am | Cm | Bk | Cf | Es | Fm | Md | No | Lr |
| | actinium | thorium | protactinium | uranium | neptunium | plutonium | americium | curium | berkelium | californium | einsteinium | fermium | mendelevium | nobelium | lawrencium |
| | - | 232 | 231 | 238 | - | - | - | - | - | - | - | - | - | - | - |

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.)