



Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME			
CENTRE NUMBER		CANDIDATE NUMBER	
CHEMISTRY			0620/21
Paper 2		Octo	ober/November 2014
			1 hour 15 minutes
Candidates ans	wer on the Question Paper.		
No Additional M	aterials are required.		

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name in the spaces at the top of this page.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 16.

You may lose marks if you do not show your working or if you do not use appropriate units.


At the end of the examination, fasten all your work securely together.


The number of marks is given in brackets [] at the end of each question or part question.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.



1 The structures of five carbon compounds are shown below.





(a) Answer the following questions about these compounds. Each compound may be used once, more than once or not at all.

- (c) Complete the symbol equation for the complete combustion of compound **A**.

$$C_3H_8 +O_2 \rightarrow 3CO_2 +H_2O$$
 [2]

[Total: 9]

2 The diagram shows a bottle of mineral water. The concentration of the ions present in the water is shown on the label. The pH of the water is also shown.

		ions present	concentration in mg/1000 cm ³
poly(ethene)		chloride, Cl ⁻	0.71
bottle		X , F ⁻	0.31
		magnesium, Mg ²⁺	0.02
	ions protects Connecticular in legal (COC perior) coheren, CT CT X, F C-C31	manganese, Mn ²⁺	0.01
	Progression May 1	Y, NO ₃ ⁻	0.70
		potassium, K⁺	0.44
		sodium, Na⁺	1.22
		pH = 6	6.6

(a)	(i)	Which positively charged ion is present in the highest concentration?
	(ii)	State the name of:
		ion X
		ion Y [2]
(i	iii)	Calculate the mass, in mg, of sodium ions in 200 cm ³ of mineral water.
(1	iv)	mg [1] Which one of the following phrases best describes the pH of this mineral water? Tick one box.
		neutral
		strongly acidic
		strongly alkaline
		weakly acidic
		weakly alkaline [1]
(b)	Des	scribe a test for chloride ions.
	test	t
	res	ult

(c) The mineral water bottle is made of poly(ethene).


Complete the following sentence about poly(ethene) using words from the list below.

	saturated	reactant	polymer	monomer	ionic	atom
units.		addition of	made by the		a	Poly(ethene) is
[2]			-			
[Total: 9]						

3 Rose oil contains 2-phenylethanol.
The structure of 2-phenylethanol is shown below.

		11 11	
(a)	On	the structure above, draw a ring around the alcohol functional group.	[1]
(b)	Styr	en heated with an alkali, 2-phenylethanol forms styrene. rene is an unsaturated compound. scribe a test for an unsaturated compound.	
	test		
	resu	ult	
			[2]
(c)		se petals contain a variety of different coloured pigments. Sudent wants to identify these pigments.	
	(i)	She grinds up rose petals with a solvent. Explain why.	
			[2]
	(ii)	She then filters the solution through some glass wool. Suggest why she does not use filter paper.	

(d) The student uses the apparatus shown below to identify the different pigments in the mixture.




(i)	State the name	of this	method o	f separating	the	piaments.
٦		Otato tilo liailio	0	111001100	. coparating		piginonico

.....[1]

- (ii) On the diagram above, draw a spot, •, to show where the mixture of pigments is placed at the start of the experiment.[1]
- (iii) What is the purpose of the glass cover?

.....[1]

(iv) The student also puts four spots of pure pigments, **A**, **B**, **C** and **D**, onto the filter paper. The diagram below shows the results of her experiment.



Which of the pigments, A, B, C and D, are present in the rose petals?

.....[1


(e) The solvent used in the experiment is ethanol.

Draw the structure of a molecule of ethanol showing all atoms and bonds.

[2]

[Total: 12]

4 A student wants to compare the energy released when different fuels are burned. He measures the increase in temperature of the water in a metal can when the fuels are burned.



(a)	What piece of apparatus is missing from the diagram above?	[1]
(b)	State two things the student should keep the same when burning each fuel.	
(c)	Suggest why the water in the can should be stirred.	
		 [1]
(d)	What happens to the reading on the top-pan balance as the fuel burns? Give a reason for your answer.	

(e) The results of burning four fuels, **D**, **E**, **F** and **G**, are shown in the table below.

fuel	temperature of water at start of experiment/°C	temperature of water at end of experiment/°C
D	20	45
Е	19	43
F	16	44
G	21	46

	Whi	ch fuel produced the greatest temperature rise in the water?
(f)	The	metal can is made of mild steel coated with tin.
(-)	(i)	Steel is an alloy.
	(')	What is meant by the term alloy?
		[1]
	(ii)	Why does the tin prevent the steel can from rusting?
	,	
		[0]
	٠.	[2]
(g)		ss is made from silicon(IV) oxide. t of the structure of silicon dioxide is shown below.
		ovugen etem
		oxygen atom
		silicon atom
		ch one of the following best describes the structure of silicon dioxide?
	Tick	x one box.
		giant covalent
		giant ionic
		simple atomic
		simple molecular


[Total: 11]

[1]

(a)	Describe hov	v acids react wit	h metals and wit	h metal oxide	es.	
		a particular meta	ll and metal oxid th at least one w			
						[4]
(b)	Which one of		ords best descri			ction mixture increases.
	•	endothermic	exothermic	isotopic	radioact	ive [1]
	of energy. State one oth	ner use of radioa	active isotopes.			nese are used as sources[1]
	isotopes of u	ranium.				1
		isotope	²³⁵ ₉₂ U		²³⁸ ₉₂ U	
		protons				
		neutrons				
		electrons				
						[3]

The organic compound 1-bromobutane reacts with excess sodium hydroxide to form butan-1-ol. A scientist studied the rate of this reaction by finding out how the concentration of sodium hydroxide changed with time.

The graph below shows the results.



Describe now the concentration of sodium hydroxide changes with time.	(1)	(a)
[2		
Determine the time it took for the concentration of sodium hydroxide to fall to 0.15 mol/dm ³	(ii)	

(iii) At what time was the reaction complete?

(iv) On the grid above, draw a line to show how the concentration of sodium hydroxide changes when the concentration of 1-bromobutane in the reaction mixture is increased. All other conditions remain the same.

(v) Increasing the concentration of 1-bromobutane increases the rate of this reaction. Suggest **one** other way of increasing the rate of this reaction.

.....[1

[2]

(b)	The concentration of aqueous sodium hydroxide can be found by titrating samples of the reaction mixture with hydrochloric acid. Describe how you would carry out this titration.
	In your answer, refer to: a burette, a volumetric pipette, an acid-base indicator solution.
	[4]
(c)	Hydrochloric acid is made by dissolving hydrogen chloride gas, HC <i>l</i> , in water. Draw a dot-and-cross diagram to show a molecule of hydrogen chloride. Show hydrogen electrons as x. Show chlorine electrons as ●.

[2]

[Total: 13]

Fer	tilisers usually contain compounds of nitrogen, phosphorus and potassium.	
(a)	Why do farmers use fertilisers?	
		[1]
(b)	Many fertilisers contain ammonium sulfate. Ammonium sulfate is made by reacting aqueous ammonia with sulfuric acid. What type of chemical reaction is this?	[1]
		[.]
(c)	Aqueous ammonia reacts with nitric acid to make another compound often found in fertilis State the name of this compound.	ers.
		[1]
(d)	The structure of ammonium sulfate is shown below.	
	NH_{4}^{+}	
	Deduce the simplest ratio of ammonium and sulfate ions in ammonium sulfate.	
		[1]
(e)	Ammonium salts react with alkalis. For example:	
	ammonium + sodium → sodium + ammonia + water sulfate	
	Use this information to explain why adding slaked lime to fields which have fertilisers spr on them may result in loss of nitrogen.	ead
		[2]


(f) Many fertilisers contain potassium chloride.
When molten potassium chloride is electrolysed, two products are formed.
Complete the table below to show the name of the electrodes and the products formed.

charge on the electrode	name of the electrode	product formed at the electrode
positive		
negative		

[3]

[Total: 9]

8 (a) A student placed a crystal of iodine in a test tube of solvent. After two minutes, a dense violet colour was observed at the bottom of the test-tube. After three hours, the violet colour had spread throughout the solvent.



Use the kinetic particle theory to explain these observations.

In your answer, refer to:

- the arrangement and motion of the molecules in the iodine crystal,
- the arrangement and motion of the molecules in the solution,
- the names of the processes which are occurring.

- **(b)** Astatine, At, is below iodine in Group VII of the Periodic Table.
 - (i) The table shows the states of the Group VII elements at room temperature.

element	state
fluorine	gas
chlorine	gas
bromine	liquid
iodine	solid

Use this information to deduce the state of astatine at room temperature.	
	[1]

(ii)	Astatine is radioactive. A lot of heat is given off due to this radioactivity. The small samples of astatine that have been isolated are often liquid. Suggest why they are often liquid.
	[1]
(iii)	Although few compounds of astatine have been made, scientists think that sodium astatide will react with iodine. Complete the equation for this reaction.
	I_2 +NaAt \rightarrow 2NaI + [2]

[Total: 8]

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

DATA SHEET The Periodic Table of the Elements

Group																	
I	II							Oit	Бир			III	IV	V	VI	VII	0
	1 H Hydrogen															4 He Helium 2	
7 Li Lithium	9 Be Beryllium											11 B Boron 5	12 C Carbon	14 N Nitrogen	16 O Oxygen 8	19 F Fluorine	20 Ne Neon
23 Na Sodium	24 Mg Magnesium 12											27 A 1 Aluminium 13	28 Si Silicon	31 P Phosphorus 15	32 S Sulfur	35.5 C1 Chlorine 17	40 Ar Argon
39 K Potassium 19	40 Ca Calcium 20	45 Sc Scandium 21	48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron	59 Co Cobalt 27	59 Ni Nickel	Cu Copper	65 Zn Zinc	70 Ga Gallium	73 Ge Germanium 32	75 As Arsenic	79 Se Selenium 34	Bromine 35	84 Kr Krypton 36
85 Rb Rubidium 37	88 Sr Strontium 38	89 Y Yttrium 39	91 Zr Zirconium 40	93 Nb Niobium 41	96 Mo Molybdenum 42	Tc Technetium 43	101 Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver	112 Cd Cadmium 48	115 In Indium	119 Sn Tin	122 Sb Antimony 51	128 Te Tellurium 52	127 I lodine 53	131 Xe Xenon 54
133 Cs Caesium 55	137 Ba Barium	139 La Lanthanum 57 *	178 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re Rhenium 75	190 Os Osmium 76	192 Ir Iridium	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury	204 T <i>l</i> Thallium 81	207 Pb Lead 82	209 Bi Bismuth	Po Polonium 84	At Astatine 85	Rn Radon 86
Fr Francium 87	226 Ra Radium	227 Ac Actinium 89 †															
*58-71 Lanthanoid series			140 Ce Cerium 58	141 Pr Praseodymium 59	144 Nd Neodymium 60	Pm Promethium 61	150 Sm Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	159 Tb Terbium 65	162 Dy Dysprosium 66	165 Ho Holmium 67	167 Er Erbium 68	169 Tm Thulium 69	173 Yb Ytterbium 70	175 Lu Lutetium 71	
Key	X	= relative ator (= atomic sym = proton (aton	bol	232 Th Thorium 90	Pa Protactinium 91	238 U Uranium 92	Np Neptunium 93	Pu Plutonium 94	Am Americium 95	Cm Curium 96	Bk Berkelium 97	Cf Californium 98	Es Einsteinium 99	Fm Fermium 100	Md Mendelevium 101	No Nobelium 102	Lr Lawrencium 103

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).