

**CANDIDATE** 

# UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

mmn. Xiremedabers.com

*	
W	
7	
7	
6	
∞	
W	
4	
∞	
W	
4	

-1								our 1		
Paper 2						Oct	ober/	Nove	mber	2012
CHEMISTRY									062	20/21
CENTRE NUMBER					CANDID NUMBE					
NAME										

#### **READ THESE INSTRUCTIONS FIRST**

No Additional Materials are required.

Candidates answer on the Question Paper.

Write your Centre number, candidate number and name in the spaces at the top of this page. Write in dark blue or black pen.

You may need to use a pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 16.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Examiner's Use				
1				
2				
3				
4				
5				
6				
7				
Total				

This document consists of 13 printed pages and 3 blank pages.



For Examiner's Use

1 The diagram shows the structures of five compounds, **A**, **B**, **C**, **D** and **E**, containing carbon.

Α	В	С	D	E
O—C—O	Cl Cl Cl	C = C	H C H H	H H     H—C—C—O—H     H H

(a) Answer these questions using the letters A, B, C, D or E. Each compound can be used once, more than once or not at all.

Which one of these compounds

	(i)	is an unsaturated hydrocarbon,	[1]
	(ii)	is a product of the complete combustion of a hydrocarbon,	[1]
(	(iii)	belongs to the alcohol homologous series,	[1]
(	(iv)	is an alkane,	[1]
	(v)	is a product of respiration,	[1]
(	(vi)	is a product of fermentation?	[1]
(b)	Wri	te the molecular formula of compound <b>C</b>	[1]
(c)	It is chlo Wha	mpound <b>B</b> is inert to most chemical reagents.  made by reacting chlorine with carbon disulfide in the presence of an aluminication catalyst.  at do you understand by the following terms?	
	con	npound	
			[1]
	inei	<i>t</i>	[1]

[Total: 10]


catalyst ......[1]

- 2 Hydrogen chloride, HCl, is an acidic gas.
  - (a) Draw a dot and cross diagram of a molecule of hydrogen chloride. Show only the outer electrons.

[2]

(b) Hydrogen chloride dissolves in water to form a solution of hydrochloric acid.

A student titrated aqueous ammonia with hydrochloric acid using the apparatus shown below.



(i)	State the nam	ne of the pieces o	f apparatus	labelled 🛭	<b>١</b> and <b>B</b> .
-----	---------------	--------------------	-------------	------------	-------------------------

A is a	[1]
<b>B</b> is a	 [1]


(ii)	escribe how the pH value of the solution in B changes as hydrochloric acid i	is
	dded until the acid is in excess.	

[3]	

(	(iii) Complete the	e word an	id symbol ed	quations f	or this reaction.			
	ammor	ia + hyd	Irochloric ac	eid →				
		. +	HC1	$\rightarrow$	NH₄C <i>l</i>	[2]		
(c)	(c) Aqueous ammonia is used to test for copper(II) ions.  Describe what happens when you add aqueous ammonia to a solution of copper(II) sulfate until the aqueous ammonia is in excess.							
						F 41		
						[4]		
						[Total: 13]		

For Examiner's Use

3 The reactivity of different metal oxides was compared by heating them with metals in a crucible.



The results are shown in the table below.

mixture	observations
iron oxide + zinc	reacts
lead oxide + iron	reacts
magnesium oxide + zinc	no reaction

(a) (i) Use the results in the table to suggest the order of reactivity of the metals iron, lead, magnesium and zinc.


most reactive ————————————————————————————————————	least reactive
(ii) Predict whether iron will react with zinc oxide. Explain your answer.	[2]
(b) Which two of the following statements about metals are contrible two boxes.	
Metals conduct electricity and heat.  All Group IV elements show metallic properties.	
Magnesium is extracted by heating its oxide with carbo  All metals have high densities.  Iron is a transition element.	n

[2]

(	(c)	Sand and salt	(sodium chloride)	are both solids.
٨		, ourid and out	(Journally Ollionac)	, are betir cenae.

(i)	Describe the arrangement and movement of the particles in a solid.	
	arrangement	
	movement	[2]
(ii)	Describe how you could separate the sand from a mixture of sand and salt. Give full details of how this is carried out.	
		[3]

(d) The diagram below shows the apparatus used to separate ethanol and water from a mixture of ethanol and water.



Complete the following sentences about this separation using words from the list below.

condenser	crystallisation	distillation	tlask	heavy					
higher	lower	solid	volatile	vapour					
Fractional	is used	d to separate a	mixture of water	and ethanol. The					
Fractional is used to separate a mixture of water and ethanol. The temperature at the top of the fractionating column is than the temperature									
at the bottom. Th	e more	liquid ev	aporates and mo	ves further up the					
column. It eventua	ally reaches the	v	vhere the	changes					
to a liquid.				[5]					


[Total: 15]

4

Lith	nium has two naturally-occurring isotopes, <sup>6</sup> 3Li and <sup>7</sup> 3Li.	
(a)	What do you understand by the term isotope?	
(b)	Draw a <b>labelled</b> diagram to show the atomic structure of an atom of $^{7}_{3}$ Li.	. [.]
	Show the particles in the nucleus as well as the electrons.	
		[5]
(c)	Lithium reacts with oxygen to form lithium oxide, Li <sub>2</sub> O. Complete the equation for this reaction.	
	Li +Li <sub>2</sub> O	[3]

For Examiner's Use

(d) Aqueous lithium chloride is electrolysed using the apparatus shown below.




- (i) On the diagram above, label:
  - the electrolyte
  - the anode. [2]
- (ii) What do you understand by the term aqueous?
- ......[1]
- (iii) Explain why aqueous lithium chloride is able to conduct electricity.
  - [1]


[Total: 13]

[4]

**5 (a)** Match the fuel on the left with the information on the right. The first one has been done for you.



**(b)** Two students investigated some fuels to find which gave off the most energy. They tested four liquid fuels using the apparatus shown below.



(i) In each experiment, the amount of fuel burnt was the same.

Suggest **one** other factor that should be kept the same in each experiment.

......[1]

(ii) The students used the thermometer to stir the water. Suggest why it is important to keep the water stirred.

.....[1]

[Total: 13]


(iii) The results are shown in the table below.

fuel	initial temperature of the water/°C	final temperature of the water/°C				
ethanol	24	40				
propanol	24	42				
paraffin	22	33				
petroleum spirit	20	40				

		Which fuel transfers the most energy to the water? Explain your answer.	
			[2]
(c)		is needed for fuels to burn. pie chart below shows the composition of the air.	
		A B mainly argon	
		mainy argon	
	Stat	te the name of	
	gas	A,	
	gas	B	[2]
(d)	Arg	on is a noble gas.	
	(i)	State <b>one</b> use for argon.	
			[1]
	(ii)	To which period in the Periodic Table does argon belong?	
			[1]
	(iii)	Describe the chemical properties of argon.	
			[1]

- A student placed a crystal of silver nitrate and a crystal of potassium iodide in a dish of water.

  After an hour she observed that
  - the crystals had disappeared,
  - a yellow precipitate had appeared near the middle of the dish.



(a)	Use your knowledge of the kinetic particle theory and reactions between ions to explain these observations.
	[4]


**(b)** Potassium iodide reacts with aqueous chlorine. Complete the equation for this reaction.

2KI + ....... 
$$\rightarrow$$
 .....KC $l$  +  $I_2$ 

[2]

[Total: 6]

7 The diagram shows one molecule of sulfur.



(a)	How many atoms are there in <b>three</b> molecules of sulfur?
	[1]
(b)	Calculate the relative molecular mass of sulfur.
	[1]
(c)	Explain how acid rain is formed when fossil fuels containing sulfur are burnt. In your answer, include
	• the name of a fossil fuel which contains sulfur,
	<ul> <li>the gas formed when sulfur burns,</li> <li>the reactions which lead to the formation of acid rain.</li> </ul>
	[4]
(d)	Potassium sulfate can be used as a fertiliser.
	The potassium in this fertiliser is an important element for plant growth.  Name <b>two</b> other <b>elements</b> , important for plant growth, which are present in most fertilisers.
	and [2]
(e)	Describe a test for sulfate ions.
	test
	result[2]
	[Total: 10]

### **BLANK PAGE**

### **BLANK PAGE**

### **BLANK PAGE**

16

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

## DATA SHEET The Periodic Table of the Elements

	Group																
I	II							- Cit	Бир			III	IV	V	VI	VII	0
	1 H H Hydrogen														4 He Helium		
7 <b>Li</b> Lithium	9 <b>Be</b> Beryllium											11 <b>B</b> Boron 5	12 C Carbon	14 N Nitrogen	16 O Oxygen 8	19 <b>F</b> Fluorine	20 <b>Ne</b> Neon
23 <b>Na</b> Sodium	Mg Magnesium 12											27 <b>A1</b> Aluminium 13	28 Si Silicon	31 P Phosphorus 15	32 <b>S</b> Sulfur	35.5 <b>C1</b> Chlorine	40 Ar Argon
39 <b>K</b> Potassium 19	40 Ca Calcium 20	45 Sc Scandium 21	48 <b>Ti</b> Titanium 22	51 <b>V</b> Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 <b>Fe</b> Iron	59 Co Cobalt 27	59 <b>Ni</b> Nickel 28	Cu Copper 29	65 <b>Zn</b> Zinc 30	70 <b>Ga</b> Gallium 31	73 <b>Ge</b> Germanium 32	75 <b>As</b> Arsenic	79 <b>Se</b> Selenium 34	80 <b>Br</b> Bromine 35	Kr Krypton 36
85 <b>Rb</b> Rubidium 37	88 Sr Strontium 38	89 <b>Y</b> Yttrium 39	91 <b>Zr</b> Zirconium 40	93 <b>Nb</b> Niobium	96 Mo Molybdenum 42	Tc Technetium 43	101 <b>Ru</b> Ruthenium 44	103 <b>Rh</b> Rhodium 45	106 Pd Palladium 46	108 <b>Ag</b> Silver	112 Cd Cadmium 48	115 I n Indium	119 <b>Sn</b> Tin	122 <b>Sb</b> Antimony 51	128 <b>Te</b> Tellurium 52	127     lodine   53	131 <b>Xe</b> Xenon 54
133 Cs Caesium 55	137 <b>Ba</b> Barium 56	139 <b>La</b> Lanthanum 57 *	178 <b>Hf</b> Hafnium 72	181 <b>Ta</b> Tantalum 73	184 W Tungsten 74	186 <b>Re</b> Rhenium 75	190 Os Osmium 76	192 <b>I r</b> Iridium 77	195 Pt Platinum 78	197 <b>Au</b> Gold 79	201 Hg Mercury 80	204 <b>T <i>l</i></b> Thallium 81	207 <b>Pb</b> Lead	209 <b>Bi</b> Bismuth	Po Polonium 84	At Astatine 85	Rn Radon 86
Fr Francium 87	226 <b>Ra</b> Radium 88	227 <b>Ac</b> Actinium 89 †															
*58-71 Lanthanoid series †90-103 Actinoid series    140									175 <b>Lu</b> Lutetium 71								
Key	X x	= relative aton = atomic symi = proton (aton	bol	232 <b>Th</b> Thorium 90	Pa Protactinium 91	238 <b>U</b> Uranium 92	Np Neptunium 93	Pu Plutonium 94	Am Americium 95	Cm Curium 96	<b>Bk</b> Berkelium 97	Cf Californium 98	Es Einsteinium 99	Fm Fermium 100	Md Mendelevium 101	No Nobelium	Lr Lawrencium 103

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).