

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name in the spaces at the top of this page. Write in dark blue or black pen.

You may need to use a pencil for any diagrams, graphs or rough working. Do not use staples, paper clips, highlighters, glue or correction fluid. DO **NOT** WRITE IN ANY BARCODES.

Answer **all** questions. A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use				
1				
2				
3				
4				
5				
6				
7				
Total				

This document consists of **19** printed pages and **1** blank page.





- (iv) shake two solutions together to mix them,
- (v) deliver a variable volume of solution when performing a titration?

[5]

1

(b) The diagram shows the apparatus used to prepare carbon dioxide in the laboratory.



			-							
2	Many of the elements in the Periodic Table are metals.									
	(a) State one common use for each of the following metals.									
	(i) copper[
	(ii) platinum									
	(ii	i) a	luminium[1]							
	(b) L	.ead i	is a metal in Group IV of the Periodic Table.							
	(i) State one adverse effect of lead on health.									
	(i	-	ead has several isotopes. One isotope of lead is							
			²⁰⁷ ₈₂ Pb							
		S	tate the number of protons and neutrons in this isotope of lead.							
		n	umber of protons [1]							
		n	umber of neutrons[1]							
	(c) S	Sodiu	m is a very reactive metal.							
	(d	student added a few drops of litmus solution to a large beaker of water. She then ropped a small piece of sodium into the beaker. Describe what the student would observe during the reaction.							
			[3]							
	(i	i) C	complete the word equation for the reaction of sodium with water.							
		S	odium + water \rightarrow +							
			[2]							

For

Examiner's Use (iii) Sodium chloride is formed when sodium burns in chlorine. Sodium chloride is an ionic compound. Complete the following sentences about this reaction using words from the list.

	electron	gains	ion	loses	
	molecule	negative	positive	proton	
When sodium burns in chlorine, each sodium atom loses anai					
becom	nes a sodium		Each chlorin	e atom	an
electro	on and becomes	a	ion.		[4]

[Total: 15]

For

Examiner's

3 Hydrogen peroxide decomposes slowly at room temperature to form water and oxygen. The reaction is catalysed by manganese(IV) oxide.

$$2H_2O_2 \rightarrow 2H_2O + O_2$$

A student used the apparatus shown below to study how changing the concentration of hydrogen peroxide affects the speed of this reaction.



(a) Apart from the volume of hydrogen peroxide, state two things that the student must keep the same in each experiment.

1	
2	

For

Examiner's



(c) The student then tested various compounds to see how well they catalysed the reaction. He used the same concentration of hydrogen peroxide in each experiment. The table shows the time taken to produce 20 cm³ of oxygen using each compound as a catalyst.

For Examiner's Use

compound	time taken to produce 20 cm ³ of oxygen/s
copper(II) oxide	130
lead(IV) oxide	15
magnesium oxide	did not produce any oxygen
manganese(IV) oxide	18

Put these compounds in order of their effectiveness as catalysts.



[1]

[Total: 7]

Natural gas and the hydrocarbons obtained from the distillation of petroleum are important 4 Examiner's fuels. (a) State the name of the main substance present in natural gas. (b) Petroleum is a thick liquid. Describe the liquid state in terms of how close the particles are to each other, the arrangement of the particles, the movement of the particles.[3] (c) The diagram shows a distillation column used to separate petroleum into fractions. fractions refinery gas gasoline Х kerosene γ fuel oil lubricating oil bitumen (i) On the diagram, draw an arrow to show where the petroleum vapour enters the column. [1] (ii) What do you understand by the term *fraction*?[2]

For





(iv) A student used a syringe to add 1 cm³ portions of hydrochloric acid to an aqueous Examiner's solution of sodium hydroxide.

For

Use



Describe how the pH of the solution in the beaker changes as the hydrochloric acid is added until the acid is in excess.

(c) The diagram shows the apparatus used to electrolyse concentrated aqueous sodium chloride.

13

Examiner's



Give a description of this electrolysis. In your description include

- what substance the electrodes are made from and the reason for using this • substance
- what you would observe during the electrolysis
- the names of the substances produced at each electrode.

 	 	 	 [6

[Total: 14]

- For 6 When coal is heated in the absence of air, coke is formed together with a gas called coal gas Examiner's and a liquid which contains ammonia. Use (a) Coke is largely carbon. State one use of coke in industry.[1] (b) Two other forms of carbon are diamond and graphite. (i) Use your knowledge of the structure of diamond and graphite to explain why graphite is a good lubricant. why diamond is very hard.[1] (ii) Give one use of diamond that depends on its hardness. (c) The liquid which contains ammonia can be reacted with sulfuric acid.
 - - (i) Complete the word equation for this reaction
 - ammonia + sulfuric acid \rightarrow [1] (ii) Which one of the following elements do most fertilisers contain?
 - Put a ring around the correct answer.

chlorine	nitrogen	sodium	sulfur	[1]
----------	----------	--------	--------	-----

(d) Coal gas contains methane. Complete the diagram to show how the electrons are arranged in a molecule of methane.







			16					
7	Etha	anol	, C_2H_5OH , is a member of the alcohol homologous series.	For Examiner's				
	(a) (i) Give two characteristics of a homologous series.							
			1					
			2					
		(ii)	Draw the structure of ethanol showing all atoms and bonds.					
			[1]					
	(b)	Аp	e use of ethanol is as a solvent. upil studied the reaction of iodine with zinc.					
		solu	e first dissolved a few crystals of iodine in ethanol and recorded the temperature of the ution.					
		She	e temperature was 18 °C. e then added excess powdered zinc and recorded the temperature again.					
		TTE	e new temperature was 37 °C.					
			18°C 37°C					
		100	in ethanol					
			excess zinc					
		(i)	Is this reaction endothermic or exothermic? Explain your answer.					
		(ii)	What colour is solid iodine?					
		()						

 $zinc + iodine \rightarrow zinc iodide$ When the reaction is complete, the mixture contains zinc iodide dissolved in ethanol and unreacted zinc powder. Suggest how you can get crystals of zinc iodide from the reaction mixture. (d) The diagram shows the structure of zinc iodide. I-I-I-I-I-Zn²⁺ Zn²⁺ I-I-I-I-I- Zn^{2+} Zn²⁺ Zn²⁴ (i) What is the simplest formula for zinc iodide?[1] (ii) The list below shows four different types of structure. What type of structure is zinc iodide? Put a ring around the correct answer. giant covalent giant ionic metallic molecular [1]

17

(c) The equation for the reaction is

For

Examiner's Use

(e)	(e) The equation for the reaction of zinc with dilute nitric acid is						
	$4Zn + 10HNO_3 \rightarrow 4Zn(NO_3)_2 + NH_4NO_3 + 3H_2O$	Use					
	Write a word equation for this reaction.						
	[3]						
(f)	Describe a test for ammonium ions.						
	test						
	result						
	[3]						
	[Total: 15]						

18

For

BLANK PAGE

19



							The Pe		A SHEE	T he Elem	ents	
								Gr	oup			
		II										III
							1 H Hydrogen 1					
7 Li Lithiu 3		9 Be ryllium										11 B Boro 5
23 Na Sodiu 11	a I	24 Ng Inesium	-									27 A Alumini 13
39 K Potass 19		40 Ca alcium	45 Sc Scandium 21	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron 26	59 Co Cobalt 27	59 Ni Nickel 28	64 Cu Copper 29	65 Zn Zinc 30	70 Galliu 31
85 Ri Rubidi 37)	88 Sr ontium	89 91 Y Zr Yttrium Zirconiu 39 40	m Niobium 41	96 Mo Molybdenum 42	Tc Technetium 43	101 Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver 47	112 Cd Cadmium 48	115 In Indiu 49
133 Cs Caesi 55	s	137 Ba arium	139 178 La Hf Lanthanum Hafniur 57 * 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re Rhenium 75	190 OS Osmium 76	192 Ir Iridium	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury 80	204 T Thalli 81
Fi Franci 87	·	226 Ra adium	227 Ac Actinium 89 †									
	1 Lanth 03 Actir		d series series	140 Ce Cerium 58	141 Pr Praseodymium 59	144 Nd Neodymium 60	Pm Promethium 61	150 Sm Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	159 Tb Terbium 65	16 D Dyspr 66
Key	а Х b	x	= relative atomic mass = atomic symbol = proton (atomic) numb	er 90	Pa Protactinium 91	238 U Uranium 92	Np Neptunium 93	Pu Plutonium 94	Am Americium 95	Cm Curium 96	Bk Berkelium 97	Califor 98

N
ö

V

14

Ν

Nitrogen

31

Ρ

Phosphorus

75

As

Arsenic

122

Sb

Antimony

209 **Bi**

Bismuth

167

Er

Erbium

Fm

Fermium

68

100

15

33

51

83

VI

16

0

Oxygen

32

S

Sulfur

79

Se

Selenium

128

Те

Tellurium

Ро

Polonium

169

Tm

Thulium

Md

Mendelevium

69

101

8

16

34

52

84

VII

19

F

Fluorine

35.5

Cl

80

Br

Bromine

127

Ι

lodine

At

Astatine

173

Yb

Ytterbium

No

Nobelium

70

102

35

53

85

Chlorine

9

20

Ne

Neon 10

40

Ar

Argon 18

84

Kr

Krypton

131

Хе

Xenon 54

Rn

Radon

175

Lu

Lutetium

Lr

Lawrencium

71

103

86

36