



CHEMISTRY

0620/52

Paper 5 Practical Test

October/November 2011

CONFIDENTIAL INSTRUCTIONS

Great care should be taken to ensure that any confidential information given does not reach the candidates either directly or indirectly.



READ THESE INSTRUCTIONS FIRST

The teacher responsible for preparing the examination is **not** allowed to consult the question paper before the examination. Teachers should, as part of the preparation of the examination requirements, carry out any tests indicated on page 2 in order to satisfy themselves that the supplied materials are satisfactory.

The standard Report Form to be included with the scripts is given on pages 7 and 8. Please detach and enclose it with the scripts. If scripts are despatched in more than one envelope, it is essential that a copy of the Supervisor's Results and of the Report Form are sent inside **each** envelope.

More material may be issued if required, without penalty, but this should not be necessary. Safety spectacles may be provided if considered necessary.

Supervisors are advised to remind candidates that all substances in the examination should be treated with caution. Please also see under 'General Apparatus' on the use of pipette fillers and safety goggles.

In accordance with COSHH (Control of Substances Hazardous to Health) Regulations, operative in the UK, a hazard appraisal of the examination has been carried out.

Attention is drawn, in particular, to certain materials used in the examination. The following codes are used where relevant.

C = corrosive substance

F = highly flammable substance

H = harmful or irritating substance

O = oxidising substance

N = harmful to the environment

T = toxic substance

Hazard data sheets should be available from your suppliers.

If you have any queries regarding these Instructions, please contact CIE

by e-mail: International@cie.org.uk,

by phone: +44 1223 553554,

by fax: +44 1223 553558,

stating the Centre number, the nature of the query and the syllabus number quoted above.

This document consists of **5** printed pages and **3** blank pages.



For Question 1

Each candidate will require

- (a) one 50 cm³ measuring cylinder
- (b) one 50 cm³ burette
- (c) one or more 250 cm³ conical flasks
- (d) 100 cm³ of aqueous sodium thiosulfate, Na₂S₂O₃·5H₂O, of concentration 25 g / dm³, labelled **solution F**
- (e) 100 cm³ of aqueous sodium thiosulfate, Na₂S₂O₃·5H₂O, of concentration 12.5 g / dm³, labelled **solution G**

A small volume of aqueous sodium hydroxide should be added to the above two solutions to ensure they are not acidic. 3 cm³ of 1.0 mol / dm³ sodium hydroxide per 1 dm³ of solution **F** and solution **G** should be sufficient.

- (f) 100 cm³ of aqueous potassium iodate, KIO₃, of concentration 1 g in 250 cm³ of solution labelled **potassium iodate**
 - (g) access to water and distilled water
 - (h) one 10 cm³ measuring cylinder
 - (i) a white tile
- [H] (j) approximately 30 cm³ of aqueous sulfuric acid of concentration 1 mol / dm³
- (k) approximately 10 cm³ of 4 g / dm³ starch solution, labelled **starch solution**
 - (l) two 1 g samples of solid potassium iodide, KI, in test-tubes labelled **potassium iodide**

20 cm³ of aqueous potassium iodate + 1 g of solid potassium iodide + 5 cm³ of 1M sulfuric acid should require approximately 45 cm³ of solution G for the end point.

For Question 2

Each candidate will require

- (a) a stoppered test-tube, containing about 10 cm³ of aqueous copper sulfate of concentration 0.1 mol/dm³, labelled **liquid H**
- [N][F][H]**
- (b) a corked test-tube, containing about 5 cm³ of cyclohexane, labelled **liquid J**
 - (c) pH indicator papers and pH chart
 - (d) distilled water
 - (e) splints
 - (f) rack of test-tubes
 - (g) cork or bung to fit test-tubes
 - (h) two dry watch glasses
- [C]**
- (i) aqueous sodium hydroxide of concentration 1 mol/dm³
 - (j) aqueous barium nitrate of sufficient concentration to give a positive sulfate test
- [C]**
- (k) aqueous nitric acid of concentration 1 mol/dm³
 - (l) aqueous ammonia of concentration 1 mol/dm³
 - (m) one 10 cm³ measuring cylinder
 - (n) a Bunsen burner and matches
 - (o) teat pipettes

Labels do not need to include concentrations.

THE SUPERVISOR'S REPORT IS ON PAGES 7 AND 8

THE SUPERVISOR'S REPORT IS ON PAGES 7 AND 8

THE SUPERVISOR'S REPORT IS ON PAGES 7 AND 8

This form must be completed and returned in the envelope with the scripts.

REPORT ON PRACTICAL CHEMISTRY

NOVEMBER 2011

1 (a) Supervisor's Results

It is recommended that the Supervisor should be a chemistry teacher.

The Supervisor is asked to carry out the experiments in Questions 1 and 2 and to record the results on a spare copy of the question paper clearly labelled 'Supervisor's Results'. Failure to enclose these results and this report form may lead to candidates being unavoidably penalised.

(b) The candidate numbers of candidates in each session were:

First session

Second session



2 The Supervisor is invited to report details of any difficulties experienced by candidates giving names and candidate numbers. The report should include reference to:

- (a) any general difficulties encountered in making preparations for the examination;
- (b) difficulties due to faulty apparatus or materials;
- (c) accidents to apparatus or materials.

Other cases of individual hardship, e.g. illness, temporary disability, should be reported direct to UCLES on the normal *Application for Special Consideration* form.

NAME OF CENTRE

CENTRE NUMBER

SIGNED

Supervisor

DECLARATION (to be signed by the Principal)

The preparation of this practical examination has been carried out so as to maintain fully the security of the examination.

NAME
(in block capitals)

SIGNED (Principal)

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.