

CANDIDATE

## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

mmn. XiremeBabers.com

*	
4	
∞	
∞	
6	
9	
6	
œ	
7	

INAIVIL																																																																																																																	
CENTRE NUMBER																																																																																																																	
CHEMISTRY																		_		_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_		_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_			_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Paper 2																																																																																																																	

Candidates answer on the Question Paper.

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name in the spaces at the top of this page. Write in dark blue or black pen.

You may need to use a pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 16.

At the end of the examination, fasten all your work securely together.


The number of marks is given in brackets [ ] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
Total	

This document consists of 15 printed pages and 1 blank page.



1 The structures of some substances containing nitrogen are shown below.



Answer the following questions by choosing from the structures **A**, **B**, **C**, **D** or **E**. You can use each structure once, more than once or not at all.

Which structure represents

(a)	an acidic oxide,	
(b)	an ionic giant structure,	
(c)	a gas which turns moist litmus paper blue,	
(d)	a compound which is formed under conditions of high temperature and pressure in car engines,	
(e)	a molecule containing halogen atoms,	
(f)	a salt?	

[Total: 6]

2 V:	anaulum	Has	LVVO	isotopes.	

isotopes of vanadium.

50 🗤	51 🗤
<sup>50</sup> V	<sup>51</sup> V

(a)	Define the term isotope.
	[1]
(b)	An atom contains protons, electrons and neutrons.  Complete the table to show the number of protons, electrons and neutrons in these two

isotope	number of protons	number of electrons	number of neutrons
<sup>50</sup> <sub>23</sub> V	23	23	
<sup>51</sup> <sub>23</sub> V			28

[3]

(c) Complete these sentences using words from the list.

cancer	extra	industry	influenza	medicine	non	
Two types of	f isotopes are	radioactive a	nd	radioactiv	e. Radioad	ctive
isotopes are ι	used in	for t	reating patients	s with		[3]

(d) Vanadium is a transition element.

Which two of these statements about vanadium are correct? Tick  ${f two}$  boxes.

vanadium is a non-metal	
vanadium conducts electricity	
vanadium has a low melting point	
vanadium is less dense than sodium	
compounds of vanadium are coloured	

[2]

[Total: 9]

3

Wat	ter is	s present in the atmosphere, the seas and in ice and snow.	
(a)	Des	scribe a chemical test for water.	
	tes		
	res	ult[	2]
(b)	Sta	te <b>one</b> use of water in industry.	
		[	1]
(c)	Wa	ter is a good solvent.	-
(-)		at do you understand by the term solvent?	
		[	1]
(d)	Wa	ter vapour in the atmosphere reacts with sulfur dioxide, SO <sub>2</sub> , to produce acid rain.	
	(i)	State <b>one</b> source of sulfur dioxide.	
		[	1]
	(ii)	State <b>two</b> adverse effects of acid rain.	
		1	
		2	21
	(iii)	Calculate the relative molecular mass of sulfur dioxide.	•
	(,		
		[	1]
(e)	Wa	ter from lakes and rivers can be treated to make the water safer to drink.	
	Des	scribe <b>two</b> of the steps in water purification.	
		each of these steps, give an explanation of its purpose.	
	ste	o 1	
	ste	o 2	
		[	4]

(f)	Wa	ter is formed when hydrogen burns in air.
	(i)	State the percentage of oxygen present in the air.


(ii) When 8 g of hydrogen is burned in excess air, 72 g of water is formed. What mass of hydrogen needs to be burnt to produce 252 g of water?

[1]


[Total: 14]

4 The structures of some organic compounds are shown below.

		^	
н—	H   C H	H  -  -  -  -	Н   -С—н   Н




В



C

D





Ε

(a) Which one of these structures represents

(i)	a polymer,	
(ii)	an unsaturated hydrocarbon,	
(iii)	the product of the catalytic addition of steam to ethene,	

(iv) a product of the addition of aqueous bromine to ethene? [4]

(b) (i) Balance the equation for the complete combustion of compound  $\mathbf{A}$ ,  $\mathbf{C_3H_8}$ .

$$\mathrm{C_3H_8} \ + \ .....\mathrm{O_2} \ \rightarrow \ \mathrm{3CO_2} \ + \ .....\mathrm{H_2O}$$

[2]

(ii) State the name of **two** substances formed when compound **A** undergoes incomplete combustion.


and [2]
---------

(c) Complete the structure of ethanoic acid to show all atoms and bonds.

[1]

[Total: 9]

**5** Concentrated hydrochloric acid can be electrolysed using the apparatus shown.



(a)	What do you	understand by the	•			
(b)		name given to the pound the correct a	•	?		
	anion	anode	cathode	cation	electrolyte	[1]
(c)	State the nan	ne of the gas give				
						[1]
(d)	Complete the	e following sentend	ce about electroly	rsis using words	from the list.	
	inert	magnesium	platinum	reactive	solid	
	Electrodes n	nade of graphite	or	are genera	lly used in electr	olysis
	because they	/ are				[2]

For
Examiner's
Use

(e)	When concentrated hydrochloric acid is electrolysed, chlorine is released at the positive
	electrode.

(i) Draw the arrangement of the electrons in an atom of chlorine.

[1]

(ii) Draw the electronic structure of a chlorine molecule. Show only the outer electron shells.

[2]

(iii) Describe a test for chlorine.

test .....

result ......[2]

- (f) Hydrochloric acid reacts with the base calcium hydroxide.
  - (i) Complete the word equation for this reaction.

hydrochloric acid + calcium hydroxide  $\rightarrow$  ...... + ..............

[2]

(ii) Hydrochloric acid also reacts with zinc.

Complete the symbol equation for this reaction.

$${\rm Zn} \ + \ .......{\rm HC} l \ \to \ {\rm ZnC} l_2 \ + \ .......$$

[2]

[Total: 14]

6 A student observed the reaction of various metals with both cold water and steam. Her results are shown below.

metal	reaction with cold water	reaction with steam	
calcium	reacts rapidly	reacts very rapidly	
copper no reaction		no reaction	
magnesium	reacts very slowly	reacts rapidly	
zinc	no reaction	reacts	

	(a)	1	í۱)	Put these	metals	in	order	of	their	reactivit	v
٨	a	, ,		1 41 111636	IIICIAIS	111	oraci	Οı	UICII	reactivit	٧.

least r	reactive	most reactive
		[1]
(ii)	Iron is a metal between zinc and copper in the reactivity series Predict the reactivity of iron with	S.
	cold water,	
	steam.	[2]
<b>(b)</b> The	e equation for the reaction of zinc with steam is:	
	$Zn + H_2O \rightarrow ZnO + H_2$	
Wri	ite a word equation for this reaction.	
		[1]
<b>(c)</b> Sta	ate <b>three</b> physical properties which are characteristic of <b>most</b> m	ietals.

1	 	 
2	 	 


(d) Some properties of the Group I metals are shown in the table.

metal	melting point /°C	hardness	density /g per cm³
lithium		fairly hard	0.53
sodium	98	fairly soft	
potassium	63	soft	
rubidium	39	very soft	1.53
caesium	29	extremely soft	1.88

(i)	Estimate the melting point of lithium.	
		[1]
(ii)	How does the hardness of these metals change down the group?	
		[1
(iii)	Estimate the density of potassium.	
		[1
	[Total:	10

For Examiner's Use

7 The diagram shows a basic oxygen converter. This is used to convert impure iron from the blast furnace into steel. During this process, some of the impurities in the iron are converted into a slag.




- (a) Label the diagram to show each of the following:
  - where the oxygen enters;
  - the slag;
  - the molten steel. [3]
- **(b)** In the converter, the oxygen oxidises sulfur, carbon and phosphorus to their oxides.

•	•		a.ox.ao	ana	04.00			ouo,	removed	110111	tilo
											[1]
•		calciur	m oxide	is u	sed to	remove	phos	phorus	(V) oxide	from	the
	«plain	onverter.  kplain how onverter.	kplain how calcium	xplain how calcium oxide	xplain how calcium oxide is u	xplain how calcium oxide is used to	plain how calcium oxide is used to remove	plain how calcium oxide is used to remove phos	plain how calcium oxide is used to remove phosphorus	plain how calcium oxide is used to remove phosphorus(V) oxide	plain how calcium oxide is used to remove phosphorus(V) oxide from

.....[3]

- (c) Stainless steel is an alloy.
  - (i) Which **one** of the diagrams, **A**, **B**, **C** or **D**, best represents an alloy? Put a ring around the correct answer.

Α	





[1]

(ii)	State	one	use of	stain	less	steel	١.

\_\_\_\_\_\_[1

[Total: 9]

8

Bro	mine	e is a red-brown liquid. When warmed, it forms an orange vapour.
(a)		scribe what happens to the arrangement and motion of the particles when bromine nges state from a liquid to a vapour.
		[3]
(b)	Bro	mine can be obtained from bromide ions in seawater.
	(i)	The symbol equation for this reaction is:
		$Cl_2 + 2Br^- \rightarrow 2Cl^- + Br_2$
		Complete the word equation for this reaction.
		+ bromide ions → +
	(ii)	Bromine is very volatile, so it can be removed from solution by bubbling air through the solution.  What do you understand by the term <i>volatile</i> ?
		[1]
(c)	•	drogen reacts with bromine in the presence of a hot platinum catalyst to form hydrogen mide.
	(i)	Define the term catalyst.
		[1]
	(ii)	Hydrogen bromide reduces hydrogen peroxide, H <sub>2</sub> O <sub>2</sub> .
		$2HBr + H_2O_2 \rightarrow Br_2 + 2H_2O$
		Explain how this equation shows that hydrogen peroxide is reduced.
		[1]

(iii)	A solution of hydrogen bromide in water is called hydrobromic acid. Hydrobromic acid has similar reactions to hydrochloric acid.	For Examiner's Use
	State the names of <b>three</b> products formed when hydrobromic acid reacts with sodium carbonate.	
	[2]	
	[Total: 9]	

For

## **BLANK PAGE**

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

## DATA SHEET The Periodic Table of the Elements

							1110101	10010 10		ic Licini	Citto						
								Gr	oup								
I	II											III	IV	V	VI	VII	0
	·						1 H Hydrogen 1										4 He Helium 2
7 <b>Li</b> Lithium	9 <b>Be</b> Beryllium											11 <b>B</b> Boron 5	12 C Carbon	14 N Nitrogen	16 O Oxygen 8	19 <b>F</b> Fluorine 9	20 <b>Ne</b> Neon
23 <b>Na</b> Sodium	Mg Magnesium											27 A1 Aluminium 13	28 Si Silicon	31 P Phosphorus 15	32 <b>S</b> Sulfur	35.5 <b>C1</b> Chlorine 17	40 <b>Ar</b> Argon
39 <b>K</b> Potassium 19	40 Ca Calcium 20	45 Sc Scandium 21	48 <b>Ti</b> Titanium 22	51 <b>V</b> Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 <b>Fe</b> Iron	59 Co Cobalt 27	59 <b>Ni</b> Nickel 28	64 Cu Copper 29	65 <b>Zn</b> Zinc	70 <b>Ga</b> Gallium 31	73 <b>Ge</b> Germanium 32	75 <b>As</b> Arsenic	79 <b>Se</b> Selenium 34	Br Bromine 35	84 <b>Kr</b> Krypton 36
85 <b>Rb</b> Rubidium 37	88 Sr Strontium 38	89 <b>Y</b> Yttrium 39	91 <b>Zr</b> Zirconium 40	93 <b>Nb</b> Niobium	96 Mo Molybdenum 42	Tc Technetium 43	101 <b>Ru</b> Ruthenium 44	103 <b>Rh</b> Rhodium 45	106 Pd Palladium 46	108 <b>Ag</b> Silver	112 Cd Cadmium 48	115 In Indium	119 <b>Sn</b> Tin	122 <b>Sb</b> Antimony 51	128 <b>Te</b> Tellurium 52	127 I lodine 53	131 <b>Xe</b> Xenon 54
133 Cs Caesium 55	137 <b>Ba</b> Barium 56	139 <b>La</b> Lanthanum 57 *	178 <b>Hf</b> Hafnium  72	181 <b>Ta</b> Tantalum 73	184 <b>W</b> Tungsten 74	186 <b>Re</b> Rhenium 75	190 Os Osmium 76	192 Ir Iridium	195 Pt Platinum 78	197 <b>Au</b> Gold 79	201 <b>Hg</b> Mercury	204 <b>T 1</b> Thallium 81	207 <b>Pb</b> Lead	209 <b>Bi</b> Bismuth	Po Polonium 84	At Astatine 85	Rn Radon 86
Fr Francium 87	226 <b>Ra</b> Radium 88	AC Actinium 89 †															
*58-71 Lanthanoid series †90-103 Actinoid series  140 Ce Pr Praseodymium 58				Pr Praseodymium	144 Nd Neodymium 60	Pm Promethium 61	150 Sm Samarium 62	152 <b>Eu</b> Europium 63	157 <b>Gd</b> Gadolinium 64	159 <b>Tb</b> Terbium 65	Dy Dysprosium 66	165 <b>Ho</b> Holmium 67	167 <b>Er</b> Erbium 68	169 <b>Tm</b> Thulium 69	173 <b>Yb</b> Ytterbium 70	175 <b>Lu</b> Lutetium 71	
Key		232 <b>Th</b> Thorium 90	Pa Protactinium 91	238 <b>U</b> Uranium 92	Np Neptunium 93	Pu Plutonium 94	Am Americium 95	Cm Curium 96	Bk Berkelium 97	Cf Californium 98	Es Einsteinium 99	Fm Fermium 100	Md Mendelevium 101	No Nobelium 102	Lr Lawrencium 103		

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).