

**CANDIDATE** 

## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

mmn. xiremed abers.com

*	
5	
И	
_	
0	
0	
0	
$\infty$	
0	
2	
4	

Paper 2		Octo	ober/November 2010 1 hour 15 minutes
CHEMISTRY			0620/22
CENTRE NUMBER		CANDIDATE NUMBER	
INAIVIE			

·

No Additional Materials are required.

Candidates answer on the Question Paper.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name in the spaces at the top of this page.

Write in dark blue or black pen.

You may need to use a pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 16.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
Total	

This document consists of 15 printed pages and 1 blank page.



1 Choose from the following list of oxides to answer the questions below. You can use each oxide once, more than once or not at all.

carbon dioxide carbon monoxide magnesium oxide nitrogen dioxide sulfur dioxide water

(a)	Which <b>one</b> of these oxides is a basic oxide?	
		[1]
(b)	Which <b>two</b> oxides cause acid rain?	
	and	[2]
(c)	Which <b>two</b> oxides are formed when a hydrocarbon undergoes complete combustion	?
	and	[2]
(d)	Which <b>one</b> of these oxides turns white copper(II) sulfate blue?	
		[1]
(e)	Which oxide is formed when calcium carbonate undergoes thermal decomposition?	
		[1]
	[Total	l: 7]

2 The diagram shows the structure of some compounds containing iodine.

A	4	В	С	D
Cl I	Cl Cl	I	Н—І	
(a) (i)	What do you	understand by the term	m compound?	
				[1]
(ii)	Which <b>one</b> o Explain your	of these compounds, <b>A</b> answer.	, <b>B</b> , <b>C</b> or <b>D</b> , has a h	nigh melting point?
	compound			
	explanation			[2]
(iii)	Which one o	f these compounds is	similar in structure	to hydrogen chloride?
				[1]
( <b>b</b> ) Coi	mpound <b>B</b> is s	sodium iodide.		
(i)	Which staten Tick <b>one</b> box		al conductivity of so	odium iodide is correct?
	It condu	cts electricity when mo	olten.	
	It condu	cts electricity when sol	id.	
	It does r	not conduct electricity v	when molten.	
	It does r	not conduct electricity i	n aqueous solution	. [1]
(ii)	Describe a te	est for iodide ions.		
	test			
	result			[2]
	•	odine( $V$ ) oxide. It is an $ne(V)$ oxide is an acidi		
				[1]
				[Total: 8]

**3** Some properties of the Group I elements are given in the table.

element	melting point /°C	density in g/cm³	
lithium	181	1342	0.53
sodium	98	883	0.97
potassium	63		0.86
rubidium	39	686	1.53
caesium	29	669	1.88

(a)	(i)	Predict the boiling point of potassium.												
		[1]												
	(ii)	Which Group I elements are liquids at 50 °C?												
	(iii)													
		[1]												
(b)	Cor belo	mplete the following sentences about the Group I elements using words from the list ow.												
		crystallising decreases hard increases												
		melting similarity soft												
	The	e Group I elements are relatively metals which show a trend in												
		point and reaction with water.												
	The	e reactivity with water down the group. [3]												
(c)	The	e equation for the reaction of sodium with water is given below.												
		$2Na + 2H_2O \rightarrow 2NaOH + H_2$												
	Wri	te a word equation for this reaction.												

[2]

(	ď	) Chlorine	reacts	with	sodium	to	form	sodium	chloride
١	·	, 0111011110	loadio	AAICLI	Joanaiii	ı	101111	Joanaiii	or nor lac

•		
(i)	Complete the equation for this reaction.	
(ii)	Na + $\mathrm{C}l_2 \to$ NaC $l$ Chlorine is a diatomic gas. What do you understand by the term $\mathit{diatomic}$ ?	[2]
(iii)	Describe the arrangement and motion of the molecules in chlorine gas.	[1]
	arrangement	
	motion	[2]
(iv)	Draw a diagram to show the arrangement of the electrons in a molecule chlorine.  Show only the outer electrons.	of

[2]

[Total: 16]

4 The formulae of four organic compounds are shown below.

Α	В	С	D
H $C$ $H$ $H$	H—C—C—O—H	H H     H—C—C—H     H H	H H     H—C—C—O—H     H H

(a) (i)	State the name of the type of bonding between the atoms in these four compounds.
	[1]
(ii)	Which <b>one</b> of these compounds, <b>A</b> , <b>B</b> , <b>C</b> or <b>D</b> , is a saturated hydrocarbon?
	[1]
(iii)	Which <b>one</b> of these compounds is acidic?
	[1]
(iv)	State the name of compound <b>D</b> .
	[1]
(v)	Compound <b>A</b> contains a C=C double bond.  Describe a test for a C=C double bond.
	test
	result[2]

- (b) Compound  ${\bf C}$  is a member of the alkane homologous series.
  - (i) State **two** features of an homologous series.

1.	 														

2. .....[2]


(ii) State the formula and name of another alkane in the same homologous series as

compound C.

formula

name ......[2

**(c)** The alkanes present in petroleum can be separated by fractional distillation. The diagram below shows a fractional distillation column.




- (i) On the diagram, label where the temperature in the column is the lowest.Mark this with the letter X.
- (ii) On the diagram, label where the bitumen fraction is collected.

  Mark this with the letter Y. [1]

[Total: 12]

**5** A student used the apparatus shown below to investigate the speed of reaction when large lumps of zinc reacted with excess sulfuric acid.

 $zinc + sulfuric acid \rightarrow zinc sulfate + hydrogen$ 



(a) As the reaction proceeds, describe what happens to

(i) the mass of the zinc lump	(i)	lumps
-------------------------------	-----	-------

r	4.1	1
	1.7	L


(ii) the concentration of zinc sulfate in the solution in the flask.

|--|

(b) The student's results are shown below.

time/minutes	0	10	20	30	40	50	60
volume of hydrogen/cm <sup>3</sup>	0	24	39	48	53	55	55

(i) Plot a graph of volume of hydrogen against time. Use the axes below.



(iii) Explain why no more hydrogen was given off after 50 minutes.

\_\_\_\_\_\_[1]

(iv) Describe a test for hydrogen.

test .....

result ......[2]

(c)	Wh	at happens to the speed of the reaction when
	(i)	smaller pieces of zinc are used?
		[1]
	(ii)	some water is added to the sulfuric acid?
		[1]
(d)		e reaction between zinc and sulfuric acid is catalysed by copper(II) sulfate solution. at do you understand by the term <i>catalyst</i> ?
		[1]
		[Total: 12]

For Examiner's Use

6	Iron	i	transition	alamant
0	TI OH	ารล	mansinon	eiemem.

(a)		te <b>three</b> properties of transition elements which are not shown by the Group I ments.
	1	
	2	
	3	[3]
(b)	The	symbols for two isotopes of iron are shown below.
		<sup>54</sup> <sub>26</sub> Fe <sup>57</sup> <sub>26</sub> Fe
	(i)	How do these two isotopes differ in their atomic structure?
		[1]
	(ii)	State the number of nucleons present in one atom of the isotope $^{57}_{26}\mathrm{Fe}$ .
		[1]
(	(iii)	How many electrons are there in one atom of the isotope ${}^{54}_{26}\mathrm{Fe}?$
		[1]
(c)	Pur	e iron rusts very easily.
	(i)	State the <b>two</b> conditions that are needed for rusting to take place.
		1
		2[2]
	(ii)	Describe and explain <b>one</b> method of preventing rusting.
		method
		explain why this method works
		[2]
		[2]


[Total: 14]

(d) In the blast furnace, iron(III) oxide reacts with carbon monoxide.

Fe <sub>2</sub> O <sub>2</sub>	+	3CO	$\rightarrow$	2Fe	+	3CO.
. 0,0,		$\circ \circ \circ$	,			000

		ich substance gets reduced in this reaction? lain your answer.	
	sub	stance	
	exp	lanation	
			[2]
(e)	(i)	Carbon monoxide is a pollutant gas produced in motor car engines. Explain why carbon monoxide is formed.	
			[1]
	(ii)	State <b>one</b> harmful effect of carbon monoxide.	
			[1]

7 Boric acid is an acid. Urea is a base. Both compounds are crystalline. A student placed some crystals of boric acid and urea in a large beaker of water. The pH value of the water at the start of the experiment was pH 7.



- (a) After 15 minutes the pH at point A in the beaker was pH 6.2.
  - (i) Suggest why the pH at point A had decreased.

r e e e e e e e e e e e e e e e e e e e	F 4	-	

(ii) What was the most likely pH at point **B** in the beaker after 15 minutes? Put a ring around the correct answer.

	рн 1	рн 6	рн /	рн 8	[1]
--	------	------	------	------	-----

(iii) The particles of boric acid and urea diffuse throughout the solution. What do you understand by the term *diffusion*?

[1]	

(iv) After 24 hours the pH throughout the whole solution was pH 7.
Use your knowledge of acids and alkalis to explain why the pH returned to pH 7.

.....[1]

(b) The structure of urea is shown below.

(i) Write the simplest formula for urea.

(ii)	Calculate the relative molecular mass of urea.
	Use your Periodic Table to help you.

			[1]								
(c)	c) Urea is used as a fertiliser.										
	(i)	Which element present in urea is an essential part of most fertilisers?									
			[1]								
	(ii)	Explain why farmers put fertilisers on their fields.									
			[2]								
(d) Describe how you can obtain pure, dry crystals of urea from an aqueous solution urea.											
		T-4-1									
		[Total:	11]								

## **BLANK PAGE**

16

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

## DATA SHEET The Periodic Table of the Elements

Group																	
I	II							- Circ	Бир			III	IV	V	VI	VII	0
						1 H Hydrogen											4 He Helium 2
7 <b>Li</b> Lithium	9 <b>Be</b> Beryllium											11 <b>B</b> Boron 5	12 C Carbon	14 <b>N</b> Nitrogen	16 O Oxygen 8	19 <b>F</b> Fluorine	20 <b>Ne</b> Neon
23 <b>Na</b> Sodium	Mg Magnesium											27 <b>A1</b> Aluminium 13	28 Si Silicon	31 P Phosphorus 15	32 <b>S</b> Sulfur	35.5 <b>C1</b> Chlorine	40 <b>Ar</b> Argon
39 <b>K</b> Potassium 19	40 Ca Calcium 20	45 Sc Scandium 21	48 <b>Ti</b> Titanium 22	51 <b>V</b> Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 <b>Fe</b> Iron	59 Co Cobalt 27	59 <b>Ni</b> Nickel 28	Cu Copper 29	65 <b>Zn</b> Zinc	70 <b>Ga</b> Gallium	73 <b>Ge</b> Germanium 32	75 <b>As</b> Arsenic	79 <b>Se</b> Selenium 34	80 <b>Br</b> Bromine 35	84 <b>Kr</b> Krypton 36
Rb Rubidium	88 Sr Strontium 38	89 <b>Y</b> Yttrium	91 <b>Zr</b> Zirconium 40	93 <b>Nb</b> Niobium	96 <b>Mo</b> Molybdenum 42	Tc Technetium 43	101 <b>Ru</b> Ruthenium 44	103 <b>Rh</b> Rhodium 45	106 Pd Palladium 46	108 <b>Ag</b> Silver	Cadmium 48	115 In Indium	119 <b>Sn</b> Tin	122 Sb Antimony 51	128 <b>Te</b> Tellurium 52	127 I lodine 53	131 <b>Xe</b> Xenon 54
133 Cs Caesium 55	137 <b>Ba</b> Barium	139 <b>La</b> Lanthanum 57 *	178 <b>Hf</b> Hafnium 72	181 <b>Ta</b> Tantalum 73	184 W Tungsten 74	186 <b>Re</b> Rhenium 75	190 Os Osmium 76	192 Ir Iridium	195 Pt Platinum 78	197 <b>Au</b> Gold 79	201 <b>Hg</b> Mercury	204 <b>T <i>I</i></b> Thallium 81	207 <b>Pb</b> Lead	209 <b>Bi</b> Bismuth	Po Polonium 84	At Astatine 85	Rn Radon 86
Fr Francium 87	226 <b>Ra</b> Radium	227 <b>AC</b> Actinium 89 †															
*58-71 Lanthanoid series †90-103 Actinoid series				140 Ce Cerium 58	141 Pr Praseodymium 59	144 <b>Nd</b> Neodymium 60	Pm Promethium 61	150 Sm Samarium 62	152 <b>Eu</b> Europium 63	157 <b>Gd</b> Gadolinium 64	159 <b>Tb</b> Terbium 65	Dysprosium	165 <b>Ho</b> Holmium 67	167 <b>Er</b> Erbium 68	169 <b>Tm</b> Thulium 69	173 <b>Yb</b> Ytterbium 70	175 <b>Lu</b> Lutetium 71
Key		232 <b>Th</b> Thorium 90	Pa Protactinium 91	238 <b>U</b> Uranium 92	Np Neptunium 93	Pu Plutonium 94	<b>Am</b> Americium 95	Cm Curium 96	<b>Bk</b> Berkelium 97	Cf Californium 98	<b>Es</b> Einsteinium 99	Fm Fermium 100	Md Mendelevium 101	No Nobelium 102	Lr Lawrencium 103		

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).