

N

| | UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education |
|-------------------|--|
| CANDIDATE NAME | |
| CENTRE NUMBER | CANDIDATE NUMBER |
| CHEMISTRY | 0620/02 |
| Paper 2 | October/November 2009 |

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name in the spaces at the top of this page. Write in dark blue or black pen.

You may need to use a pencil for any diagrams, graphs or rough working. Do not use staples, paper clips, highlighters, glue or correction fluid. DO NOT WRITE IN ANY BARCODES.

Answer all questions.

A copy of the periodic table is printed on page 20.

| At the end of the examination, fasten all your work securely together. | For Examiner's Use | | |
|---|--------------------|--|--|
| e end of the examination, fasten all your work securely together. number of marks is given in brackets [] at the end of each question or part stion. | 1 | | |
| | 2 | | |
| | 3 | | |
| | 4 | | |
| | 5 | | |
| | 6 | | |
| | 7 | | |
| | Total | | |

This document consists of 17 printed pages and 3 blank pages.



1 The list shows some non-metallic elements.

bromine carbon fluorine krypton nitrogen oxygen

- (a) Which two elements in the list are in the same Group of the Periodic Table?
- image: and im
- (d) Bromine and fluorine form a compound with the formula BrF_5 . Calculate the relative molecular mass of BrF_5 .

[1]

For Examiner's Use

(e) The diagram shows the structure of some compounds containing oxygen.



(ii) Compound A is an atmospheric pollutant. For Describe the source of compound A and state its effect on the environment. Examiner's Use Source Effect on the environment [2] (iii) In the presence of air, compound **D** reacts with water to form nitric acid. A student used the apparatus below to add an aqueous solution of nitric acid to an aqueous solution of potassium hydroxide. He added the acid until it was in excess. burette solution of . nitric acid flask solution of potassium hydroxide Describe how the pH of the solution in the flask changes as the nitric acid is added until the acid is in excess. [3] (iv) Describe how you can measure this pH change. [1] (v) The equation for the reaction is $\mathsf{KOH} \ + \ \mathsf{HNO}_3 \ \rightarrow \ \mathsf{KNO}_3 \ + \ \mathsf{H}_2\mathsf{O}$ State the name of the salt formed in this reaction. [1] [Total: 12]

3

2 (a) Link the terms in the boxes on the left with the definitions on the right. The first one has been done for you.



(b) Which **two** of the following are mixtures? Tick two boxes.



[1]

For Examiner's Use

[4]

5

| | In your diagram include the structure of the nucleus. | | |
|-------|--|-----------|------------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | г | <i>1</i> 1 |
| | | Ľ | 4] |
| (ii) | State a use for belium | | |
| (") | | | |
| | | [| 1] |
| | | | |
| (iii) | Which one of these statements about helium is correct? | | |
| | | | |
| | helium is in Period 2 of the Periodic Table | | |
| | | | |
| | helium is a liquid at room temperature | | |
| | | | |
| | bolium in uproactive | | |
| | | | |
| | | | |
| | helium has an incomplete outer shell of electrons | | |
| | | | |
| | | [| 1] |
| | | [Total: 1 | 1] |
| | | | |
| | | | |
| | | | |
| | | | |

3 A student used the apparatus shown to calculate the energy released when ethanol burns.



(a) Draw the structure of ethanol showing all atoms and bonds.

[1]

For Examiner's Use

- (b) The energy released by the burning ethanol raises the temperature of the water in the copper calorimeter.
 - (i) Which one of these words best describes the energy change when ethanol burns? Put a ring around the correct answer.

| | electrolytic | electronic | endothermic | exothermic | [1] |
|---|----------------------|----------------------|-----------------|------------|-----|
| 、 | When 4 C a of others | lio hurnt E (a of u | votor is formed | | |

(ii) When 4.6g of ethanol is burnt, 5.4g of water is formed.Calculate the mass of water formed when 13.8g of ethanol is burnt.

| | (iii) Complete the equation for the combustion of ethanol. | For Examir | r ne r' s |
|-----|--|---------------|---------------------|
| | C_2H_5OH + $3O_2$ \rightarrow CO_2 + H_2O | [1] Use | ; |
| (c) | The calorimeter is made of copper. Copper is a transition metal. State two properties which distinguish transition metals from Group I metals. | | |
| | | | |
| (d) | When copper is left exposed to the air for some time, a coating of copper carb forms on its surface. The equation shows how copper carbonate reacts hydrochloric acid. | onate with | |
| | $CuCO_3(s)$ + 2HC $l(aq) \rightarrow CuCl_2(aq)$ + $CO_2(g)$ + H ₂ O(I) | | |
| | (i) Describe two observations that can be made as this reaction happens. | | |
| | 1 | | |
| | 2. | [2] | |
| | (ii) State the meaning of the symbol (aq). | | |
| | | [1] | |
| (e) | The calorimeter lid is made of poly(ethene). Complete these sentences about poly(ethene) using words from the list. | | |
| i | acids addition condensation ethane ethene | | |
| | monomers polymer | | |
| F | Poly(ethene) is a formed by the of ethene molecul | les. | |
| I | n this reaction the ethene molecules can be described as | | |
| | | [3] | |
| | [Tota | al: 12] | |
| | | | |
| | | | |
| | | | |

| 4 | Cae | esium is a metal in Group I of the Periodic Table. | | | | | | | |
|---|---|---|-----|--|--|--|--|--|--|
| | (a) State two physical properties of caesium. (b) State the number of electrons in the outer shell of a caesium atom. (c) An isotope of caesium has a mass number of 133. (i) What do you understand by the term <i>isotope</i>? | | | | | | | | |
| | | | | | | | | | |
| | | | [2] | | | | | | |
| | (b) | State the number of electrons in the outer shell of a caesium atom. | | | | | | | |
| | | | [1] | | | | | | |
| | (c) | An isotope of caesium has a mass number of 133. | | | | | | | |
| | | (i) What do you understand by the term <i>isotope</i> ? | | | | | | | |
| | | | [1] | | | | | | |
| | | (ii) Calculate the number of neutrons in this isotope of caesium. | | | | | | | |
| | | | [1] | | | | | | |

(d) Complete the following table to estimate the boiling point of caesium and predict the reactivity of caesium with water.

| Group I metal | density/ g/cm³ | boiling point /°C | reactivity with water |
|------------------|-------------------|----------------------|--|
| sodium | 0.97 | 883 | fizzes quickly, disappears gradually and does not burst into flame |
| potassium | 0.86 | 760 | fizzes very quickly, disappears quickly and bursts into flame with a little spitting |
| rubidium | 1.53 | 686 | fizzes extremely quickly, bursts into flame then spits violently and may explode |
| caesium | 1.88 | | |

[2]

(e) The diagram shows the structure of caesium chloride.



Use this diagram to work out the simplest formula for caesium chloride.

| | | [1] |
|-----|--|-----|
| (f) | Caesium chloride dissolves in water to form a neutral solution. State the pH of a neutral solution. | |
| | | [1] |
| (g) | Describe a test for chloride ions. | |
| | test | |
| | result | |
| | | [2] |
| | | |
| | [Total: | 11] |

5 Limonene is a colourless unsaturated hydrocarbon found in lemons. The structure of limonene is shown below.



(a) On the formula above, draw a circle around the bonds which make limonene an unsaturated compound. [1]
 (b) Write the molecular formula for a molecule of limonene. [1]
 (c) Describe the colour change which occurs when excess limonene is added to a few drops of bromine water. [2]

10

(d) Limonene can be extracted from lemon peel by steam distillation.



For

Use



| Alu | minium is extracted by the electrolysis of aluminium oxide. | E |
|-----|---|----|
| | B C C D D D D D D D D D D D D D | |
| (a) | Hydrated aluminium oxide is heated to produce pure aluminium oxide. | |
| | $Al_2O_3.3H_2O \rightarrow Al_2O_3 + 3H_2O$ hydrated aluminium oxide | |
| | What type of reaction is this? Put a ring around the correct answer. | |
| | decompositon neutralisation oxidation reduction | |
| (b) | [1] Explain why the electrolyte must be molten for electrolysis to occur. |] |
| (c) | [1] What is the purpose of the cryolite? |] |
| | [1 |] |
| (d) | Which letter in the diagram, A , B , C or D , represents the cathode? | ı) |
| (e) | State the name of the products formed at the anode and cathode during this electrolysis. | |
| | anode | |
| | cathode[2 | 2] |
| (f) | Why do the anodes have to be renewed periodically? | |
| | ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ | |
| | | -1 |

13

.....

(g) Complete the equation for the formation of aluminium from aluminium ions.

$$Al^{3+}$$
 + $e^- \rightarrow Al$

(h) State one use of aluminium.

[Total: 10]

[1]

[1]

For Examiner's Use

© UCLES 2009

7 The diagram shows an experiment to investigate the rusting of some iron nails.



(d) Pure iron can be prepared by the reduction of iron(II) oxide, FeO.

FeO + H_2 \rightarrow Fe + H_2O

Explain how this equation shows that the iron(II) oxide has been reduced.

[1]

(e) Iron(II) oxide reacts with acids.

 $FeO + 2HCl \rightarrow FeCl_2 + H_2O$

Write a word equation for this reaction.

[2]

[Total: 10]

BLANK PAGE

BLANK PAGE

BLANK PAGE

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

0620/02/O/N/09

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

| | | | | | | | The Pe | DAT. riodic Ta | A SHEE | T he Elem | ents | | | | | | |
|---|----------------------------------|---|--|---|------------------------------|------------------------------------|-------------------------------------|-----------------------------------|-------------------------------------|-------------------------------|-----------------------------------|-------------------------------------|--|---------------------------------|-------------------------------------|--|--|
| | | | | | | | | Gr | oup | | | | | | | | |
| I | II | | | | | | | | - | | | | IV | V | VI | VII | 0 |
| | | | | | | | 1 H Hydrogen | | | | | | | | | | 4 He Helium |
| 7 Li Lithium 3 | 9 Be Berylliu 4 | m | | | | | | | | | | 11 B Boron 5 | 12 C Carbon 6 | 14 N Nitrogen 7 | 16 O Oxygen 8 | 19 F Fluorine 9 | 20 Ne Neon |
| 23 Na Sodium | 24 Mg Magnes 12 | um | | 1 | | | | | | | | 27 Al Aluminium 13 | 28 Si Silicon 14 | 31 P Phosphorus 15 | 32 S Sulfur 16 | 35.5 C1 ^{Chlorine} | 40 Ar Argon 18 |
| 39 K Potassiun 19 | n Calciu 20 | n Scandium 21 | 48 Ti Titanium 22 | 51 V Vanadium 23 | 52 Cr Chromium 24 | 55 Mn Manganese 25 | 56 Fe Iron 26 | 59 Co Cobalt 27 | 59 Ni Nickel 28 | 64 Cu Copper 29 | 65 Zn Zinc 30 | 70 Ga Gallium 31 | 73 Ge Germanium 32 | 75 As Arsenic 33 | 79 Se Selenium 34 | 80 Br Bromine 35 | 84 Kr Krypton 36 |
| 85 Rb Rubidium 37 | n Strontiu 38 | m Yttrium 39 | 91 Zr ^{Zirconium} 40 | 93 Nb Niobium 41 | 96 Mo Molybdenum 42 | Tc Technetium 43 | 101 Ru Ruthenium 44 | 103 Rh Rhodium 45 | 106 Pd Palladium 46 | 108 Ag Silver 47 | 112 Cd Cadmium 48 | 115 In Indium 49 | 119 Sn ^{Tin} 50 | 122 Sb Antimony 51 | 128 Te Tellurium 52 | 127 I Iodine 53 | 131 Xe _{Xenon} 54 |
| 133 Cs Caesium 55 | 137 Ba Bariur 56 | 139 La 57 * | 178 Hf Hafnium 72 | 181 Ta ^{Tantalum} 73 | 184 W Tungsten 74 | 186 Re Rhenium 75 | 190 Os Osmium 76 | 192 Ir Iridium 77 | 195 Pt Platinum 78 | 197 Au Gold 79 | 201 Hg Mercury 80 | 204 T 1 Thallium 81 | 207 Pb Lead 82 | 209 Bi Bismuth 83 | Po Polonium 84 | At Astatine 85 | Rn Radon 86 |
| Fr Francium 87 | 226 Ra Radiuu 88 | 227 AC Actinium 89 † | | | | | | | | | | | | | | | |
| *58-71 Lanthanoid series †90-103 Actinoid series | | | Pm Promethium 61 | 150 Sm Samarium 62 | 152 Eu Europium 63 | 157 Gd Gadolinium 64 | 159 Tb Terbium 65 | 162 Dy Dysprosium 66 | 165 Ho Holmium 67 | 167 Er Erbium 68 | 169 Tm Thulium 69 | 173 Yb Ytterbium 70 | 175 Lu Lutetium 71 | | | | |
| Key | а Х b | a = relative ator X = atomic sym b = proton (ator | nic mass Ibol nic) number | 232 Th Thorium 90 | Pa Protactinium 91 | 238 U Uranium 92 | Np Neptunium 93 | Pu Plutonium 94 | Am Americium 95 | Cm ^{Curium} 96 | Bk Berkelium 97 | Californium 98 | Es Einsteinium 99 | Fm Fermium 100 | Md Mendelevium 101 | No Nobelium 102 | Lr Lawrencium 103 |
| | | | | The v | olume of | one mole | of any ga | as is 24 dı | m ³ at roo | m temper | ature and | pressure | (r.t.p.). | | | | |