



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

CANDIDATE
NAME

CENTRE
NUMBER

| | | | | |
|--|--|--|--|--|
| | | | | |
|--|--|--|--|--|

CANDIDATE
NUMBER

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|



CHEMISTRY

0620/02

Paper 2

October/November 2008

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name in the spaces at the top of this page.

Write in dark blue or black pen.

You may need to use a pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

A copy of the periodic table is printed on page 16.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

| For Examiner's Use | |
|--------------------|--|
| 1 | |
| 2 | |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| Total | |

This document consists of **16** printed pages.



- 1 (a) The table gives some information about five elements, A, B, C, D and E. Complete the table by writing either metal or non-metal in the last column.

| element | properties | metal or non-metal |
|---------|--|--------------------|
| A | shiny solid which conducts electricity | |
| B | reddish brown liquid with a low boiling point | |
| C | a form of carbon which is black in colour and conducts electricity | |
| D | white solid which is an insulator and has a high melting point | |
| E | dull yellow solid which does not conduct heat | |

[5]

- (b) Describe how metallic character changes across a Period.

..... [1]

- (c) Sodium is in Group I of the Periodic Table.

- (i) Draw a diagram to show the full electronic structure of sodium.

[1]

- (ii) Complete the equation to show what happens when a sodium atom forms a sodium ion.



(d) Complete these sentences about the properties of the Group I elements using words from the list.

*For
Examiner's
Use*

acidic

basic

decrease

hard

increase

lithium

potassium


soft

The Group I elements are relatively metals which in reactivity going down the Group. Sodium reacts more violently with water than

The Group I metals all form oxides. [4]


[Total: 12]

- 2 (a) Match up the atmospheric pollutants on the left with their main source on the right. The first one has been done for you.



[3]

- (b) One stage in the manufacture of sulphuric acid involves the oxidation of sulphur dioxide by oxygen in the air to form sulphur trioxide.




- (i) Explain how this reaction shows that sulphur dioxide is oxidized.

..... [1]

- (ii) What is the percentage of oxygen in clean air?

[1]

- (iii) Sulphuric acid is used to make the fertiliser ammonium sulphate.



What type of reaction is this?

..... [1]

(iv) Why do farmers need to use fertilisers?

.....
..... [2]

(v) Another fertiliser can be made by the reaction of ammonia with nitric acid.
State the chemical name of this fertiliser.

..... [1]

[Total: 9]

*For
Examiner's
Use*

3 Calcium carbonate, CaCO_3 , is the raw material used in the manufacture of lime, CaO .

For
Examiner's
Use

(a) (i) Describe how lime is manufactured from calcium carbonate.

..... [1]

(ii) Write a symbol equation for this reaction.


[1]

(iii) State one large scale use of lime.

..... [1]

(b) A student investigated the speed of reaction of calcium carbonate with hydrochloric acid using the apparatus shown below.

(i) Complete the labelling of the apparatus by filling in the three boxes. [3]



(ii) The equation for the reaction is




Write the word equation for this reaction.

[2]

- (iii) The student carried out the reaction at 40°C using large pieces of calcium carbonate. The results of the experiment are shown below.

For
Examiner's
Use



At what time did the reaction stop?

..... [1]

- (iv) The student repeated the experiment using the same mass of powdered calcium carbonate. All other conditions were kept the same. On the grid above, sketch the graph for the reaction with calcium carbonate powder. [2]

- (v) How does the speed of reaction change when

the concentration of hydrochloric acid is decreased,

the temperature is increased? [2]


[Total: 13]

4 Iron is extracted from its ore in a blast furnace.

(a) State the name of the ore from which iron is extracted.

..... [1]

(b) The diagram shows a blast furnace.



(i) Which **one** of the raw materials is added to the blast furnace to help remove the impurities from the iron ore?

..... [1]

(ii) The impurities are removed as a slag. Which letter on the diagram shows the slag?

..... [1]

(c) Carbon monoxide is formed in the blast furnace by reaction of coke with oxygen.

(i) Complete the equation for this reaction.



(ii) State the adverse affect of carbon monoxide on human health.

..... [1]

(d) In the hottest regions of the blast furnace the following reaction takes place.



Which two of these sentences correctly describe this reaction?
Tick **two** boxes.

The iron oxide gets reduced.

The reaction is a thermal decomposition.

The carbon gets oxidised.

The carbon gets reduced.

Carbon neutralises the iron oxide.

[1]

(e) Aluminium cannot be extracted from aluminium oxide in a blast furnace.

Explain why aluminium cannot be extracted in this way.

.....
..... [2]

(f) (i) State the name of the method used to extract aluminium from its oxide ore.

..... [1]

(ii) State one use of aluminium.


..... [1]

[Total: 11]

For
Examiner's
Use

- 5 The apparatus shown below can be used to measure the energy released when a liquid fuel is burnt. The amount of energy released is calculated from the increase in temperature of a known amount of water.

For
Examiner's
Use



- (a) (i) Explain how this experiment shows that the burning of ethanol is an exothermic reaction.

..... [1]

- (ii) Complete the word equation for the complete combustion of ethanol.

ethanol + oxygen \rightarrow + [2]

- (b) Ethanol is a fuel containing carbon.
State the names of two other commonly used fuels containing carbon.

..... and [2]

- (c) Give the formula of the functional group present in ethanol.

..... [1]

- (d) The can contains water. Describe a chemical test for water.

test

result [2]

(e) The iron can used in this experiment rusts easily.

For
Examiner's
Use

(i) Describe a method which can be used to prevent iron from rusting.

..... [1]

(ii) Rust contains hydrated iron(III) oxide.
What do you understand by the term *hydrated*?


..... [1]

(iii) Iron is a transition metal.
State **two** properties which are typical of transition metals.

.....
..... [2]

[Total: 12]

- 6 The compound shown below is the first member of the alkane homologous series.



For
Examiner's
Use

- (a) State **two** characteristics of a homologous series.

.....
..... [2]

- (b) Name and draw the structure of the next member of the alkane homologous series.

name

structure

[2]

- (c) Complete the table to show the structure and uses of some organic compounds.

| name of compound | molecular formula | structure (showing all atoms and bonds) | use |
|------------------|----------------------------------|--|---------------|
| ethene | C_2H_4 | | |
| ethanoic acid | $\text{C}_2\text{H}_4\text{O}_2$ | | making esters |
| dibromoethane | | $\begin{array}{c} \text{Br} \quad \text{Br} \\ \quad \\ \text{H}-\text{C}-\text{C}-\text{H} \\ \quad \\ \text{H} \quad \text{H} \end{array}$ | |
| | CH_4 | $\begin{array}{c} \text{H} \\ \\ \text{H}-\text{C}-\text{H} \\ \\ \text{H} \end{array}$ | |

[6]


(d) Calculate the relative molecular mass of dibromoethane.

*For
Examiner's
Use*


[1]

[Total: 11]


7 The diagram shows the structures of calcium chloride, calcium and chlorine.



calcium chloride



calcium



chlorine

(a) Use ideas about structure and bonding to explain the following:

(i) Calcium chloride conducts electricity when molten but not when solid.

.....

 [2]

(ii) At room temperature, calcium is a solid but chlorine is a gas.


.....

 [2]

For
Examiner's
Use

(b) Calcium is manufactured by the electrolysis of molten calcium chloride.

For
Examiner's
Use



(i) State the products formed
 at the anode,
 at the cathode. [2]

(ii) Suggest a non-metal that can be used as an anode in this electrolysis.
 [1]

(iii) A stream of inert gas is blown over the calcium as it is removed from the molten calcium chloride.
 Suggest why a stream of inert gas is blown over the hot calcium.
 [1]

(iv) State the name of a gas which is inert.
 [1]

(c) Aqueous sodium hydroxide or aqueous ammonia can be used to test for calcium ions in solution.
 Describe the results of these tests

with aqueous sodium hydroxide,
 [2]

with aqueous ammonia.
 [1]

[Total: 12]

DATA SHEET

The Periodic Table of the Elements

| Group | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|------------------------------------|---------------------------------------|------------------------------------|------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-----------------------------------|-------------------------------------|----------------------------------|-----------------------------------|------------------------------------|------------------------------------|------------------------------------|-------------------------------------|-------------------------------------|----------------------------------|--|--|--|-------------------------------|
| I | II | | | | | | | | | | | III | IV | V | VI | VII | 0 | | | | |
| | | | | | | | | | | 1 H Hydrogen 1 | | | | | | | | | | | 4 He Helium 2 |
| 7 Li Lithium 3 | 9 Be Beryllium 4 | | | | | | | | | | | 11 B Boron 5 | 12 C Carbon 6 | 14 N Nitrogen 7 | 16 O Oxygen 8 | 19 F Fluorine 9 | 20 Ne Neon 10 | | | | |
| 23 Na Sodium 11 | 24 Mg Magnesium 12 | | | | | | | | | | | 27 Al Aluminium 13 | 28 Si Silicon 14 | 31 P Phosphorus 15 | 32 S Sulphur 16 | 35.5 Cl Chlorine 17 | 40 Ar Argon 18 | | | | |
| 39 K Potassium 19 | 40 Ca Calcium 20 | 45 Sc Scandium 21 | 48 Ti Titanium 22 | 51 V Vanadium 23 | 52 Cr Chromium 24 | 55 Mn Manganese 25 | 56 Fe Iron 26 | 59 Co Cobalt 27 | 59 Ni Nickel 28 | 64 Cu Copper 29 | 65 Zn Zinc 30 | 70 Ga Gallium 31 | 73 Ge Germanium 32 | 75 As Arsenic 33 | 79 Se Selenium 34 | 80 Br Bromine 35 | 84 Kr Krypton 36 | | | | |
| 85 Rb Rubidium 37 | 88 Sr Strontium 38 | 89 Y Yttrium 39 | 91 Zr Zirconium 40 | 93 Nb Niobium 41 | 96 Mo Molybdenum 42 | 96 Tc Technetium 43 | 101 Ru Ruthenium 44 | 103 Rh Rhodium 45 | 106 Pd Palladium 46 | 108 Ag Silver 47 | 112 Cd Cadmium 48 | 115 In Indium 49 | 119 Sn Tin 50 | 122 Sb Antimony 51 | 128 Te Tellurium 52 | 127 I Iodine 53 | 131 Xe Xenon 54 | | | | |
| 133 Cs Caesium 55 | 137 Ba Barium 56 | 139 La Lanthanum 57 * | 178 Hf Hafnium 72 | 181 Ta Tantalum 73 | 184 W Tungsten 74 | 186 Re Rhenium 75 | 190 Os Osmium 76 | 192 Ir Iridium 77 | 195 Pt Platinum 78 | 197 Au Gold 79 | 201 Hg Mercury 80 | 204 Tl Thallium 81 | 207 Pb Lead 82 | 209 Bi Bismuth 83 | Po Polonium 84 | At Astatine 85 | Rn Radon 86 | | | | |
| Fr Francium 87 | 226 Ra Radium 88 | 227 Ac Actinium 89 † | | | | | | | | | | | | | | | | | | | |

*58-71 Lanthanoid series

†90-103 Actinoid series

Key

| | |
|----------|----------------------------|
| a | a = relative atomic mass |
| X | X = atomic symbol |
| b | b = proton (atomic) number |

| | | | | | | | | | | | | | |
|-----------------------------------|--|-------------------------------------|-------------------------------|------------------------------------|------------------------------------|--------------------------------------|-----------------------------------|--------------------------------------|-----------------------------------|----------------------------------|-----------------------------------|-------------------------------------|------------------------------------|
| 140 Ce Cerium 58 | 141 Pr Praseodymium 59 | 144 Nd Neodymium 60 | Pm Promethium 61 | 150 Sm Samarium 62 | 152 Eu Europium 63 | 157 Gd Gadolinium 64 | 159 Tb Terbium 65 | 162 Dy Dysprosium 66 | 165 Ho Holmium 67 | 167 Er Erbium 68 | 169 Tm Thulium 69 | 173 Yb Ytterbium 70 | 175 Lu Lutetium 71 |
| 232 Th Thorium 90 | Pa Protactinium 91 | 238 U Uranium 92 | Np Neptunium 93 | Pu Plutonium 94 | Am Americium 95 | Cm Curium 96 | Bk Berkelium 97 | Cf Californium 98 | Es Einsteinium 99 | Fm Fermium 100 | Md Mendelevium 101 | No Nobelium 102 | Lr Lawrencium 103 |

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).