Location Entry Codes

As part of CIE's continual commitment to maintaining best practice in assessment, CIE uses different variants of some question papers for our most popular assessments with large and widespread candidature. The question papers are closely related and the relationships between them have been thoroughly established using our assessment expertise. All versions of the paper give assessment of equal standard.

www.tiremepapers.com

The content assessed by the examination papers and the type of questions is unchanged.

This change means that for this component there are now two variant Question Papers, Mark Schemes and Principal Examiner's Reports where previously there was only one. For any individual country, it is intended that only one variant is used. This document contains both variants which will give all Centres access to even more past examination material than is usually the case.

The diagram shows the relationship between the Question Papers, Mark Schemes and Principal Examiners' Reports that are available.

Question Paper	Mark Scheme	Principal Examiner's
Introduction	Introduction	Introduction
First variant Question Paper	First variant Mark Scheme	First variant Principal Examiner's Report
Second variant Question Paper	Second variant Mark Scheme	Second variant Principal Examiner's Report

Who can I contact for further information on these changes? Please direct any questions about this to CIE's Customer Services team at: international@cie.org.uk

The titles for the variant items should correspond with the table above, so that at the top of the first page of the relevant part of the document and on the header, it has the words:

• First variant Question Paper / Mark Scheme / Principal Examiner's Report

or

Second variant Question Paper / Mark Scheme / Principal Examiner's Report

as appropriate.



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

	CANDIDATE NAME		
	CENTRE NUMBER	CANDIDATE	
* 7	CHEMISTRY		0620/31
190	Paper 3 (Extend	ded)	May/June 2008
2 2 5			1 hour 15 minutes
•	Candidates ans	wer on the Question Paper.	
8 2 4	No Additional M	aterials are required.	

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen. You may use a pencil for any diagrams, graphs or rough working. Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES

Answer all questions.	For Exam	iner's Use
	1	
At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part questions.	2	
	3	
	4	
	5	
	6	
	7	
	8	
	Total	

This document consists of 11 printed pages and 1 blank page.



1	For each of the following select an element from Period 4, matches the description.	potassium to krypton, that	For Examiner's Use
	(a) It is a brown liquid at room temperature.		
	(b) It forms a compound with hydrogen having the formula XH_4 .		
	(c) A metal that reacts violently with cold water.		
	(d) It has a complete outer energy level.		
	(e) It has oxidation states of 2 and 3 only.		
	(f) It can form an ion of the type X ⁻ .		
	(g) One of its oxides is the catalyst in the Contact Process.		
		[Total: 7]	

2 (a) Complete the table which gives the names, symbols, relative masses and relative charges of the three subatomic particles.

name	symbol	relative mass	relative charge
electron	e		
proton		1	
	n		0

[3]

For

Examiner's Use


- (b) Use the information in the table to explain the following.
 - (i) Atoms contain charged particles but they are electrically neutral because they have no overall charge.
 - [2] (ii) Atoms can form positive ions. [2] (iii) Atoms of the same element can have different masses. [2] (iv) Scientists are certain that there are no undiscovered elements missing from the Periodic Table from hydrogen to lawrencium. [1] [Total: 10]

3	Cop	oper	is purified by electrolysis.		For Examiner's
	(a)	Со	mplete the following.		Use
		Th	e positive electrode (anode) is made from		
		Th	e negative electrode (cathode) is made from		
		Th	e electrolyte is aqueous	[[3]
	(b)	Wri	ite an ionic equation for the reaction at the positive electrode (an	ode).	
				[2]
	(c)	(i)	Give two reasons why copper is used,		
			in electric wiring,		
				[2]
			in cooking utensils.		
				[2]
		(ii)	Give another use of copper.		
				[[1]
				[Total: 10	0]

4	Sulphu	ric acid is a typical strong acid.		For Examiner's					
	(a) Ch) Change the equations given into a different format.							
	(i)	Mg + $H_2SO_4 \longrightarrow MgSO_4 + H_2$ Change into a word equation.							
			[1]						
	(ii)	lithium oxide + sulphuric acid → lithium sulphate + water Change into a symbol equation.							
			[2]						
	(iii)	CuO + $2H^+ \longrightarrow Cu^{2+} + H_2O$ Change the ionic equation into a symbol equation.							
			[2]						
	(iv)	$Na_2CO_3 + H_2SO_4 \longrightarrow Na_2SO_4 + CO_2 + H_2O$ Change into a word equation.							
			[1]						
	H ₂ S	tion sulphuric acid dissolves in water, the following reaction occurs. SO ₄ + H ₂ O \longrightarrow HSO ₄ ⁻ + H ₃ O ⁺ plain why water is behaving as a base in this reaction.							
			[2]						
		phuric acid is a strong acid, ethanoic acid is a weak acid. Iain the difference between a strong acid and a weak acid.							
			[2]						
		[Total:	: 10]						

Use x for an electron from a chlorine atom. Use o for an electron from a carbon atom. Use • for an electron from an oxygen atom. For Examiner's Use

Carbonyl chloride, $COC l_2$, is a colourless gas. It is made by the following reaction.



cells are formed. $C_6H_{12}O_6(aq) \longrightarrow 2C_2H_5OH(aq) + 2CO_2(q)$ The reaction is exothermic. Eventually the fermentation stops when the concentration of ethanol is about 12%. (i) What is an enzyme? [1] (ii) Pasteur said that fermentation was respiration in the absence of air. Suggest a definition of respiration. [2] (iii) On a large scale, the reaction mixture is cooled. Suggest a reason why this is necessary. [1] (iv) Why does the fermentation stop? Suggest two reasons. [2] (v) When the fermentation stops, there is a mixture of dilute aqueous ethanol and yeast. Suggest a technique which could be used to remove the cloudiness due to the yeast. [1]

Name a technique which will separate the ethanol from the ethanol/water mixture.

[1]

[Total: 14]

For


Examiner's Use

8

aqueous glucose, the solution starts to bubble and becomes cloudy as more yeast

(c) The fermentation of glucose is catalysed by enzymes from yeast. Yeast is added to

7 Crystals of sodium sulphate-10-water, Na₂SO₄.10H₂O, are prepared by titration.



(a) 25.0 cm³ of aqueous sodium hydroxide is pipetted into a conical flask. A few drops of an indicator are added. Using a burette, dilute sulphuric acid is slowly added until the indicator just changes colour. The volume of acid needed to neutralise the alkali is noted.

Suggest how you would continue the experiment to obtain pure, dry crystals of sodium sulphate-10-water.

[4]

(b) Using 25.0 cm³ of aqueous sodium hydroxide, 2.24 mol / dm³, 3.86 g of crystals were obtained. Calculate the percentage yield.

 $2NaOH + H_2SO_4 \longrightarrow Na_2SO_4 + 2H_2O$ $Na_2SO_4 + 10H_2O \longrightarrow Na_2SO_4.10H_2O$

Number of moles of NaOH used =		
Maximum number of moles of $Na_2SO_4.10H_2O$ that could be formed =		
Mass of one mole of Na_2SO_4 . 10 $H_2O = 322 g$		
Maximum yield of sodium sulphate-10-water =		g
Percentage yield =	%	[4]
	[Tota	l: 8]

Large areas of the Amazon rain forest are cleared each year to grow soya beans. The trees 8 For are cut down and burnt. Examiner's Use (a) Why do these activities increase the percentage of carbon dioxide in the atmosphere? [2] (b) Soya beans contain all three main food groups. Two of which are protein and carbohydrate. (i) What is the third group? [1] (ii) Draw the structural formula of a complex carbohydrate such as starch. [3] (iii) Compare the structure of a protein with that of a synthetic polyamide. The structure of a typical protein is given below. Ŭ || || Ĥ Ô Н How are they similar? How are they different? [3] [Total: 9]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

DATA SHEET
The Periodic Table of the Elements

									Gr	oup								
Ι	II									•			III	IV	V	VI	VII	0
								1 H Hydrogen 1										4 He Helium
7 Li Lithium 3	9 Be Beryll 4	e											11 B Boron 5	12 C Carbon 6	14 N Nitrogen 7	16 O Oxygen 8	19 F Fluorine 9	20 Ne Neon
23 Na Sodium	24 Magne 12	g											27 A1 Aluminium 13	28 Si Silicon 14	31 P Phosphorus 15	32 S Sulphur 16	35.5 C1 Chlorine 17	40 Ar Argon 18
39 K Potassiur 19	m Calci 20	a um	45 SC Scandium 21	48 Ti ^{Titanium} 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron 26	59 Co Cobalt 27	59 Ni ^{Nickel} 28	64 Cu ^{Copper} 29	65 Zn ^{Zinc} 30	70 Ga Gallium 31	73 Ge Germanium 32	75 As Arsenic 33	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton 36
85 Rb Rubidiun 37	n Stront 38	r ium	89 Y Yttrium 39	91 Zr ^{Zirconium} 40	93 Nb Niobium 41	96 Mo Molybdenum 42	Tc Technetium 43	101 Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver 47	112 Cd Cadmium 48	115 In Indium 49	119 Sn ^{Tin} 50	122 Sb Antimony 51	128 Te Tellurium 52	127 I Iodine 53	131 Xe _{Xenon} 54
133 Cs Caesium 55	13 Ba Bariu 56	a m	139 La Lanthanum 57 *	178 Hf Hafnium 72	181 Ta ^{Tantalum} 73	184 W Tungsten 74	186 Re Rhenium 75	190 Os Osmium 76	192 Ir Iridium 77	195 Pt Platinum 78	197 Au ^{Gold} 79	201 Hg Mercury 80	204 T 1 Thallium 81	207 Pb Lead 82	209 Bi ^{Bismuth} 83	Po Polonium 84	At Astatine 85	Rn Radon 86
Fr Franciun 87	220 Ra 88	a .m	227 Ac Actinium 89 †			-												
	Lantha 3 Actinc				140 Ce Cerium 58	141 Pr Praseodymium 59	144 Nd Neodymium 60	Pm Promethium 61	150 Sm Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	159 Tb Terbium 65	162 Dy Dysprosium 66	165 Ho Holmium 67	167 Er Erbium 68	169 Tm ^{Thulium} 69	173 Yb Ytterbium 70	175 Lu Lutetium 71
Key	а Х b	X =	elative atom atomic symb proton (atom	loc	232 Th Thorium 90	Pa Protactinium 91	238 U Uranium 92	Np Neptunium 93	Pu Plutonium 94	Am Americium 95	Cm ^{Curium} 96	Bk Berkelium 97	Cf Californium 98	Es Einsteinium 99	Fm Fermium 100	Md Mendelevium 101	No Nobelium	Lr Lawrencius 103

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).



З

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

	CANDIDATE NAME			
	CENTRE NUMBER		CANDIDATE	
8 8	CHEMISTRY			0620/32
7 2	Paper 3 (Extend	ded)		May/June 2008
-1 8				1 hour 15 minutes
~	Candidates ans	wer on the Question Paper.		
м Ш	No Additional M	laterials are required		

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen. You may use a pencil for any diagrams, graphs or rough working. Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES

Answer all questions. A copy of the Periodic Table is printed on page 12.	For Exam	iner's Use
At the end of the examination, fasten all your work securely together.	1	
The number of marks is given in brackets [] at the end of each question or part questions.	2	
	3	
	4	
	5	
	6	
	7	
	8	
	Total	

This document consists of 11 printed pages and 1 blank page.



1		each of the following select an element from Period 4, ches the description.	potassium to krypton, that	For Examiner's Use
	(a)	It is a brown liquid at room temperature.		
	(b)	It forms a covalent compound with hydrogen having the formula H_2X .		
	(c)	A metal that reacts violently with cold water.		
	(d)	It has a complete outer energy level.		
	(e)	It has oxidation states of 2 and 3 only.		
	(f)	It can form an ion of the type X^+ .		
	(g)	This metal is the catalyst in the Haber Process.		
			[Total: 7]	

[Turn over

2 (a) Complete the table which gives the names, symbols, relative masses and relative charges of the three subatomic particles.

name	symbol	relative mass	relative charge
electron	e		
proton		1	
neutron	n		

[3]

- (b) Use the information in the table to explain the following.
 - (i) Atoms contain charged particles but they are electrically neutral they have no overall charge.

(ii)	Atoms can form negative ions.	[2]
		[2]
(iii)	Different atoms of the element chlorine are ${}^{35}_{17}$ Cl and ${}^{37}_{17}$ Cl.	
	How are they different?	
	How are they the same?	[2]
(iv)	Scientists are certain that there are no undiscovered elements missing from the Periodic Table from hydrogen to lawrencium.	he
		[1]
	[Total:	10]

21

For Examiner's

Use

3	Co	oper	is purified by electrolysis.		For Examiner's
	(a)	Co	mplete the following.		Use
		Th	e positive electrode (anode) is made from		
		Th	e negative electrode (cathode) is made from		
		Th	e electrolyte is aqueous	[3]	
	(b)	Wr	ite an ionic equation for the reaction at the positive electrode (anode).		
				[2]	
	(c)	(i)	Give two reasons why copper is used,		
			in electric wiring,		
				[2]	
			in cooking utensils.		
				[2]	
		(ii)	Give another use of copper.		
		(")		[1]	
			ITot	al: 10]	
			[

4	Sulphu	Sulphuric acid is a typical strong acid.										
	(a) Ch	ange the equation given into a different format.										
	(i)	Mg + $H_2SO_4 \longrightarrow MgSO_4 + H_2$ Change into a word equation.										
		[1]										
	(ii)	lithium oxide + sulphuric acid ─► lithium sulphate + water Change into a symbol equation.										
		[2]										
	(iii)	$CuCO_3 + 2H^+ \longrightarrow Cu^{2+} + H_2O + CO_2$ Change the ionic equation into a symbol equation.										
		[2]										
	(iv)	$Na_2CO_3 + H_2SO_4 \longrightarrow Na_2SO_4 + CO_2 + H_2O$ Change into a word equation.										
		[1]										
	H ₂ S	then sulphuric acid dissolves in water, the following reaction occurs. SO ₄ + H ₂ O \longrightarrow HSO ₄ ⁻ + H ₃ O ⁺ plain why water is behaving as a base.										
		[2]										
	bet	lphuric acid is a strong acid, ethanoic acid is a weak acid. One way of distinguishing tween them is to measure their pH. The weaker acid will have the higher pH. scribe another way by which they could be distinguished.										
		[2]										
		[Total: 10]										


For Examiner's Use

[4] [Total: 12] For

Use

6

Carbonyl chloride, COCl₂, is a colourless gas. It is made by the following reaction.




aqueous glucose, the solution starts to bubble and becomes cloudy as more yeast Examiner's cells are formed. $C_6H_{12}O_6(aq) \longrightarrow 2C_2H_5OH(aq) + 2CO_2(q)$ The reaction is exothermic. Eventually the fermentation stops when the concentration of ethanol is about 12%. (i) What is an enzyme? [1] (ii) Pasteur said that fermentation was respiration in the absence of air. Define respiration. [2] (iii) On a large scale, the reaction mixture is cooled. Suggest a reason why this is necessary. [1] (iv) Why does the fermentation stop? Suggest two reasons. [2] (v) When the fermentation stops, there is a mixture of dilute aqueous ethanol and yeast. Suggest a technique which could be used to remove the cloudiness due to the yeast. [1] Name another technique which will separate the ethanol from the ethanol / water mixture. [1] [Total: 14]

(c) The fermentation of glucose is catalysed by enzymes from yeast. Yeast is added to

For

Use

7 Crystals of sodium sulphate-10-water, Na_2SO_4 .10H₂O, are prepared by titration.



Suggest how you would continue the experiment to obtain pure, dry crystals of sodium sulphate-10-water.

.....

.....[4]

(b) Using 25.0 cm³ of aqueous sodium hydroxide, 2.64 mol / dm³, 3.95 g of crystals were obtained. Calculate the percentage yield.

 $2NaOH + H_2SO_4 \longrightarrow Na_2SO_4 + 2H_2O$ $Na_2SO_4 + 10H_2O \longrightarrow Na_2SO_4.10H_2O$

Number of moles of NaOH used =		
Maximum number of moles of $Na_2SO_4.10H_2O$ that could be formed =		
Mass of one mole of Na_2SO_4 . 10H ₂ O = 322 g		
Maximum yield of sodium sulphate-10-water =		g
Percentage yield =	%	[4]
	[Tota	al: 8]

For Examiner's Use 8 Large areas of the Amazon rain forest are cleared each year to grow soya beans. The trees For are cut down and burnt. Examiner's Use (a) Why do these activities increase the percentage of carbon dioxide in the atmosphere? [2] (b) Soya beans contain all three main food groups. Two of which are protein and carbohydrate. (i) What is the third group? [1] (ii) Draw the structural formula of a complex carbohydrate such as starch. [3] (iii) Compare the structure of a protein with that of a synthetic polyamide. The structure of a typical protein is given below. ____ ∥ 0 Ĥ Ô Н How are they similar? How are they different? [3] [Total: 9]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

DATA SHEET
The Periodic Table of the Elements

								Gr	oup								
I	П											Ш	IV	V	VI	VII	0
							1 H Hydrogen 1										4 He Helium
7 Li Lithium 3	9 Be Beryllium							-				11 B Boron 5	12 C Carbon 6	14 N Nitrogen 7	16 O Oxygen 8	19 F Fluorine 9	20 Ne Neon
23 Na Sodium 11	24 Mg Magnesium 12											27 A 1 Aluminium 13	28 Si Silicon 14	31 P Phosphorus 15	32 S Sulphur 16	35.5 C1 ^{Chlorine} 17	40 Ar Argon 18
39 K Potassium 19	40 Ca Calcium 20	45 Sc Scandium 21	48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron 26	59 Co Cobalt 27	59 Ni Nickel 28	64 Cu Copper 29	65 Zn Zinc 30	70 Ga Gallium 31	73 Ge Germanium 32	75 As Arsenic 33	79 Se Selenium 34	80 Br Bromine 35	84 Kr Kryptor 36
85 Rb Rubidium 37	88 Sr Strontium 38	89 Y Yttrium 39	91 Zr Zirconium 40	93 Nb Niobium 41	96 Mo Molybdenum 42	Tc Technetium 43	101 Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver 47	112 Cd Cadmium 48	115 In Indium 49	119 Sn Tin 50	122 Sb Antimony 51	128 Te Tellurium 52	127 I Iodine 53	131 Xe Xenon 54
133 CS Caesium 55	137 Ba Barium 56	139 La Lanthanum 57 *	178 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re Rhenium 75	190 OS Osmium 76	192 Ir Iridium 77	195 Pt Platinum 78	197 Au ^{Gold}	201 Hg Mercury 80	204 T I Thallium 81	207 Pb Lead 82	209 Bi Bismuth 83	Polonium 84	At Astatine 85	Rn Radon 86
Fr Francium 87	226 Ra Radium 88	227 Ac Actinium 89															
	anthanoic Actinoid s	series		140 Ce Cerium 58	141 Pr Praseodymium 59	144 Nd Neodymium 60	Pm Promethium 61	150 Sm Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	159 Tb Terbium 65	162 Dy Dysprosium 66	165 Ho Holmium 67	167 Er ^{Erbium} 68	169 Tm ^{Thulium} 69	173 Yb ^{Ytterbium} 70	175 Lu ^{Lutetiu} 71
				232 Th Thorium 90	Pa Protactinium 91	238 U Uranium 92	Np Neptunium 93	Pu Plutonium 94	Am Americium 95	Curium 96	Bk Berkelium 97	Cf Californium 98	ES Einsteinium 99	Fm Fermium 100	Md Mendelevium 101	Nobelium 102	Lr Lawrenci 103

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).