Candidate Name

entre Number te Papars con

International General Certificate of Secondary Education

CAMBRIDGE INTERNATIONAL EXAMINATIONS

CHEMISTRY

0620/2

PAPER 2

OCTOBER/NOVEMBER SESSION 2002

1 hour

Candidates answer on the question paper. No additional materials are required.

Time 1 hour

INSTRUCTIONS TO CANDIDATES

Write your name, Centre number and candidate number in the spaces at the top of this page. Answer **all** questions.

Write your answers in the spaces provided on the question paper.

INFORMATION FOR CANDIDATES

The number of marks is given in brackets [] at the end of each question or part question.

You may use a calculator.

A copy of the Periodic Table is printed on page 16.

FOR EXAMINER'S USE					
1					
2					
3					
4					
5					
6					
TOTAL					

[1]

1 Ammonia, NH₃, is synthesised by the following route.

methane ———— hydroger	n
	iron catalyst
	→ ammonia
air ——— nitrogen	,

(a) (i) To which group of organic compounds does methane, CH₄, belong?

Put a ring around the correct answer.

alkane alcohol alkene carboxylic acid [1]

(ii) Draw the formula for methane, showing all atoms and bonds.

(iii) State the most likely source of methane.

[1]

(b) (i) State the percentage of nitrogen in clean air.

[1]

(ii) Name another non-metal that is in the same Period as nitrogen.

[1]

(c) Ammonia is made by heating hydrogen with nitrogen in the presence of a catalyst.

(i) What is the purpose of the catalyst?

What happens to the rate of a reaction when the temperature is increased?

(ii)

______[1]

	$3H_2 + N_2 \rightleftharpoons NH_3$	1]
(ii)	What does the sign ———— mean?	
	[1]
The	ammonia formed in the reaction is liquefied.	
	represents a single molecule of ammonia.	
	[2]
How	would you test for ammonia in the laboratory?	
test	t	
resu	ult[2]
Amm	nonia is used to make fertilizers.	
(i)	Why are fertilizers used in agriculture?	
(::\ <u>)</u>		1]
(11)		
amm	monia +	ıte
J. 1111		1]
	(ii) The Comamn How test res Amn (i) (ii)	(ii) What does the sign

2 When rain water trickles through rocks, it dissolves some of the minerals present.


This water, which is bottled for drinking, is called mineral water.

The table shows the ions present in a litre of mineral water.

name of ion	formula of ion	mass of ion present in one litre of water/milligrams
calcium	Ca ²⁺	10
chloride	Cl-	8
hydrogencarbonate	HCO ₃	64
sodium	Na⁺	8
sulphate	SO ₄ ²⁻	7

(a)	What do you understand by the term ion?
	[1]
(b)	Which positive ion has the greatest concentration in this sample of water?
	[1]
(c)	Complete the following equation to show how a calcium ion is formed from a calcium atom.
	Ca \longrightarrow Ca ²⁺ + e ⁻
	[1]
(d)	When this sample of mineral water is evaporated to dryness, various compounds are formed. One of these compounds is calcium chloride.
	Suggest the name of two other compounds which could be formed.
	compound 1
	compound 2 [2]

(e) Part of the structure of calcium chloride is shown below.



Use this diagram to work out the simplest formula for calcium chloride.

formula	[1]	ı
	<u>.</u>	•

(f) Complete the following table to show the electrical conductivity of calcium and calcium chloride in the solid and liquid states.

Put a ✓ if the substance conducts.

Put a **x** if the substance does not conduct.

substance	state	electrical conductivity
calcium	solid	
calcium	liquid	
calcium chloride	solid	
calcium chloride	liquid	

[2]

(g) A sample of water was contaminated with clay, which is insoluble in water.

Explain with the help of a labelled diagram, how you would separate the clay from the water.

- 3 Fluorine, chlorine, bromine and iodine are halogens.
 - (a) Complete the table by filling in the blank spaces.

halogen	halogen colour melting point /°C fluorine yellow -220 chlorine -101		boiling point /°C	state at room temperature
fluorine			-188	
chlorine			-35	gas
bromine	reddish- brown	-7	+59	
iodine		+114		solid

[4]

(b) Predict the boiling point of iodine.

[1]

(c) When chlorine is bubbled through a solution of potassium bromide, the solution turns orange - red.

When iodine is mixed with potassium bromide, no colour change occurs.

(i) Write a word equation for the reaction between chlorine and potassium bromide.

[2]

(ii) Put the elements bromine, chlorine and iodine in order of reactivity.



[1]

(d) State a use of chlorine.

[1]

(e) In the presence of sunlight, chlorine reacts with methane.

Hydrogen chloride gas, H — Cl, is given off during this reaction.

State the type of bonding in a hydrogen chloride molecule.

Put a ring around the correct answer.

covalent ionic metallic weak

[1]


Sor	ne organic compounds foun	a in ripe fruits are	e snown below.	
	H C H	CH₃CO₂H	CH₃(CH₂CH₂CO₂H
	Α	В		С
	CH₃CH₂OH		CH₃CH₂CHO	
	D		E	
(a)	What do you understand by	/ the term <i>organi</i>	ic compound?	
				[1]
(b)	Which two of the compoun	ds belong to the	same homologo	us series?
	compound	and o	compound	[1]
(c)	Which one of these compo		-	
				[1]
(d)	Which one of these compo	unds is an alcoh	ol?	
				[1]
(e)	Which one of these compo from petroleum?	unds can be for	med directly by c	racking the paraffin fraction
				[1]
(f)	Compound D burns readily			
	(i) Burning is an exother	mic reaction.		
	Explain the meaning	of the term <i>exoth</i>	nermic.	

9

	(iii)	Name combus		carbon	comp	ound	forn	ned	when	D	unde	ergoes	inc	comple	ete
				************	•••••										[1]
(g)	Write o	down the	mole	cular forr	nula o	f com	pound	d C .							[1]
(h)	Calcula	ate the re	elative	e molecul	ar ma	ss of c	comp	ounc	d C .						ניו
															[1]
(i)	Many f	ruits con	tain a	a variety o	of diffe	rent c	olour	ed c	ompoun	ds.					
	What compo	•	on te	echnique	can	you	use	to	separate	e th	nese	differe	nt d	colour	ed
															[1]

5 Iron is extracted from the ore, haematite.

The iron ore is put in a blast furnace with coke and a current of air is blown through the heated mixture.




	cement	limewater	limestone	slag	
	Put a ring around th	e correct answer.			
(b)	What other raw mat	erial needs to be adde	d to the blast furnace?		
					[1]
(a)	vvnat do you undersi	tand by the term <i>ore</i> ?			
<i>(</i> - \	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	t			

[1]

(c)	Near	the bottom of the furnace, ire	on(III) oxide is reduc	ed by	carbon.	
		Fe ₂ O ₃ + 3C	→ 2Fe	+	3CO	
	(i)	Write a word equation for the	is reaction.			
	<i>(</i> :::\	Franksia ook at is oo saat booth			[1	.]
	(ii)	Explain what is meant by the	e term <i>reduction</i> .			
					[1	J
(d)	The t	able shows the composition	of the waste gases l	eaving	the blast furnace.	
		gas	percentage of gas in the mixture			
		carbon dioxide	12			
		carbon monoxide	24			
		hydrogen	4			
		nitrogen	60			
	(i)	The hydrogen in the waste quapour.	gas is formed by the	reaction	on of hot carbon with water	-
		There is no water in the mat	erials added to the t	op of th	ne furnace.	
		Suggest where this water va	pour comes from.			
	11				[1]
	(ii)	The reaction of hot carbon w	vith water vapour is	endoth	ermic.	
		What is meant by the term e	endothermic?			
		•			[1	1]
(e)	Iron o	can be converted into steel, w				
	(i)	Describe briefly how iron is	converted into steel.			
	()	·				
					[2)1
	/::\					.]
	(ii)	State one use of mild steel.			[1]

(f) In some conditions, steel corrodes more quickly than in others.

The graphs show the rate of corrosion of a particular type of steel under different controlled conditions.




(i)	How does pH affect the rate of corrosion?	
		[1]
(ii)	How does temperature affect the rate of corrosion?	
		[1]
	Explain this in terms of moving particles.	
		[2]

(iii) The presence of acidic gases in the air may increase the rate of corrosion.
State the name and source of one acidic gas found in the air as a result of pollution.

name	
source	[2]

6 A student took a sample of seawater and heated it using the apparatus shown below.



(a)	Wha	t is the name given to the process shown in the diagram?	
			[1]
(b)	State	e the name of the piece of apparatus labelled A .	
			[1]
(c)	Expl	ain the function of the condenser.	
			[2]
(d)	Pure	water collects in the beaker.	
	(i)	State the pH of pure water.	
			[1]
	(ii)	State the boiling point of pure water.	
			[1]

[1]


(e) The table shows the mass of various compounds obtained when 1 litre of seawater is evaporated.

compound	formula	mass of solid present / g
sodium chloride	NaC1	28.0
	MgCl ₂	8.0
magnesium sulphate	MgSO ₄	6.0
calcium sulphate	CaSO ₄	2.0
potassium chloride	KC1	
calcium carbonate	CaCO ₃	1.0
potassium bromide	KBr	
		total mass = 45.0

(i) How many grams of magnesium sulphate are present in 180 g of solid left by evaporation of seawater?

(ii)	Which compound in the table reacts with acids to release carbon dioxide?	[1]
(iii)	State the name of the compound which has the formula ${ m MgC}\it{l}_{2}.$	ניי
		[1]
(iv)	Calcium sulphate contains sulphate ions.	
	Describe a test for sulphate ions.	
	test	
	result	

(f) Pure sodium chloride can be electrolysed using the apparatus shown below.



(i)	Why does the sodium chloride have to be molten for electrolysis to occur?	
		[2]
(ii)	State the name of the product formed during electrolysis at the anode (positive electrode)	
	the cathode (negative electrode)	[2]
(iii)	Suggest a suitable substance which could be used for the electrodes.	
		[1]

DATA SHEET The Periodic Table of the Elements

								Gr	oup								
I	II											III	IV	V	VI	VII	0
							1 H Hydrogen										4 He Helium
7	9											11	12	14	16	19	20
Li Lithium	Be Beryllium	1										B Boron	C Carbon	Nitrogen 7	Oxygen 8	F Fluorine 9	Ne Neon
23 Na Sodium	24 Mg Magnesiur 12	m										27 A1 Aluminium 13	28 Si Silicon	31 P Phosphorus 15	32 S Sulphur	35.5 C1 Chlorine	40 Ar Argon
39 K Potassium 19	40 Ca Calcium 20	45 Sc Scandium 21	48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron	59 Co Cobalt 27	59 Ni Nickel 28	64 Cu Copper 29	65 Zn Zinc	70 Ga Gallium	73 Ge Germanium 32	75 As Arsenic 33	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton 36
Rb Rubidium	Strontium 38	89 Y Yttrium 39	91 Zr Zirconium 40	93 Nb Niobium 41	96 Mo Molybdenum 42	Tc Technetium 43	101 Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver	Cadmium 48	In Indium	119 Sn Tin	Sb Antimony 51	Tellurium 52	I 127 I lodine 53	131 Xe Xenon 54
133 Cs Caesium 55	137 Ba Barium 56	139 La Lanthanum 57 *	178 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re Rhenium 75	190 Os Osmium 76	192 Ir Iridium 77	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury	204 T 1 Thallium	207 Pb Lead	209 Bi Bismuth	Po Polonium 84	At Astatine 85	Rn Radon 86
Fr Francium 87	226 Ra Radium 88	227 Ac Actinium 89							1						1		
	140							175 Lu Lutetium 71									
Key	X	a = relative atomX = atomic symb = proton (atom	bol	232 Th Thorium 90	Pa Protactinium 91	238 U Uranium 92	Np Neptunium 93	Pu Plutonium 94	Am Americium 95	Cm Curium 96	Bk Berkelium 97	Cf Californium 98	Es Einsteinium 99	Fm Fermium 100	Md Mendelevium 101	No Nobelium 102	Lr Lawrencium 103

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).