

Instructions for preparing apparatus

These instructions give details of the apparatus required by each candidate for each experiment in this paper. A summary of the questions that will be presented to the candidates is included, where appropriate, to allow the Biology teacher to test the apparatus appropriately. **No access to the question paper is permitted in advance of the examination.**

If a candidate breaks any of the apparatus, or loses any of the material supplied, the matter should be rectified and a note made in the Supervisor's Report.

Candidates must be provided with a microscope with:

- Eyepiece lens, $\times 10$ (equal to 16 mm or $\frac{2}{3}$ ")
- Low-power objective lens, $\times 10$ (equal to 16 mm or $\frac{2}{3}$ ")
- High-power objective lens, $\times 40$ (equal to 4 mm or $\frac{1}{6}$ ")
- Eyepiece graticule fitted within the eyepiece and visible in focus at the same time as the specimen.

To avoid confusion, Cambridge request that only the lenses specified above are fitted in the microscopes to be used in the examination. Any lenses which are **not** $\times 10$ or $\times 40$ should be removed or replaced.

Each candidate must have sole, uninterrupted, use of the microscope for at least 55 minutes.

Supervisors are advised to remind candidates that **all** substances in the examination should be treated with caution. Pipette fillers and safety goggles should be used where necessary.

In accordance with the COSHH (Control of Substances Hazardous to Health) Regulations, operative in the UK, a hazard appraisal of the examination has been carried out.

The following codes are used where relevant.

C = corrosive substance

H = harmful or irritating substance

T = toxic substance

F = highly flammable substance

O = oxidising substance

N = harmful to environment

Centres are reminded that they are **not** permitted to open the question paper envelopes before the examination. Centres should also refer to the Handbook for Centres.

If there are any difficulties with any aspect of setting up this practical examination that the Centre is not able to resolve, it is essential for Centres to contact the Product Manager as soon as possible by **e-mail** to international@cie.org.uk, by **fax** to +44 1223 553558 or by **phone** to +44 1223 553554.

Confidential Instructions

Each candidate will require:

For both Questions

- mm ruler.

Question 1

- Solutions and reagents provided to the candidates should be supplied in a suitable beaker, or container, for removal of the solution using a syringe. More of the solutions should be available if requested by candidates.
- Fresh test-tubes and syringes are needed for each candidate.
- Fresh **H**, **C**, **W** and **Y** are needed for each candidate.
- All solutions and reagents should be disposed of according to local safety regulations.

Summary of solutions and reagents:

labelled	contents	hazard	volume /cm ³
H	3% (10 vols) hydrogen peroxide solution	[H] harmful irritant	at least 50
C	3% copper sulfate solution	[H][N] harmful irritant harmful to environment	at least 25
W	distilled water	none	at least 50
Y	1% yeast suspension	low	at least 20

It is advisable to wear safety glasses/goggles when handling chemicals.

Preparation of solutions and yeast suspension:

- [H] (i) **H**, at least 50 cm³ of 3% hydrogen peroxide solution in a beaker or container, labelled **H**. The beaker or container should be covered to prevent evaporation.

This is prepared by putting 50 cm³ of 6% hydrogen peroxide solution into a beaker or container and making up to 100 cm³ with distilled water.

- [H][N] (ii) **C**, at least 25 cm³ of 3% copper sulfate solution in a beaker or container, labelled **C**.

This is prepared by dissolving 3.0 g of hydrated copper sulfate (CuSO₄·5H₂O) into 50 cm³ of distilled water in a beaker or container and making up to 100 cm³ with distilled water.

This is sufficient for 4 candidates.

- (iii) **Y**, at least 20 cm³ of yeast suspension in a beaker or container, labelled **Y**.

This is prepared by adding 1 g of dried (Baker's) yeast to 50 cm³ of warm distilled water (approximately 30 °C) in a beaker or container and making up to 100 cm³ with warm distilled water. Stir well.

Y should be prepared one hour before the examination and kept at room temperature.

Stir well before dispensing **Y** into the beakers or containers used by the candidates.

This is sufficient for 5 candidates.

- (iv) **W**, at least 50 cm³ of distilled water in a beaker or container, labelled **W**.

Apparatus for each candidate:

Apparatus	Quantity	✓
10 cm ³ syringe with the means to wash it out (note: needles are not required and should not be given to candidates)	2	
2 cm ³ or 3 cm ³ or 5 cm ³ syringe with the means to wash it out (note: needles are not required and should not be given to candidates)	1	
2 cm ³ or 3 cm ³ or 5 cm ³ syringe for copper sulfate, labelled ' C ' (with the means to wash it out) (note: needles are not required and should not be given to candidates)	1	
Container with tap water, labelled For washing	1	
Container, labelled For waste	1	
Paper towels	8	
Beakers or containers to hold 20 cm ³ volume	4	
Test-tubes to hold at least 20 cm ³	4	
Test-tube rack or container to hold 4 test-tubes	1	
Glass rod	1	
Thermometer –10 °C to 110 °C	1	
Ruler in mm	1	
Stop-clock, stopwatch or sight of a clock with a second hand	1	
Glass marker pen	1	
Safety goggles/glasses	1	

During the examination, the Supervisor should, **out of the sight of the candidates**, carry out **Question 1** using the same solutions and reagents as the candidates. These results should be written in the Supervisor's Report (**not** on a spare question paper) which should be enclosed with the candidates' scripts. If the scripts are in several packets, please ensure that a copy of the Supervisor's Report is enclosed with each packet of scripts. The Invigilator should **not** carry out **Question 1**.

Question 2

- (i) Slide **L1** (supplied by Cambridge)
- (ii) Microscope with:
 - Eyepiece lens, $\times 10$ (equal to 16 mm or $\frac{2}{3}$ ")
 - Low-power objective lens, $\times 10$ (equal to 16 mm or $\frac{2}{3}$ ")
 - High-power objective lens, $\times 40$ (equal to 4 mm or $\frac{1}{6}$ ")
 - Eyepiece graticule fitted within the eyepiece and visible in focus at the same time as the specimen.

On receipt of the slides, please check that they are labelled **L1** and that all the slides are intact. The identity of material on the slides is **confidential** and must **not** be disclosed to candidates.

Each candidate must have sole, uninterrupted use of the microscope for 55 minutes.

The number of slides supplied by Cambridge will be equal to half the candidate entry. Therefore, half of the candidates should start on **Question 1** and the other half should start on **Question 2**.

MATERIALS TO BE SUPPLIED BY CAMBRIDGE

- (i) Question papers
- (ii) Slide **L1**

RETURN OF EXAMINATION MATERIALS TO CAMBRIDGE

Immediately after the examination the microscope slides **must** be:

- returned to Cambridge in the containers in which they were received, using the self-adhesive label. They must **not** be included in the packet of scripts.

Or

- purchased using the order form enclosed with the slides, which should be completed and returned to Cambridge. They must **not** be included in the packet of scripts.

Slides and boxes will be charged at the rate of £3 per slide and £1 per box.

If the items are not returned or purchased by the deadline stated on the order form they will be charged at £3.50 per slide plus £1 per box.

REPORT FORM

The teacher responsible for the examination is asked to fill in the Report Form in these Confidential Instructions. For Centres where more than one script packet is used, there must be a copy of the completed Report Form in each script packet.

These report forms are vital in order to allow the examiners to assess all candidates as fairly as possible and should always be completed by every Centre.

A copy of the seating plan for the examination room must also be enclosed in each script packet.

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

This form should be completed and sent to the Examiner with the scripts.

REPORT ON PRACTICAL BIOLOGY

A Level

October/November Session 2012

The Supervisor or Teacher responsible for the subject should provide the following information.

1. Was any difficulty experienced in providing the necessary materials? If so, give brief details.

2. Give details of any difficulties experienced by particular candidates, giving names and candidate numbers. Reference should be made to:
 - (a) difficulties arising from faulty specimens or microscopes;
 - (b) accidents to apparatus or materials;
 - (c) assistance provided in case of colour-blindness;
 - (d) any other information that is likely to assist the Examiner, especially if this cannot be discovered from the scripts.

All other cases of individual hardship, e.g. illness or disability, should be reported direct to CIE on the normal 'Special Consideration Form' as detailed in the Handbook for Centres.

3. During the examination, the Supervisor should, **out of sight of the candidates**, carry out **Question 1**, using the same solutions and reagents as the candidates. These results should be written in the Supervisor's Report which should be enclosed with the candidates' scripts. If the scripts are in several packets, please ensure that a copy of the Supervisor's Report is enclosed with each packet of scripts. The invigilator should **not** carry out **Question 1**.



Results of **Question 1**:

Temperature of examination room °C

- 4. Enclose a plan of work benches with the scripts, giving details of the candidate numbers of the places occupied by the candidates for each session. Separate paper can be used for this.

Declaration (to be signed by the Principal or the Examinations Officer)

The preparation of this practical examination has been carried out so as to maintain fully the security of the examination.

Signed

Name (in block capitals)

Centre number (of enclosed scripts)

Centre name

If scripts are required by CIE to be despatched in more than one envelope, it is essential that a copy of the relevant Supervisor’s report and the appropriate seating plan(s) are sent inside **each envelope**.

