UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

GCE Advanced Subsidiary Level and GCE Advanced Level

MARK SCHEME for the May/June 2008 question paper

9700 BIOLOGY

9700/05

Paper 5 (Planning, Analysis and Evaluation), maximum raw mark 30

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2008 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme	Syllabus	Paper
	GCE A/AS LEVEL – May/June 2008	9700	05

1 (a) (i) independent variable – amount/percentage/cover/of Fucus spiralis/seaweed/algae; reject number

dependent variable – numbers of *Littorina littorea*/mollusc; ignore mean

[1]

(ii) two of:

ignore in all cases reference to means/climate/same beach/weather mark the first answer on each line

ref. to size/use of same quadrat;

ref. to line/transect parallel to sea;

ref. to repeat lines/transects at same distance from the sea; ignore ref. to experiment/it measurement/repeated

ref. to 20 sets/lots of data (per transect);

ref. to regular systematic placement (of quadrats);

allow description/every metre intervals

[2]

(b) (i) answers must relate to specific data in the table

one of:

samples at 6 and 7/around the same value, have (3) molluscs;

sample at 16/0 cover, has molluscs;

percentage cover too high, should have molluscs;

does not fit a general correlation/does not follow trend, expect some molluscs/ this has 0 molluscs;

allow ref. to mean values rounded down to zero;

[1]

(ii) x-axis – mean percentage/amount of Fucus spiralis/%; allow seaweed/algae y-axis – mean number of Littorina littorea; allow mollusc [1]

Mark (iii) and (iv) together. Read the whole answer and look for two ideas. One idea that relates to the pattern of data and one idea that relates to the support/no support of hypothesis.

(iii)

(iv) Route 1

there may be no relationship/data is scattered;

does not support the hypothesis as there is no proportion/not a straight line relationship between the two species;

Route 2

there is a slight (positive)/partial correlation;

limited support for hypothesis as there a correlation/proportion at higher percentage cover/data quoted;

allow: Route 3

described pattern e.g. as steps/increases unevenly;

not supporting hypothesis as increase in cover is not necessarily followed by increase in *Littorina*:

Page 3	Mark Scheme	Syllabus	Paper
	GCE A/AS LEVEL – May/June 2008	9700	05

(v) one of:

a suitable abiotic/position on beach factor;

(e.g. temperature/heat, exposure, desiccation/light/rocks/rock pools/distance from sea/wave action/pollution)

a suitable biotic factor:

(e.g. predation/competition other species for food source/human activities AW)

[Total: 8]

[1]

2 (a) (i) Look for what the candidate is going to do, not just that the variables are listed. reference to eight of:

ref. to varying the independent variable:

- suitable method of providing different concentrations of carbon dioxide; (e.g.(sodium) hydrogen carbonate/calcium carbonate/baking powder/ gas cylinder/bubbler) allow HO₃⁻
- 2. at least 5 concentrations of carbon dioxide;
- 3. ref. to measuring/maintaining each carbon dioxide concentration with the probe;

ref. to measuring dependent variable:

4. amount of gas produced in known time/time to collect a known amount of gas;

ref. to controlling any 2 of the key variables:

- 5. method of standardising pond weed;
 - (e.g. mass/length/same piece/same number of leaves/same species)
- method of maintaining constant light intensity;
 - (e.g. light fixed distance from plant) no fixed time limit on light exposure
- 7. method of maintaining temperature;
 - (e.g. water bath/insulator) allow air conditioned room
- 8. method of standardising water;
 - (e.g. same volume/removing gases by boiling)

ref. to any 2 procedures of using apparatus:

- 9. use of pond weed and syringe;
 - (e.g. cutting pond weed and inserting into syringe under water/solution)
- 10. time for equilibration of pond weed in different carbon dioxide concentrations;
- 11. working in a dark room/green illumination/enclosing apparatus in a box to eliminate any other light sources;
- 12. ref. to 3 sets of measurements and a mean/average

ref. to any 1 safety issue and precaution:

- 13. idea of a low risk experiment;
- 14. ref. to potential risks;
 - (e.g. electric shocks faulty equipment/wet wiring/handling chemicals/cutting pond weed and sensible precautions)

[8]

Page 4	ļ	Mark Scheme	Syllabus	Paper
		GCE A/AS LEVEL – May/June 2008	9700	05
(ii)	•	h axes correct orientation and labelled and shape urve correct;	Rate of	1
		otosynthesis) rate is proportional to carbon dioxide centration/carbon dioxide is limiting at low concentration	photosynthesis;	s //
	until	another factor becomes <u>limiting</u> (at high concentration.);	Concentration of carbon dioxide
(b) (i)		me of oxygen obtained by subtracting reading after ad all reading of syringe;	dding oxygen al	bsorbent from
	rate	of photosynthesis = $\frac{\text{mass/volume of oxygen}(\text{cm}^3)}{\text{time (mins)}}$;	reject amount	

(ii) any one of:

water used to make solutions contains air; allow nitrogen unused carbon dioxide gas from the solution; plant contains air which may be given off with oxygen; allow nitrogen air may remain in syringe when setting up the apparatus; allow respiration of microorganisms produces carbon dioxide; reject plants respire

[1]

[2]

[2]

[Total: 14]

3 (a) (i) ref. to measuring (tubules/lumens/sections) with eyepiece graticules;

allow fixed volume oxygen, rate is 1 divided by time

ref. to using stage micrometer and eyepiece graticule;

e.g.; calculating the number of eyepiece graticule units per stage micrometer unit allow formula:

number of stage micrometer divisions number of eyepiece graticule units

(ii) the spread of data around the mean/(data with) a narrow spread is more reliable than that with a wide spread;

allow with reference to data in table, e.g. tubule diameter is more reliable as spread of data/standard deviation is less [1]

(iii) significant difference/not due to chance AW;
because t > critical value (at 40 degrees of freedom/between 30 and 40 degrees of freedom);

Page 5	Mark Scheme	Syllabus	Paper
	GCE A/AS LEVEL – May/June 2008	9700	05

- **(b)** mark together for maximum marks,
 - look for one statement that supports validity or reliability
 - one other statement that either supports or does not support validity or reliability These can be awarded in the first part of the question.
 - one statement that does not support either validity or reliability This can only be awarded in the last part of the answer.

support for reliability:

- 1. sufficient measurements made;
- 2. two dimensions measured/reference to standard deviation;
- 3. all available types of tubule measured;

allow reverse arguments for 1 and 2 as marks for against reliability/validity

support for validity:

4. ref. to *t*-test;

allow ecf from (b)(iii) reject if linked to reliability

against either reliability or validity:

- size of the columnar cells was not measured;
- 6. the brush border was not measured /not visible;
- ref. idea of difficulties in measuring diameter accurately from sections;
- 8. ref. to difficulty in recognising types of tubules;
- 9. (student) assumes that the difference in diameter of the total wall is entirely due to columnar cells;

[Total: 8]

[3]