



Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME			
CENTRE NUMBER		CANDIDATE NUMBER	
CHEMISTRY			0620/21
Paper 2			May/June 2015
			1 hour 15 minutes
Candidates ans	swer on the Question Paper.		
No Additional M	laterials are required.		

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name in the spaces at the top of this page.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 16.

You may lose marks if you do not show your working or if you do not use appropriate units.


At the end of the examination, fasten all your work securely together.


The number of marks is given in brackets [] at the end of each question or part question.


The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.



1 The structures of six substances containing carbon are shown below.







Answer the following questions about these substances. Each substance may be used once, more than once or not at all.

(a) Which substance, A, B, C, D, E or F,

(i)	is an element,	[1]			
(ii)	is a saturated hydrocarbon,	[1]			
(iii)	is added to the blast furnace to help in the extraction of iron,	[1]			
(iv)	has a giant covalent structure,	[1]			
(v)	is a product of respiration,	[1]			
(vi)	contains a metal ion with 20 protons?	[1]			
(b) Co	(b) Complete the word equation for the thermal decomposition of substance B.					
	heat					

(c) Describe a test for substance A.

0620/21/M/J/15


result

[Total: 10]

[2]

[2]

2 A small piece of sodium is added to some ethanol. The temperature was measured before and after the sodium was added.



(a) Explain how this experiment shows that the reaction is exothermic.


.....[1]

(b) Complete the structure of ethanol to show all atoms and bonds.

[1]


(c)	Eth	thanol can be made by the reaction of steam with ethene.	
	(i)	Write the word equation for this reaction.	
	(ii)	What conditions are needed for this reaction? Tick two boxes.	[1]
		enzyme catalyst	
		high temperature (300°C)	
		low temperature (10 °C)	
		phosphoric acid catalyst	
		presence of light	rol
	 \		[2]
	(iii)	What will be observed when ethene is bubbled through aqueous	
			[1]
(d)		thanol can also be made by fermentation. ne fermentation mixture contains solids as well as an aqueous solu	tion of ethanol.
	Sug	uggest how the ethanol can be purified from this fermentation mixtu	ıre.
			[3]
			[Total: 9]

3 The diagram shows the apparatus used for the electrolysis of molten sodium bromide.



(a)	(i)	What does the	term <i>electrolys</i>	sis mean?			
							[1]
	(ii)	Which letter, R,	S, T or U, in t	he diagram ab	ove represents	the cathode?	
							[1]
(b)	Con	nplete the word	equation for th	e electrolysis	of molten sodiu	m bromide.	
		sodium bromi	de →		+		[2]
(c)	A so	olution of sodium	n bromide in w	ater is neutral.			
		ch one of the fo a ring around th	• •				
		pH 0	pH 6	pH 7	pH 10	pH 14	[1]

(d) The diagram below shows the arrangement of the particles in sodium bromide at room temperature.



	(i)	Give the name of the type of particles, ${\bf P}$, present in sodium bromide.	
	(ii)	What is the state of sodium bromide at room temperature? Use the information in the diagram to explain your answer.	[1]
(e)	Soc	dium bromide can be made by heating sodium in bromine vapour.	
	Cor	mplete the balanced symbol equation for this reaction.	
		Na + → 2NaBr	[2]
(f)	Bro	mine has two naturally-occurring isotopes.	
	Wh	at is the meaning of the term isotope?	
			[1]

[Total: 11]


4 A student investigated the reaction of magnesium with dilute hydrochloric acid.

$$Mg(s) + 2HCl(aq) \rightarrow MgCl_2(aq) + H_2(g)$$

She measured the volume of gas given off at various times during the reaction.


(a) Complete the diagram of the apparatus she would use to measure the volume of the gas given off.

Label the apparatus.



[3]

(b) The student carried out the reaction at 25 °C using magnesium ribbon. Her results are shown below.



(i) How long does it take for the reaction to stop?

..... seconds [1]

(ii) What is the volume of hydrogen made after 20 seconds?

..... cm³ [1]

(iii) On the grid above, draw a line to show how the volume of gas changes when the experiment is carried out at 15 °C and all other conditions remain the same.

(iv) The student repeated the experiment using magnesium powder. All other conditions remain the same.

How does the rate of reaction with magnesium powder compare with the rate of reaction with magnesium ribbon?

(c)	(1)	Draw a diagram to show the electron arrangement in a molecule of hydrogen.	
			[1]
	(ii)	What type of bonding is present in a hydrogen molecule?	
			[1]
(d)		gnesium chloride is a salt. gnesium sulfate is also a salt.	
	Giv	e the name of two compounds which react together to form magnesium sulfate.	
		and	[2]
		[Total:	12]

5 The structure of glycolic acid is shown below.

- (a) On the structure above, put a ring around the carboxylic acid functional group. [1]
- **(b)** Glycolic acid is prepared by heating a mixture of methanal, carbon monoxide and water with a sulfuric acid catalyst.
 - (i) The formula of methanal is HCHO.

Calculate the relative molecular mass of methanal.

			Li.
	(ii)	What is the function of the catalyst?	
			[1]
(iii)	State one adverse effect of carbon monoxide on humans.	
			[1]
(c)	Gly	colic acid can also be prepared by the reduction of oxalic acid.	
	(i)	What does the term reduction mean?	
			[1]
	(ii)	Give the name of the reducing agent in the following reaction.	
		heat	
		$2CuO(s) + C(s) \rightarrow 2Cu(s) + CO_2(g)$	

name of reducing agent[1]

(d)) Glycolic acid is found in unripe grapes. Grape skins contain a number of different coloured pigments.					
	Describe how you could obtain a solution of these pigments from grape skins.					
		[3]				
(e)	Eth	colic acid can undergo polymerisation. ene can also undergo polymerisation. e equation for the polymerisation of ethene is shown below.				
		ethene catalyst poly(ethene) high temperature				
	Giv	e the name of the monomer in this equation.				
		[1]				
(f)	Lon	g chain alkanes can be cracked to produce shorter chain alkanes and alkenes.				
	(i)	What conditions are needed for cracking?				
		[2]				
	(ii)	Complete the equation for the cracking of hexadecane, $C_{16}H_{34}$, to form octane, C_8H_{18} , and ethene only.				
		$C_{16}H_{34} \rightarrow C_8H_{18} +C_2H_4$				
		[1] [Total: 13]				
		[Fortal: 10]				

6 The table shows some physical properties of the metals, A, B, C and D.

metal	electrical conductivity	density in g/cm³	boiling point /°C	hardness
Α	fairly good	8.64	765	hard
В	good	0.97	883	soft
С	good	7.14	907	hard
D	good	0.86	760	soft

(a)	(i)	Which two metals in the table are Group I metals? Give a reason for your answer.		
	(ii)	None of the metals A , B , C or D are transition elements.		
		Give two properties of transition elements or their compounds that make them differ from metals ${\bf A},{\bf B},{\bf C}$ and ${\bf D}.$	rent	
((iii)	Cobalt is a transition element. When it is heated very strongly in steam, hydrogen is given off.		
		Complete the symbol equation for this reaction.		
		Co(s) + $4H_2O(g) \rightarrow Co_3O_4(s) + H_2(g)$	[2]	
((iv)	Iron is also a transition element.		
		Describe how iron is converted to steel. In your answer, refer to basic oxides and oxygen.		
			[3]	


(b)	When lithium reacts with water it moves about on the surface of the water, bubbles are seen and the lithium disappears slowly.
	Predict how the reaction of potassium with water compares with the reaction of lithium with water.
	In your answer, include
	 any differences in observations, the names of the products formed when lithium and potassium react with water.

[Total: 14]

7 (a) A student took two identical syringes.

He filled one with water and the other with helium gas and sealed the end of both syringes. He then pushed the syringe plungers with equal force.

The diagram shows what happened.



Describe and explain triese results using ideas about particles in liquids and gases.	
	[4

(b) The table shows some properties of the Group 0 elements helium, neon, argon and krypton.

element	electron arrangement	density of the liquefied gas in g/cm³	melting point /°C	boiling point /°C		
helium	2	0.15	-272	-269		
neon		1.20	-248	-245		
argon	2,8,8	1.40	-189	-186		
krypton	2,8,18,8	2.15	– 157	-152		

(i)	Describe how the density of the liquefied noble gases changes down Group 0.	
		[1]
(ii)	Deduce the electron arrangement of neon.	
		[1]
(iii)	What is the state of argon at –188 °C?	
		[1]
(iv)	Which element in the table has the highest melting point?	
		[1]

(c) The table below shows the number of electrons, protons and neutrons in some isotopes of helium, argon and neon.

Complete the table.

element	number of electrons	number of protons	number of neutrons			
³ He	2	2				
³⁸ ₁₈ Ar		18	20			
	10	10	11			

[3]

[Total: 11]

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

DATA SHEET The Periodic Table of the Elements

Group																	
I	II											III	IV	V	VI	VII	0
		1 H Hydrogen 1													4 He Helium 2		
7	9							-				11	12	14	16	19	20
Li Lithium	Be Beryllium											B Boron	C Carbon 6	N Nitrogen	Oxygen 8	F Fluorine 9	Ne Neon
23 Na Sodium	24 Mg Magnesium 12											27 Al Aluminium 13	28 Si Silicon	31 P Phosphorus 15	32 S Sulfur	35.5 C1 Chlorine	40 Ar Argon
39 K Potassium 19	40 Ca Calcium	45 Sc Scandium 21	48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron	59 Co Cobalt 27	59 Ni Nickel	64 Cu Copper 29	65 Zn Zinc 30	70 Ga Gallium	73 Ge Germanium 32	75 As Arsenic	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton 36
85 Rb Rubidium 37	88 Sr Strontium 38	89 Y Yttrium	91 Zr Zirconium 40	93 Nb Niobium	96 Mo Molybdenum 42	Tc Technetium 43	101 Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver	112 Cd Cadmium 48	115 In Indium 49	119 Sn Tin	122 Sb Antimony 51	128 Te Tellurium 52	127 I lodine 53	131 Xe Xenon 54
133 Cs Caesium 55	137 Ba Barium	139 La Lanthanum 57 *	178 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re Rhenium 75	190 Os Osmium 76	192 Ir Iridium	195 Pt Platinum 78	197 Au Gold	201 Hg Mercury	204 T <i>l</i> Thallium 81	207 Pb Lead	209 Bi Bismuth	Po Polonium 84	At Astatine 85	Rn Radon 86
Fr Francium 87	226 Ra Radium	227 Ac Actinium 89 †			,												
*58-71 Lanthanoid series †90-103 Actinoid series			140 Ce Cerium 58	141 Pr Praseodymium 59	144 Nd Neodymium 60	Pm Promethium 61	150 Sm Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	159 Tb Terbium 65	162 Dy Dysprosium 66	165 Ho Holmium 67	167 Er Erbium 68	169 Tm Thulium 69	173 Yb Ytterbium 70	175 Lu Lutetium 71	
Key	X x	= relative ator (= atomic sym = proton (aton	bol	232 Th Thorium 90	Pa Protactinium 91	238 U Uranium 92	Np Neptunium 93	Pu Plutonium 94	Am Americium 95	Cm Curium 96	Bk Berkelium 97	Cf Californium 98	Es Einsteinium 99	Fm Fermium 100	Md Mendelevium 101	No Nobelium 102	Lr Lawrencium 103

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).