

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

		1 hour 15 minutes
Paper 2		May/June 2013
CHEMISTRY		0620/23
CENTRE NUMBER	CANDIDATE NUMBER	
CANDIDATE NAME		

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name in the spaces at the top of this page.

Write in dark blue or black pen.

You may need to use a pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 16.


You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.



1 The structures of five atoms, A, B, C, D and E, are shown below.



- (a) Answer the following questions about these structures. Each structure can be used once, more than once or not at all.
 - (i) Which **two** structures are hydrogen atoms? and
 - (ii) Which structure represents an atom of a metal?
 - (iii) Which structure has a proton (atomic) number of 3?
 - (iv) Which structure has two neutrons in its nucleus? [5]
- **(b)** The structure of carbon-12 can be written ${}^{12}_{6}$ C.

Write the structure of atom **D** in a similar way.

[1]

(c) Complete the following sentences about isotopes using words from the list below.

	atoms	energy	iron	molecules
	neutrons	protons	radioactive	stable
Isotopes a	ire atoms of th	e same elemen	t with the same	number of
and differe	ent numbers of		Some isotopes	such as uranium-235 are
	Uranium-	235 can be used	as a source of	[4]

[Total: 10]

2 The table shows some physical properties of the Group VII elements.

halogen	melting point /°C	boiling point /°C	atomic radius /nanometres	colour
fluorine	-220	-188		pale yellow
chlorine	-101	-35	0.099	
bromine	– 7	+59	0.114	red-brown
iodine	+114	+184	0.133	grey-black

(i)	chlorine is a gas at room temperature,	
		[41]


(ii)	bromine is a liquid at room temperature	

......[1]

(b)	Describe the trend in atomic radius going down the group from chlorine to iodine.	
		[1]

- (c) Suggest a value for the atomic radius of fluorine.
- (d) Describe the colour of chlorine.
 -[1]
- (e) A chlorine atom has 17 electrons.

 Complete the following structure to show how the electrons are arranged.



[2]

- (f) Chlorine reacts with potassium bromide to form potassium chloride and bromine.
 - (i) Complete the symbol equation for this reaction.

$$Cl_2 + \dots KBr \rightarrow 2KCl + \dots$$
 [2]

(ii) Explain why iodine does **not** react with potassium bromide.

[1]

[Total: 10]

- 3 Aluminium and gallium are in Group III of the Periodic Table.
 - (a) The heat from your hand is sufficient to melt gallium.

 Describe the change in state from solid to liquid in terms of the kinetic particle theory.

 In your answer include
 - the difference in arrangement and closeness of the particles in a solid and a liquid,

	the difference	in the	motion	of the	narticles	in a	solid	and a	liquid
•	tile dillerence	111 1110	HIDUOH	OI LIIC	บลเแบเธอ	III a	SUIIU	anu a	IIIuulu

 	 	 	 	 [5]


(b) Gallium is a metal. Describe **three** physical properties of gallium which are typical of most metals.

1.		•
2.		
3.	[3	1

(c) When it is a gas, gallium(III) chloride has the structure shown below.

Write the molecular formula for gallium(III) chloride.

(d) Aluminium is used to make high voltage electricity cables.



The table shows some properties of four metals which could be used for overhead power cables.

metal	relative strength	density in g/cm³	relative electrical conductivity	price \$ per tonne
aluminium	9	2.70	0.4	2120
copper	30	8.92	0.7	9600
tungsten	100	19.35	0.2	450
steel	50	7.86	0.1	700

(i) Suggest why aluminium, rather than tungsten, is used in overhead power cables?
[1]
(ii) Suggest why steel, rather than copper, is used as a core for overhead power cables
[1]
(iii) Give two reasons why aluminium is used for overhead power cables rather than copper.
1
2
(e) State one use of aluminium other than as an electrical conductor.
[1]
[Total: 14]

Imp	ure	water ne	eeds to be	treated if it	is to be use	ed in the ho	me.	
(a)	(i)	Explair	n why filtrat	ion and chl	orination ar	e used in th	ne water treatr	nent process.
								[2]
	(ii)	State c	one use of	water in the	home.			
								[1]
(b)	Des	scribe a	chemical to	est for wate	r.			
	test							
	resi	ult						[2]
(c)	(i)	Compl	ete the dia	gram below	to show the	e electron a	rrangement in	a water molecule.
				(H	0	Н		[1]
	(ii)			water coval your answe		?		
								[1]
(d)				Which one correct ans	-	l values is i	neutral?	
			pH 0	pH 6	pH 7	рН 9	pH 13	[1]
(e)				ium. The profession for this rea		sodium hyd	droxide and hy	drogen.
								[1]
								[Total: 9]


- **5** Energy is given out when fuels burn.
 - (a) State the name given to a chemical reaction which releases energy.


.....[1]


(b) Hydrogen can be used as a fuel.
Complete the symbol equation for the burning of hydrogen in oxygen.


..... $H_2 + \rightarrow 2H_2O$ [2]

(c) Gasoline is a mixture of hydrocarbons containing between 5 and 10 carbon atoms. Four of these hydrocarbons are shown below.









(i) Which **one** of these structures, **A**, **B**, **C** or **D**, has the highest relative molecular mass?

You are not expected to do any calculations.

.....[1]

(ii) Give one use of gasoline.


[1]

(d) The table shows the boiling points of the straight-chain hydrocarbons in the gasoline fraction.

For Examiner's Use

number of carbon atoms	5	6	7	8	9	10
boiling point/°C	36	69		126	151	174

(i) On the grid below, plot a graph to show how the boiling point changes with the number of carbon atoms in these hydrocarbons. Draw a smooth curve through the points.



[3]

(ii) Use your graph to deduce the boiling point of the hydrocarbon with 7 carbon atoms.

boiling point °C [1]


(e)	The	alkanes are a homologous series of hydrocarbons.
	(i)	What is meant by the term homologous series?
		[2]
	(ii)	Alkanes can be cracked to form alkenes and smaller alkanes. State the conditions needed for cracking.
		[2]
		[Total: 13]

For Examiner's Use

- 6 Inks are mixtures of different dyes.
 - (a) A student used paper chromatography to separate the dyes in a particular ink. Describe how paper chromatography is carried out. You may draw a diagram to help explain your answer. In your description include
 - the apparatus you would use,

 how chromatography is car 	rried	out
---	-------	-----

(b) The chromatogram below shows the results of a chromatography experiment.
 X, Y and Z are pure dyes containing only one compound.
 The dyes present in four different inks, D, E, F and G are also shown.



(i)	Which ink, D , E , F or G , contains all the dyes X , Y and Z ?	
		[1]
(ii)	Which ink, D , E , F or G , does not contain any of the dyes X , Y and Z ?	
		[1]
(iii)	Which ink contains the greatest number of different dyes?	
		[1]

For Examiner's Use

(c) Some inks contain ethanoic acid.

Complete the structure of ethanoic acid.

[1]

(d) Ethanoic acid can be used as a solvent. What is the meaning of the term solvent?

.....[1]

(e) The structure of a dye called Gambine R is shown below.

(i) How many different types of atom are there in one molecule of Gambine R?

______[1]

(ii) How many carbon atoms are there in one molecule of Gambine R?

.....[1]

[Total: 11]

For
Examiner's
Use

7 Hydrogen peroxide, H₂O₂, decomposes in the presence of an enzyme called peroxidase. The products of this reaction are water and oxygen.


(a) (i) What is meant by the term *enzyme*?

(ii) Complete the symbol equation for this reaction.

.....
$$H_2O_2 \rightarrow 2H_2O + O_2$$
 [1]

(b) A student followed the course of this reaction by measuring the volume of oxygen released over a period of time.

The diagram below shows some results that he obtained using hydrogen peroxide at three different concentrations.



(i) Describe how the concentration of hydrogen peroxide affects the rate of this reaction.

.....[1]

(ii) On the graph above, draw a line to show the course of the reaction when the starting concentration of hydrogen peroxide is 0.3 mol/dm³. [2]

(iii) For the concentration of hydrogen peroxide of 0.4 mol/dm³, deduce

• the volume of oxygen given off when the reaction is complete,

..... cm³

• the time it takes to produce 14 cm³ of oxygen.

..... seconds [2]

For Examiner's Use

(c)		ne presence of sulfuric acid, hydrogen peroxide reacts with iodide ions to form iodine I water. This involves the reduction of hydrogen peroxide.
	(i)	What is the meaning of the term <i>reduction</i> ?
		[1]
	(ii)	Complete the word equation for the reaction of sulfuric acid with calcium hydroxide.
	5	sulfuric acid + calcium hydroxide → +
		[2]
	(iii)	Describe a test for iodide ions.
		test
		result[2]
		[Total: 13]

BLANK PAGE

BLANK PAGE

16

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

DATA SHEET The Periodic Table of the Elements

								Gr	oup								
I	II							Oit	Бир			III	IV	V	VI	VII	0
							1 H Hydrogen										4 He Helium 2
7 Li Lithium	9 Be Beryllium											11 B Boron 5	12 C Carbon	14 N Nitrogen	16 O Oxygen 8	19 F Fluorine	20 Ne Neon
23 Na Sodium	Mg Magnesium 12											27 A 1 Aluminium 13	28 Si Silicon	31 P Phosphorus 15	32 S Sulfur	35.5 C1 Chlorine 17	40 Ar Argon
39 K Potassium 19	40 Ca Calcium 20	45 Sc Scandium 21	48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron	59 Co Cobalt 27	59 Ni Nickel 28	64 Cu Copper 29	65 Zn Zinc	70 Ga Gallium	73 Ge Germanium 32	75 As Arsenic	79 Se Selenium 34	Br Bromine 35	84 Kr Krypton 36
85 Rb Rubidium 37	88 Sr Strontium 38	89 Y Yttrium	91 Zr Zirconium 40	93 Nb Niobium 41	96 Mo Molybdenum 42	Tc Technetium 43	101 Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver	Cd Cadmium	115 In Indium	119 Sn Tin	122 Sb Antimony 51	128 Te Tellurium 52	127 I lodine 53	131 Xe Xenon 54
133 Cs Caesium 55	137 Ba Barium	139 La Lanthanum 57 *	178 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re Rhenium 75	190 Os Osmium 76	192 Ir Iridium	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury	204 T <i>l</i> Thallium 81	207 Pb Lead	209 Bi Bismuth	Po Polonium 84	At Astatine 85	Rn Radon 86
Fr Francium 87	226 Ra Radium	227 AC Actinium 89 †															
†90-103 Actinoid series				140 Ce Cerium 58	141 Pr Praseodymium 59	144 Nd Neodymium 60	Pm Promethium 61	150 Sm Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	159 Tb Terbium 65	Dy Dysprosium 66	165 Ho Holmium 67	167 Er Erbium 68	169 Tm Thulium 69	173 Yb Ytterbium 70	175 Lu Lutetium 71
A a = relative atomic mass X = atomic symbol b = proton (atomic) number		232 Th Thorium 90	Pa Protactinium 91	238 U Uranium 92	Np Neptunium 93	Pu Plutonium 94	Am Americium 95	Cm Curium 96	Bk Berkelium 97	Cf Californium 98	Es Einsteinium 99	Fm Fermium 100	Md Mendelevium 101	No Nobelium 102	Lr Lawrencium 103		

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).