

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME			
CENTRE NUMBER		CANDIDATE NUMBER	
CHEMISTRY			0620/22
Paper 2			May/June 2013
			1 hour 15 minutes
Candidates an	swer on the Question Paper.		
No Additional N	Materials are required.		

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name in the spaces at the top of this page.

Write in dark blue or black pen.

You may need to use a pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 16.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.



1 The structures of five substances, **A**, **B**, **C**, **D** and **E**, are shown below.

C Α В Na⁴ Cl-Na Cl Н Cl-Cl-Na Na Na⁴ C1-Na Cl-Cl

- (a) Answer the following questions about these substances. Each substance may be used once, more than once or not at all.
 - (i) Which **two** substances are elements? and
 - (ii) Which substance has a giant covalent structure?
 - (iii) Which substance turns damp red litmus blue?
 - (iv) Which substance is a product of fermentation?

combined

atom

- (v) Which substance is used as a lubricant? [6]
- **(b)** Complete the following sentences about compounds using words from the list below.

copper

covalent

[Total: 10]


2 The table shows how the density of the transition elements varies across Period 4.

element	Ti	V	Cr	Mn	Fe	Со	Ni	Cu
density in g per cm ³	4.50		7.20	7.20	7.86	8.90	8.90	8.92

(a)	Describe the general trend in density of the transition elements across Period 4.	
		[1]
(b)	Suggest a value for the density of vanadium, V.	
		[1]
(c)	Many transition elements and their compounds are catalysts. What is the meaning of the term <i>catalyst</i> ?	
		[1]
(d)	Describe three properties of transition metals, apart from catalytic activity, which mathem different from Group I metals.	ike
	1	
	2	
	3	[3]
(e)	Iron reacts with steam to form an oxide with the formula ${\rm Fe_3O_4}$. Complete the symbol equation for this reaction.	
	Fe(s) + $H_2O(g) \rightarrow Fe_3O_4(s) + 4H_2(g)$	[2]
(f)	Iron reacts with sulfuric acid. Complete the word equation for this reaction.	
	iron + sulfuric acid \rightarrow +	
		[2]

[Total: 10]

3 The concentration of alkali in a solution can be determined from the results of a titration. The apparatus used is shown below.



(a) State the name of each of these pieces of apparatus.


A	 	 	 	
В	 	 	 	
С	 	 	 	

D

[4]

(b) The graph below shows how the pH changes when an alkali is neutralised by an acid.

For Examiner's Use



(i) What is the pH of the alkali at the start of the experiment?

pH =[1]

(ii) What volume of acid has been added when the pH is 12?

..... cm³ [1]

(iii) What is the value of the pH when the solution is neutral? Put a ring around the correct answer.

pH 0 pH 5 pH 7 pH 9 pH 14

[1]

(c)	(i)	Which two of the following compounds could a farmer use to control the pH of soils which are too acidic?	For Examiner's Use
		Tick two boxes.	
		aluminium chloride	
		calcium carbonate	
		calcium oxide	
		copper sulfate	
		potassium chloride [2]	
	(ii)	Explain why farmers need to control the pH of soils which are too acidic.	
		[1]	
		[Total: 10]	

- 4 Methane belongs to the alkane homologous series.
 - (a) (i) Draw the structure of methane showing all atoms and bonds.

[1]

(ii) State the name of **one** other member of the alkane homologous series.

______[1]

(iii) Methane is an atmospheric pollutant.

Give **one** natural source of methane in the atmosphere.

.....[1]


(iv) Methane burns in excess oxygen to form carbon dioxide and water. Complete the symbol equation for this reaction.

$$CH_4 +O_2 \rightarrow + 2H_2O$$
 [2]

(b) (i) In an oil refinery, hydrocarbons are separated into different fractions. On what physical property does this fractionation depend?

.....[1]

(ii) Match the fraction on the left with the use of the fraction on the right. The first one has been done for you.



[4]

[Total: 10]


- **5** Clean air is a mixture of gases.
 - (a) State the composition of clean air and describe how it gets polluted by gases such as sulfur dioxide, carbon monoxide and oxides of nitrogen.

 In your answer, include
 - the names and percentages of the two main gases present in clean air,

•	the	source	of	each	of	the	pollutant	gases	named	above
•	uic	300100	O1	Cacii	OI.	uic	politicalit	gascs	Hailicu	above

[5	
	1

- **(b)** Lead is an atmospheric pollutant. It is extracted by heating ores containing lead sulfide.
 - (i) The structure of lead sulfide is shown below.



Deduce the simplest formula for lead sulfide.

.....[1]

(ii) The last stage in extracting lead involves reducing lead(II) oxide with carbon.

$$PbO + C \rightarrow Pb + CO$$

How does this equation show that lead oxide gets reduced?

.....[1

For (c) Dichloroethane used to be added to petrol to prevent the build-up of lead deposits in car Examiner's engines. Use The structure of dichloroethane is shown below.

(i)	Dichloroethane is a liquid. Describe the arrangement and closeness of the particles in a liquid.	
	arrangement	
	closeness	[2]
(ii)	Deduce the molecular formula for dichloroethane.	
		[1]
(iii)	Calculate the relative molecular mass of dichloroethane. You must show all you	our

working.

[2]

[Total: 12]

6 (a) The table below describes the reaction of some metals with water.


For Examiner's Use

metal	reaction
calcium	reacts rapidly with cold water producing many bubbles of gas
magnesium	reacts very slowly with cold water but reacts rapidly with steam
rubidium	reacts very rapidly with cold water producing many bubbles of gas and will explode
zinc	only reacts with steam when in powdered form and heated very strongly

Put these metals in order of their reactivity.

least reactive			most reactive
			[2]


(b) The list below shows part of the reactivity series.



Give the names of **two** metals from this list that can be extracted from their oxide ores by heating with carbon.

...... and[1]

- (c) A magnesium atom has 12 electrons.
 - (i) Complete the diagram below to show the electronic structure of an atom of magnesium.



[2]

(ii) An isotope of magnesium has a nucleon number (mass number) of 26. Deduce the number of neutrons in one atom of this isotope of magnesium.


[1

[Total: 6]

7 The table shows some properties of sulfur, sucrose (sugar) and zinc chloride.

property	sulfur	sucrose	zinc chloride
state at room temperature	solid	solid	solid
solubility in water	insoluble	soluble	soluble
electrical conductivity of aqueous solution		does not conduct	conducts
structure	molecular	molecular	ionic

(a)	Suggest why an aqueous solution of zinc chloride conducts electricity.	
		[1]
(b)	Suggest why an aqueous solution of sucrose does not conduct electricity.	
		[1]
(c)	Suggest how you could separate a mixture of solid sucrose and solid sulfur.	
		[2.
(d)	Molten zinc chloride can be electrolysed using the apparatus shown below.	



(1)	which one of the letters, A, B, C or D, represents the cathode?	
		[1]

(ii) Which one of the following substances is the most suitable for use as an electrode in this electrolysis?Put a ring around the correct answer.

copper graphite sodium sulfur

(iii	Predict the products of the electrolysis of molten zinc chloride at											
	the negative electrode,											
	the positive electrode		[2]									
(iv) Describe a test for chl	loride ions.										
	test											
	result		[3]									
			[Total: 11]									
A student placed a spoonful of sugar in the bottom of a glass of cold tea and left it undisturbe for several minutes.												
	2 minutes, she used a str sweet.	aw to taste some of the	he tea from the top of the glass. It did not									
	10 minutes, the sugar ha	ad disappeared and th	he solution at the top of the glass tasted									
SWEE												
	├── / cold tea											
	Cold tea											
	sugar											
	at the start	after 2 minutes	after 10 minutes									
(a) U	(a) Use the kinetic particle theory to explain these observations.											
••												

© UCLES 2013 0620/22/M/J/13

8

(b) Glucose is a sugar. The structure of a glucose molecule is shown below.

For Examiner's Use

(i)	How many different types of atom are there in one molecule of glucose?	
		[1]
(ii)	How many hydrogen atoms are there in one molecule of glucose?	
		[1]
(iii)	On the diagram of the glucose molecule above, put a ring around an alcofunctional group.	hol [1]
(iv)	Glucose is oxidised in the body by a process called respiration. Complete the word equation for respiration.	
	glucose + oxygen \rightarrow + water	
		[1]
(v)	When glucose solution is fermented, ethanol is produced. Describe how you would carry out fermentation in the laboratory.	
		[2]
(vi)	State one use of ethanol other than in alcoholic drinks.	

[Total: 11]

BLANK PAGE

BLANK PAGE

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

DATA SHEET The Periodic Table of the Elements

								iodic ia			01110						
								Gr	oup								
I	II											Ш	IV	V	VI	VII	0
		·					1 H Hydrogen 1										4 He Helium
7 Li Lithium	9 Be Berylliu							J				11 B Boron 5	12 C Carbon	14 N Nitrogen	16 O Oxygen 8	19 F Fluorine	20 Ne Neon 10
23 Na Sodium	24 Mg Magnesi 12											27 A <i>l</i> Aluminium 13	28 Si Silicon	31 P Phosphorus 15	32 S Sulfur 16	35.5 C1 Chlorine 17	40 Ar Argon
39 K Potassium 19	40 Ca Calcium		48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron	59 Co Cobalt 27	59 Ni Nickel 28	64 Cu Copper 29	65 Zn Zinc	70 Ga Gallium	73 Ge Germanium 32	75 As Arsenic	79 Se Selenium 34	Br Bromine 35	Kr Krypton
85 Rb Rubidium 37	88 Sr Strontiu		91 Zr Zirconium 40	93 Nb Niobium 41	96 Mo Molybdenum 42	Tc Technetium 43	101 Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver	112 Cd Cadmium 48	115 In Indium 49	119 Sn Tin	122 Sb Antimony 51	128 Te Tellurium 52	127 I lodine 53	131 Xe Xenon 54
133 Cs Caesium 55	137 Ba Bariun		178 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re Rhenium 75	190 Os Osmium 76	192 Ir Iridium	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury	204 T <i>l</i> Thallium 81	207 Pb Lead 82	209 Bi Bismuth	Po Polonium 84	At Astatine 85	Rn Radon 86
Fr Francium 87	226 Ra Radiur		ı														
*58-71 Lanthanoid series †90-103 Actinoid series		140 Ce Cerium 58	141 Pr Praseodymium 59	144 Nd Neodymium 60	Pm Promethium 61	150 Sm Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	159 Tb Terbium 65	162 Dy Dysprosium 66	165 Ho Holmium 67	167 Er Erbium 68	169 Tm Thulium 69	173 Yb Ytterbium 70	175 Lu Lutetium 71		
Key	а Х b	a = relative atoX = atomic synb = proton (atom	nbol	232 Th Thorium 90	Pa Protactinium 91	238 U Uranium 92	Np Neptunium 93	Pu Plutonium 94	Am Americium 95	Cm Curium 96	Bk Berkelium 97	Cf Californium 98	Es Einsteinium 99	Fm Fermium 100	Md Mendelevium 101	No Nobelium 102	Lr Lawrencium 103

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).