MARK SCHEME for the May/June 2013 series

0620 CHEMISTRY

0620/62

Paper 6 (Alternative to Practical), maximum raw mark 60

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



| | Page 2 | Mark Scheme | Syllabus | Paper |
|---|-----------------------------|--|--------------------|-----------|
| | | IGCSE – May/June 2013 | 0620 | 62 |
| 1 | (a) pestle a | nd / or mortar (1) filter / funnel (1) | | [2] |
| | (b) (i) labe | elled arrow at liquid in mortar (1) | | |
| | (ii) labe | elled arrow at liquid in either tube or liquid in funnel o | or any combination | n (1) [2] |
| | (c) (i) top | line labelled (1) | | [1] |
| | (ii) thre | e (1) | | [1] |
| 2 | (a) black (1) |) | | [1] |
| | (b) (i) cop | per / Cu (1) | | |
| | (ii) wate | er / H ₂ O (1) accept: steam | | [2] |
| | (c) boiling p | oint / freezing point (1) | | |
| | 100 °C / note: do | 0 °C (1) o not accept a chemical test | | [2] |

| | Page 3 | | | Mark Scheme | Syllabus | Paper |
|---|---|---|------------------|---|--------------------|------------------------|
| | | | | IGCSE – May/June 2013 | 0620 | 62 |
| 3 | (a) table of results for Experiment 1 | | | | | |
| | final and initial volumes and difference completed correctly 26.00, 0.0 and | | | | | 0 (1) |
| | | to 1 | deci | mal place (1) accept: volumes to 2 d.p. (e.g. 26.00 |) | [2] |
| | (b) | tabl | e of r | results for Experiment 2 | | |
| | final and initial volumes and difference completed correctly 19.0 and 32.0 (1) 13.0 ignore: decimal places, accept: 19, 32,13, allow: ecf on final and initial volumes | | | | | |
| | (c) | (i) | | urless not: clear to purple / pink (1) ept: colour change either way round | | [1] |
| | | (ii) | | an acid / alkali reaction or potassium manganate cator / there is already a colour change / owtte (1) | is coloured or pi | nk / acts as an [1] |
| | (d) | (i) | expe | eriment 1 (1) allow: ecf on (a) and (b) | | [1] |
| | | (ii) | expe | eriment 1 is twice the volume of experiment 2 / exeriment 1 (1) note: must be a quantitative comparise table allow: ecf (e.g. 13 times as much as experiment | on, do not allow q | |
| | | (iii) | solu | tion B / experiment 1 more concentrated / stronger (| (1) or converse | |
| | | | | ble / twice (1) bre: reference to reactivity | | [2] |
| | (e) | half | f value | e from table result for experiment 2 (6.5) (1) allow: | ecf | |
| | | cm ^a | ³ (1) | | | |
| | | half | volui | me of C used (1) | | [3] |
| | (f) | oxidation (1) reduction (1) | | | | |
| | | or: electrons are lost (1) gained (1) transferred (2)[2]accept: oxidation numbers increase (1) decrease (1)accept: hydrogen / H_2 / H lost (1) gained (1)accept: oxygen / O_2 / O gained (1) lost (1) | | | | |
| | (g) | adv | rantag | ge easy to use / quick / convenient (1) ignore: large | volumes | |
| | disadvantage not accurate / owtte (1) | | | | | [2] |

| | Page 4 | | Mark Scheme | Syllabus | Paper |
|---|--------|-----------------------|---|--|----------|
| | | | IGCSE – May/June 2013 | 0620 | 62 |
| 4 | (a) | colourles | ss (1) ignore: clear, not: white | | [1] |
| | (b) | white (1) | precipitate (1) | | |
| | | dissolves | s / clears (1) | | [3] |
| | (c) | white pre | ecipitate (1) insoluble / does not dissolve (1) | | [2] |
| | (d) | no chang | ge / colourless solution / no reaction (1) | | [1] |
| | (e) | white (1) | precipitate (1) | | [2] |
| | (g) | carbon d | lioxide / CO ₂ (1) | | [1] |
| | (h) | | / Ca^{2+} (1) accept: any Group 2 metals carbonate / $CaCO_3 = 2$ | CO ₃ ^{2⁻} (1) | [2] |
| 5 | (a) | thermom | neter diagrams completed correctly (3) –1 each incor | rect | |
| | | 23, 29, 3 | 35, 41, 39, 35, 31 ignore: decimal places | | [3] |
| | (b) | points pl | otted correctly (3), -1 each incorrect | | |
| | | | secting straight lines (1) nes extending beyond intercept but must be just two | lines and no curve | [4] s |
| | (c) | 16 (cm ³) | ±0.5 (1) any indication (1) | | [2] |
| | (d) | 23(°C)(| 1) | | [1] |
| | (e) | good ins | ulator or reference to minimising heat losses (1) | | [1] |
| | (f) | reaction | produced heat or energy (1) accept: reaction is exo | thermic | |
| | | | finished / reactant(s) used up / KOH used up / neutr d used up/ neutralised | alised (1) | [2] |
| | (g) | exothern | nic (1) | | [1] |

| Page 5 | Mark Scheme | Syllabus | Paper |
|--------|-----------------------|----------|-------|
| | IGCSE – May/June 2013 | 0620 | 62 |

6 **note:** all methods can gain the first three marks but only methods that would give usable results can gain the last three marks

known / same mass / amount of metal (1)

known / same volume / amount of acid (1)

test both **A** and **B** (1)

a method of collecting results (1)

```
time or run side by side (1)
```

comparison of results (1)

max 6

[6]