

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CHEMISTRY 0620/13

Paper 1 Multiple Choice May/June 2012

45 Minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.


A copy of the Periodic Table is printed on page 16.

You may use a calculator.





1 Which diagram shows the process of diffusion?



2 A student investigates how the concentration of an acid affects the speed of reaction with a 0.5 g mass of magnesium at 30 °C.


The student has a beaker, concentrated acid, water and the apparatus below.

- P a balance
- Q a clock
- R a measuring cylinder
- S a thermometer

Which pieces of apparatus does the student use?

- A P, Q and R only
- B P, Q and S only
- C Q, R and S only
- D P, Q, R and S
- **3** Which method is most suitable to obtain zinc carbonate from a suspension of zinc carbonate in water?
 - A crystallisation
 - **B** distillation
 - **C** evaporation
 - **D** filtration

4 The electronic structures of atoms P and Q are shown.



P and Q react to form an ionic compound.

What is the formula of this compound?

- A PQ₂
- $\mathbf{B} \quad \mathsf{P}_2\mathsf{Q}$
- \mathbf{C} P_2Q_6
- $\mathbf{D} \quad \mathsf{P}_6\mathsf{Q}_2$

5 An element Y has the proton number 18.

The next element in the Periodic Table is an element Z.

Which statement is correct?

- A Element Z has one more electron in its outer shell than element Y.
- **B** Element Z has one more electron shell than element Y.
- **C** Element Z is in the same group of the Periodic Table as element Y.
- **D** Element Z is in the same period of the Periodic Table as element Y.
- **6** Which atom has twice as many neutrons as protons?
 - **A** ¹H
- \mathbf{B} $^{2}_{1}H$
- C ₁⊢
- **D** ⁴₂He

7 Which is a simple covalent molecule?

	conducts	volatile	
when solid when molten		when molten	voiatile
Α	✓	✓	x
В	✓	x	✓
С	X	✓	X
D	X	×	✓


8 The equation for the reaction between magnesium and dilute sulfuric acid is shown.


Mg +
$$H_2SO_4 \rightarrow MgSO_4 + H_2$$
 $M_r \text{ of } MgSO_4 \text{ is } 120$

Which mass of magnesium sulfate will be formed if 12 g of magnesium are reacted with sulfuric acid?

- **A** 5g
- **B** 10g
- **C** 60 g
- **D** 120 g

9 The diagrams show the structures of two forms, P and Q, of a solid element.






What are suitable uses of P and Q, based on their structures?

use of solid P		use of solid Q
A drilling		drilling
В	lubricating	drilling
С	drilling	lubricating
D	lubricating	lubricating

10 Winston Churchill, a British Prime Minister, had his false teeth electroplated with gold.


The teeth were coated with a thin layer of carbon and were then placed in the apparatus shown.



Which row is correct?

	terminal X is	the carbon powder could be
Α	negative	diamond
В	negative	graphite
С	positive	diamond
D	positive	graphite

11 The apparatus shown is used to measure the speed of a reaction.



Which equation represents a reaction where the speed can be measured using this apparatus?


A Mg(s) + 2HC
$$l(aq) \rightarrow MgCl_2(aq) + H_2(g)$$

B
$$HCl(aq) + NaOH(aq) \rightarrow NaCl(aq) + H2O(I)$$

C Fe(s) + CuSO₄(aq)
$$\rightarrow$$
 Cu(s) + FeSO₄(aq)

D
$$2Na(s) + Br_2(I) \rightarrow 2NaBr(s)$$


12 The diagram shows the reaction between zinc oxide and dilute hydrochloric acid.



Which terms describe the reaction?

	endothermic	neutralisation
Α	✓	✓
В	✓	x
С	×	✓
D	X	X

13 The diagram shows that two gases are formed when concentrated hydrochloric acid is electrolysed using inert electrodes.



Which row correctly describes the colours of the gases at the electrodes?

	anode (+ve)	cathode (-ve)
Α	colourless	colourless
В	colourless	yellow-green
С	yellow-green	colourless
D	yellow-green	yellow-green

14 A gas is escaping from a pipe in a chemical plant.

A chemist tests this gas and finds that it is alkaline.

What is this gas?

- A ammonia
- **B** chlorine
- C hydrogen
- **D** sulfur dioxide
- **15** The element vanadium, V, forms several oxides.

In which change is oxidation taking place?

- **A** $VO_2 \rightarrow V_2O_3$
- $\textbf{B} \quad V_2O_5 \ \rightarrow \ VO_2$
- $\boldsymbol{C} \quad V_2O_3 \ \rightarrow \ VO$
- $\textbf{D} \quad V_2O_3 \ \rightarrow \ V_2O_5$

16 Dilute hydrochloric acid is added to a solid, S.

A flammable gas, G, is formed. Gas G is less dense than air.

What are S and G?

	solid S	gas G	
Α	copper	hydrogen	
В	copper carbonate	carbon dioxide	
С	zinc	hydrogen	
D	zinc carbonate	carbon dioxide	

17 The results of three tests on a solution of compound X are shown in the table.

test	result	
aqueous sodium hydroxide added	white precipitate formed, soluble in excess	
aqueous ammonia added	white precipitate formed, insoluble in excess	
acidified silver nitrate added	white precipitate formed	

What is compound X?

A aluminium bromide


B aluminium chloride

C zinc bromide

D zinc chloride

18 The graph shows how the pH changes as an acid is added to an alkali.

Which letter represents the area of the graph where both acid and salt are present?




19 Which properties of the element titanium, Ti, can be predicted from its position in the Periodic Table?

	can be used as a catalyst	conducts electricity when solid	has low density	forms coloured compounds
Α	✓	✓	X	✓
В	✓	✓	✓	x
С	✓	×	✓	✓
D	x	✓	✓	✓

20 The diagram shows a section of the Periodic Table.

Which element is described below?

'A colourless, unreactive gas that is denser than air.'



21 Element X is below iodine in the Periodic Table.

Which row correctly shows the physical state of element X at room temperature and its reactivity compared with that of iodine?

	physical state of element X at room temperature	reactivity compared with that of iodine
Α	gas	less reactive
В	solid	less reactive
С	gas	more reactive
D	solid	more reactive

- 22 Which property is shown by all metals?
 - **A** They are extracted from their ores by heating with carbon.
 - **B** They conduct electricity.
 - **C** They form acidic oxides.
 - **D** They react with hydrochloric acid to form hydrogen.
- 23 Five elements have proton numbers 10, 12, 14, 16 and 18.

What are the proton numbers of the three elements that form oxides?

- **A** 10, 12 and 14
- **B** 10, 14 and 18
- **C** 12, 14 and 16
- **D** 14, 16 and 18
- 24 Metal X reacts violently with water.

Metal Y reacts slowly with steam.


Metal Z does not react with dilute hydrochloric acid.

What is the correct order of reactivity of these metals, most reactive first?

- $A X \to Y \to Z$
- **B** $X \rightarrow Z \rightarrow Y$
- $\mathbf{C} \quad Z \to X \to Y$
- **D** $Z \rightarrow Y \rightarrow X$
- 25 Which statement about the extraction of iron from its ore is correct?
 - **A** Iron is more difficult to extract than zinc.
 - **B** Iron is more difficult to extract than copper.
 - **C** Iron is easy to extract because it is a transition metal.
 - **D** Iron cannot be extracted by reduction with carbon.
- 26 Which statement about the uses of metals is correct?
 - A Aluminium is used in the manufacture of aircraft as it has a high density.
 - **B** Aluminium is used to make food containers as it conducts electricity.
 - **C** Stainless steel for cutlery is made by adding other elements to iron.
 - **D** Stainless steel is used to make chemical reactors as it corrodes readily.


27	Fer	tilisers ne	eed to supp	ly crops wi	ith three m	nain elements		
	Wh	ich comp	ound conta	ins all thre	e of these	elements?		
	Α	H ₃ PO ₄	В	KNO ₃	С	NH ₄ K ₂ PO ₄	D	NH ₄ NO ₃
	_		_					
28	Sor	ne uses	of water are	e listed.				
		1	for drinkin	g				
		2	in chemica	al reactions	3			
		3	in swimmi	ng pools				
		4	in washing]				
	For	which us	ses is it nec	essary to	chlorinate	the water?		
	A	1 and 2	В	1 and 3	С	2 and 4	D	3 and 4
29	Wh	ich is a u	ise of oxyge	en?				
	Α	filling ba	alloons					
	В	filling lig	tht bulbs					
	С	food pre	eservation					
	D	making	steel					
00	_							
30	Coa	al is a fos	ssil fuel.					
	Wh	ich gas is	s not forme	d when co	al burns?			
	Α	carbon	dioxide					
	В	carbon	monoxide					
	С	methan	е					
	D	sulfur di	ioxide					

31 Air containing an acidic impurity was neutralised by passing it through a column containing substance X.



What is substance X?

- A calcium oxide
- **B** sand
- C sodium chloride
- D concentrated sulfuric acid
- **32** A new planet has been discovered and its atmosphere has been analysed.



The table shows the composition of the atmosphere.

gas	percentage by volume
carbon dioxide	4
nitrogen	72
oxygen	24

Which gases are present in the atmosphere of the planet in a higher percentage than they are in the Earth's atmosphere?

- A carbon dioxide and oxygen
- **B** carbon dioxide only
- C nitrogen and oxygen
- **D** nitrogen only

33 The structure of a compound is shown.

Which functional groups are present in this compound?

	alcohol	alkene	carboxylic acid
Α	✓	✓	✓
В	✓	X	X
С	x	✓	✓
D	×	X	✓

34 Gas X is a waste gas from digestion in animals.

Gas Y is formed when gas X is burnt with a small amount of oxygen.

Gas Z is formed when gas X is burnt with an excess of oxygen.

What are X, Y and Z?

	Х	Υ	Z			
Α	carbon dioxide	methane	carbon monoxide			
В	carbon monoxide	methane	carbon dioxide			
С	methane	carbon dioxide	carbon monoxide			
D	methane	carbon monoxide	carbon dioxide			


35 Which fraction from the fractional distillation of petroleum does **not** match its correct use?

	fraction	use
Α	fuel oil	domestic heating
В	kerosene	jet fuel
С	naphtha	making roads
D	refinery gas	for heating and cooking

- **36** When a long chain hydrocarbon is cracked, the following products are produced.
 - 1 C₃H₈
 - 2 C₂H₄
 - 3 C₃H₆
 - 4 C₂H₆

Which products would decolourise bromine water?

- **A** 1 and 4
- **B** 2 and 3
- C 2 only
- **D** 3 only
- 37 The diagram shows apparatus used to separate petroleum into four fractions.



Which fraction contains the smallest hydrocarbon molecules?

fraction	boiling point range/°C			
Α	up to 70			
В	70 to 120			
С	120 to 170			
D	over 170			

38 PVA is a polymer. The monomer has the structure shown.

$$C = C$$

To which homologous series does this compound belong?

	alcohols	alkenes
Α	✓	✓
В	✓	x
С	X	✓
D	X	X

39 Ethanol is an important chemical produced by the1..... of2.....

Which words correctly complete gaps 1 and 2?

	1	2
Α	combustion	ethane
В	combustion	glucose
С	fermentation	ethane
D	fermentation	glucose

40 Which equation represents incomplete combustion of ethane?

$$\textbf{A} \quad C_2H_6 \ + \ O_2 \ \rightarrow \ 2CO \ + \ 3H_2$$

B
$$C_2H_6 + 2O_2 \rightarrow 2CO_2 + 3H_2$$

C
$$2C_2H_6 + 5O_2 \rightarrow 4CO + 6H_2O$$

$$D \quad 2C_2H_6 + 7O_2 \rightarrow 4CO_2 + 6H_2O$$

© UCLES 2012

DATA SHEET The Periodic Table of the Elements

	Group																
ı	П						III	IV	V	VI	VII	0					
		1 H Hydrogen 1												4 He Helium			
7 Li Lithium 3	9 Be Beryllium											11 B Boron	12 C Carbon	14 N Nitrogen	16 O Oxygen 8	19 F Fluorine	20 Ne Neon 10
23 Na Sodium	24 Mg Magnesium 12											27 A1 Aluminium 13	28 Si Silicon	31 P Phosphorus 15	32 S Sulfur	35.5 C1 Chlorine 17	40 Ar Argon
39 K Potassium 19	40 Ca Calcium 20	45 Sc Scandium 21	48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron	59 Co Cobalt 27	59 Ni Nickel 28	64 Cu Copper 29	65 Zn Zinc	70 Ga Gallium	73 Ge Germanium 32	75 As Arsenic	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton
85 Rb Rubidium 37	88 Sr Strontium 38	89 Y Yttrium 39	91 Zr Zirconium 40	93 Nb Niobium	96 Mo Molybdenum 42	Tc Technetium 43	101 Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver	112 Cd Cadmium 48	115 In Indium 49	119 Sn Tin	122 Sb Antimony 51	128 Te Tellurium 52	127 I lodine 53	131 Xe Xenon 54
133 Cs Caesium 55	137 Ba Barium 56	139 La Lanthanum 57 *	178 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re Rhenium 75	190 Os Osmium 76	192 Ir Iridium	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury	204 T 1 Thallium 81	207 Pb Lead 82	209 Bi Bismuth	Po Polonium 84	At Astatine 85	Rn Radon 86
Fr	226 Ra Radium	227 Ac Actinium															

*58-71 Lanthanoid series †90-103 Actinoid series

Key

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

a a = relative atomic mass
X X = atomic symbol
b b = proton (atomic) number

140 Ce Cerium 58	141 Pr Pr Praseodymium 59	144 Nd Neodymium 60	Pm Promethium 61	150 Sm Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	159 Tb Terbium 65	162 Dy Dysprosium 66	165 Ho Holmium 67	167 Er Erbium	169 Tm Thulium 69	173 Yb Ytterbium 70	175 Lu Lutetium 71
232 Th Thorium 90	Pa Protactinium 91	238 U Uranium 92	Np Neptunium 93	Pu Plutonium 94	Am Americium 95	Cm Curium 96	Bk Berkelium 97	Cf Californium 98	Es Einsteinium 99	Fm Fermium 100	Md Mendelevium 101	No Nobelium 102	Lr Lawrencium 103

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).