CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the May/June 2014 series

0610 BIOLOGY

0610/61

Paper 6 (Alternative to Practical), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2014 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



| Page 2 | Mark Scheme | Syllabus | Paper |
|--------|-----------------------|----------|-------|
| | IGCSE – May/June 2014 | 0610 | 61 |

| Question | Mark Scheme | Marks | Comments |
|----------|---|---------|-------------|
| 1 (a) | Iodine solution or reagent/iodine in KI; | | |
| | brown/orange/yellow to blue/purple/black/AW | [2] | |
| (b) | safety – water bath/AW ; | | |
| | Benedict's (solution) ; | | |
| | heat/boil; | | |
| | blue/to green/yellow/orange/red; | max [3] | A brick red |
| (c) | enzyme works best/optimum temperature/AW; | [1] | |

| Page 3 | Mark Scheme | Syllabus | Paper |
|--------|-----------------------|----------|-------|
| | IGCSE – May/June 2014 | 0610 | 61 |

| (-1) (:) | 1 | | | | | A fan assentas O. O and 4 intermediate colours resurt |
|----------|---------------------------------------|--|------------------------------------|-----------------------------|---------|--|
| (d) (i) | sample | Time/min | observations | conclusions | | A for samples 2, 3 and 4 intermediate colours must all be present and in correct order |
| | 1 | 0 | blue; | none | | |
| | 2 | 10 | green | very little present | | |
| | 3 | 20 | yellow | some present | | |
| | 4 | 30 | orange; | more sugar present | | |
| | 5 | 40 | red/brick red/reddish brown; | larger amount present | max [3] | |
| | | I. | | l l | max [3] | |
| (ii) | | present (in the document of th | ne water/outside tu f tubing); | bing)/starch had | [1] | |
| (e) | (idea of b | reak-down of |) starch to (reducin | g/simple) sugar ; | | |
| | (idea of) s water); | sugars move | through walls of tub | oing/out (into | | |
| | diffusion (| of sugars); | | | | |
| | starch too through)/ | | s small enough (to | pass | | |
| | (membrane is) partially/permeable/AW; | | | | max [4] | |

| Page 4 | Mark Scheme | Syllabus | Paper |
|--------|-----------------------|----------|-------|
| | IGCSE – May/June 2014 | 0610 | 61 |

| (f) (i) | to remove contents/starch/enzyme (from outside of tube)/AW; | [1] | |
|---------|--|-----|--|
| (ii) | to see colour change easily or clearly/AW; | [1] | |
| (g) (i) | small intestine/ileum/villus; | | |
| | selectively permeable walls/idea of where absorption/diffusion takes place/AW; | [2] | |
| (ii) | amylase/carbohydrase/maltase; | [1] | |
| (h) (i) | A – axis labelled and scaled <u>evenly;</u> | | |
| | S – size – plots for 'time' must use half or more of the axis; | | |
| | P – all points plotted accurately; | | |
| | L – line through all points; | [4] | Accurate to \pm 0.5 of small square. |
| (ii) | pH 7(.0); | [1] | |

| Page 5 | Mark Scheme | Syllabus | Paper |
|--------|-----------------------|----------|-------|
| | IGCSE – May/June 2014 | 0610 | 61 |

| (iii) | below optimum/pH 7 or neutral as pH increases the activity increases/time decreases/AW; above optimum/pH 7 or neutral as pH increases the activity decreases/time increases/AW; credit use of figures; | | |
|-------|---|------------|---|
| | decreased activity/increased time occurs more rapidly/has steeper curve above pH 7; | max [3] | To gain credit a comparison between two data points with a calculation should be shown. |
| (iv) | water to replace the enzyme/boiled enzyme; | [1] | |
| | | [Total 28] | |
| 2 (a) | (line and) label/(i) to xylem of gorse; (line and) label/(ii) to phloem of gorse; | [2] | |
| (b) | in/from/via xylem (of gorse); | [1] | |
| (c) | measurement of MN : 9 ± 1 [mm]; | | A ecf for calculation |
| | formula : length ÷ 50; | | |
| | calculation : 0.18 [mm]; | [3] | |

| Page 6 | Mark Scheme | Syllabus | Paper |
|--------|-----------------------|----------|-------|
| | IGCSE – May/June 2014 | 0610 | 61 |

| (d) (i) | O – outline – clear unbroken line and no shading; | | |
|---------|--|-------------|---|
| | S – size; | | |
| | D – detail; | | Drawing larger than 70 mm at widest point between the legs. |
| | L – one correct label from: leg/limb/cephalothorax/mouth part; | [4] | A evidence of jointed leg(s) and mouth parts |
| (ii) | Arachnid(a); | | |
| | 4 pairs or 8 legs/2 parts to body; | [2] | |
| | | [Total: 12] | |