

Cambridge International Examinations

Cambridge International Advanced Subsidiary and Advanced Level


BIOLOGY 9700/35

Paper 3 Advanced Practical Skills 1

May/June 2017

CONFIDENTIAL INSTRUCTIONS

Great care should be taken to ensure that any confidential information given, including the identity of material on microscope slides where appropriate, does not reach the candidates either directly or indirectly.



If you have any queries regarding these Confidential Instructions, please contact Cambridge stating the Centre number, the nature of the query and the syllabus number quoted above.

email info@cie.org.uk phone +44 1223 553554 fax +44 1223 553558



Instructions for preparing apparatus

These instructions give details of the apparatus required by each candidate for each experiment in this paper. A summary of the questions that will be presented to the candidates is included, where appropriate, to allow the biology teacher to test the apparatus appropriately.

No access to the Question Paper is permitted in advance of the examination.

Candidates must be provided with a microscope with:

- eyepiece lens, ×10 (equal to 16 mm or ²/₂)
- low-power objective lens, $\times 10$ (equal to 16 mm or $\frac{2}{3}$ ")
- high-power objective lens, $\times 40$ (equal to 4 mm or $\frac{1}{6}$ ")
- eyepiece graticule fitted within the eyepiece and visible in focus at the same time as the specimen.

To avoid confusion, only the lenses specified above should be fitted in the microscopes to be used in the examination. Any lenses which are $not \times 10$ or $\times 40$ should be removed or replaced.

Each candidate must have uninterrupted use of the microscope for at least one hour.

Supervisors are advised to remind candidates that **all** substances in the examination should be treated with caution. Pipette fillers and suitable eye protection should be used where necessary.

In accordance with the COSHH (Control of Substances Hazardous to Health) Regulations, operative in the UK, a hazard appraisal of the examination has been carried out.

The following codes are used where relevant.


C corrosive MH moderate hazard

HH health hazard T acutely toxic

F flammable O oxidising

N hazardous to the aquatic environment

internal diameter



When small test-tubes are provided, it is expected that these are approximately 150 mm in height.

If other dimensions of apparatus are required, these will be specified.

© UCLES 2017 9700/35/CI/M/J/17

Confidential Instructions

For both Questions

Each candidate will require:

- ruler, marked in mm
- clean and dry apparatus, e.g. glassware and syringes (without a needle)
- solutions supplied in a suitable beaker, or container, for removal of the solutions using a syringe
- fresh solutions, materials and rinsing water where appropriate.

More of the solutions should be available if requested by candidates.

If a candidate breaks any of the apparatus or loses any of the materials supplied, the matter should be rectified and a note made in the Supervisor's Report.

Solutions should be disposed of in accordance with local safety regulations.

Question 1

Each candidate will require:

ixture of 10 cm³ of 1.0% starch suspension and 10 cm³ of 2.0% glucose plution in a beaker or container, labelled S , provided at room temperature (see preparation of materials) one: the Question Paper will state that S is 1.0% starch suspension 5% glucose solution in a beaker or container, labelled R , provided at room imperature (see Preparation of materials) ofte: the Question Paper will state that R is 1.0% reducing sugar solution istilled water in a beaker or container, labelled E , provided at room temperature ofte: the Question Paper will state that E is amylase solution istilled water in a beaker or container, labelled W , provided at room imperature ofte: the Question Paper will state that E is amylase solution istilled water in a beaker or container, labelled W , provided at room imperature MHJ[N] Benedict's solution (qualitative) in a beaker or container, labelled enedict's, provided at room temperature 5cm length of Visking (dialysis) tubing in a beaker of distilled water, labelled enedict aroom temperature 9cm³ syringes, with the means to wash them out 9cm³ syringes, with the means to wash it out 9cm³ syringe, with the means to wash it out 9cm³ or 3 cm³ syringe, with the means to wash it out 9caker (capacity 75 cm³ to 100 cm³), labelled X 9caker (capacity 75 cm³ to 100 cm³), labelled X 9catertubes – large, maximum capacity 50 cm³ 9catertube rack to hold 6 large test-tubes 9cater (capacity approximately 400 cm³), with water at 45 °C to 50 °C, suitable of the reating as a water-bath, labelled hot water. 10c and supervisor may use a thermostatically controlled water-bath to provide this of water for candidates. 10c and supervisor may use a thermostatically controlled water-bath thermometer, -10 °C to 110 °C 10c antainer with tap water (capacity approximately 200 cm³), labelled For	at least 20 cm ³ at least 25 cm ³ at least 20 cm ³ at least	
mperature (see Preparation of materials) ote: the Question Paper will state that R is 1.0% reducing sugar solution istilled water in a beaker or container, labelled E, provided at room temperature ote: the Question Paper will state that E is amylase solution istilled water in a beaker or container, labelled W, provided at room instilled water in a beaker or container, labelled W, provided at room imperature MH][N] Benedict's solution (qualitative) in a beaker or container, labelled enedict's, provided at room temperature of cm length of Visking (dialysis) tubing in a beaker of distilled water, labelled in provided at room temperature of cm³ syringes, with the means to wash them out cm³ or 3 cm³ syringe, with the means to wash it out eakers or containers, to hold 100 cm³ eaker (capacity 75 cm³ to 100 cm³), labelled X aperclip est-tubes – large, maximum capacity 50 cm³ est-tube rack to hold 6 large test-tubes eaker (capacity approximately 400 cm³), with water at 45 °C to 50 °C, suitable relating as a water-bath, labelled hot water. The Supervisor may use a thermostatically controlled water-bath to provide this but water for candidates. unsen burner, bench mat, gauze and tripod to support water-bath intermometer, -10 °C to 110 °C	25 cm ³ at least 20 cm ³	
istilled water in a beaker or container, labelled W , provided at room imperature [MH][N] Benedict's solution (qualitative) in a beaker or container, labelled enedict's, provided at room temperature [Scm length of Visking (dialysis) tubing in a beaker of distilled water, labelled provided at room temperature [Scm syringes, with the means to wash them out cm³ syringes, with the means to wash it out cm³ or 3 cm³ syringe, with the means to wash it out eaker or containers, to hold 100 cm³ [Seaker (capacity 75 cm³ to 100 cm³), labelled X [Seaker (capacity 75 cm³ to 100 cm³), labelled X [Seaker (capacity approximately 400 cm³), with water at 45 °C to 50 °C, suitable or heating as a water-bath, labelled hot water. [Seaker (capacity approximately 400 cm³), with water at 45 °C to 50 °C, suitable or heating as a water-bath, labelled hot water. [Seaker (capacity approximately 400 cm³), with water at 45 °C to 50 °C, suitable or heating as a water-bath, labelled hot water. [Seaker (capacity approximately 400 cm³) to support water-bath to provide this oft water for candidates. [Seaker (capacity approximately 400 cm²) to support water-bath to provide this oft water for candidates.	20 cm ³	
mperature MH][N] Benedict's solution (qualitative) in a beaker or container, labelled enedict's, provided at room temperature com length of Visking (dialysis) tubing in a beaker of distilled water, labelled provided at room temperature com³ syringes, with the means to wash them out cm³ syringe, with the means to wash it out cm³ or 3 cm³ syringe, with the means to wash it out eakers or containers, to hold 100 cm³ eaker (capacity 75 cm³ to 100 cm³), labelled X aperclip est-tubes – large, maximum capacity 50 cm³ est-tube rack to hold 6 large test-tubes est-tube holder to hold hot test-tubes eaker (capacity approximately 400 cm³), with water at 45 °C to 50 °C, suitable r heating as a water-bath, labelled hot water. ne Supervisor may use a thermostatically controlled water-bath to provide this of water for candidates. unsen burner, bench mat, gauze and tripod to support water-bath	ot looot	
enedict's, provided at room temperature 5 cm length of Visking (dialysis) tubing in a beaker of distilled water, labelled a provided at room temperature 5 cm length of Visking (dialysis) tubing in a beaker of distilled water, labelled a provided at room temperature 5 cm³ syringes, with the means to wash them out 5 cm³ syringe, with the means to wash it out 6 cm³ or 3 cm³ syringe, with the means to wash it out 7 ceakers or containers, to hold 100 cm³ 8 ceaker (capacity 75 cm³ to 100 cm³), labelled X 8 ceaker (capacity approximately 50 cm³ 8 cest-tuber ack to hold 6 large test-tubes 8 cest-tube holder to hold hot test-tubes 8 ceaker (capacity approximately 400 cm³), with water at 45 °C to 50 °C, suitable relating as a water-bath, labelled hot water. 8 cest-tuber or candidates. 9 cest-tuber or candidates. 9 cest-tuber or candidates. 9 cest-tuber or candidates. 10 cest-tuber or candidates. 11 cest-tuber or candidates. 12 cest-tuber or candidates. 13 cest-tuber or candidates. 14 cest-tuber or candidates.	150 cm ³	
provided at room temperature Ocm³ syringes, with the means to wash them out cm³ syringe, with the means to wash it out cm³ or 3 cm³ syringe, with the means to wash it out eakers or containers, to hold 100 cm³ eaker (capacity 75 cm³ to 100 cm³), labelled X aperclip est-tubes — large, maximum capacity 50 cm³ est-tube rack to hold 6 large test-tubes est-tube holder to hold hot test-tubes eaker (capacity approximately 400 cm³), with water at 45 °C to 50 °C, suitable r heating as a water-bath, labelled hot water. es Supervisor may use a thermostatically controlled water-bath to provide this of water for candidates. unsen burner, bench mat, gauze and tripod to support water-bath	at least 30 cm ³	
cm³ syringe, with the means to wash it out cm³ or 3 cm³ syringe, with the means to wash it out eakers or containers, to hold 100 cm³ eaker (capacity 75 cm³ to 100 cm³), labelled X aperclip est-tubes – large, maximum capacity 50 cm³ est-tube rack to hold 6 large test-tubes est-tube holder to hold hot test-tubes eaker (capacity approximately 400 cm³), with water at 45 °C to 50 °C, suitable r heating as a water-bath, labelled hot water. The Supervisor may use a thermostatically controlled water-bath to provide this of water for candidates. The supervisor may use and tripod to support water-bath thermometer, -10 °C to 110 °C	1	
cm³ or 3 cm³ syringe, with the means to wash it out eakers or containers, to hold 100 cm³ eaker (capacity 75 cm³ to 100 cm³), labelled X aperclip est-tubes – large, maximum capacity 50 cm³ est-tube rack to hold 6 large test-tubes est-tube holder to hold hot test-tubes eaker (capacity approximately 400 cm³), with water at 45 °C to 50 °C, suitable r heating as a water-bath, labelled hot water. The Supervisor may use a thermostatically controlled water-bath to provide this of water for candidates. The supervisor may use and tripod to support water-bath thermometer, -10 °C to 110 °C	2	
eakers or containers, to hold 100 cm ³ eaker (capacity 75 cm ³ to 100 cm ³), labelled X aperclip est-tubes – large, maximum capacity 50 cm ³ est-tube rack to hold 6 large test-tubes est-tube holder to hold hot test-tubes eaker (capacity approximately 400 cm ³), with water at 45 °C to 50 °C, suitable r heating as a water-bath, labelled hot water. ne Supervisor may use a thermostatically controlled water-bath to provide this of water for candidates. unsen burner, bench mat, gauze and tripod to support water-bath nermometer, -10 °C to 110 °C	1	
eaker (capacity 75 cm³ to 100 cm³), labelled X aperclip est-tubes – large, maximum capacity 50 cm³ est-tube rack to hold 6 large test-tubes est-tube holder to hold hot test-tubes eaker (capacity approximately 400 cm³), with water at 45 °C to 50 °C, suitable r heating as a water-bath, labelled hot water . The Supervisor may use a thermostatically controlled water-bath to provide this bot water for candidates. The supervisor may use a thermostatically controlled water-bath to provide this bot water for candidates. The supervisor may use and tripod to support water-bath the supervisor may use and tripod to support water-bath the	1	
est-tubes – large, maximum capacity 50 cm ³ est-tube rack to hold 6 large test-tubes est-tube holder to hold hot test-tubes eaker (capacity approximately 400 cm ³), with water at 45 °C to 50 °C, suitable r heating as a water-bath, labelled hot water . The Supervisor may use a thermostatically controlled water-bath to provide this but water for candidates. The supervisor may use a thermostatically controlled water-bath to provide this but water for candidates. The supervisor may use and tripod to support water-bath the supervisor material tripod to support water-bath the support water-b	5	
est-tubes – large, maximum capacity 50 cm ³ est-tube rack to hold 6 large test-tubes est-tube holder to hold hot test-tubes eaker (capacity approximately 400 cm ³), with water at 45 °C to 50 °C, suitable r heating as a water-bath, labelled hot water . The Supervisor may use a thermostatically controlled water-bath to provide this but water for candidates. Supervisor may use a thermostatically controlled water-bath to provide this but water for candidates. Supervisor may use a thermostatically controlled water-bath to provide this but water for candidates.	1	
est-tube rack to hold 6 large test-tubes est-tube holder to hold hot test-tubes eaker (capacity approximately 400 cm³), with water at 45 °C to 50 °C, suitable r heating as a water-bath, labelled hot water . The Supervisor may use a thermostatically controlled water-bath to provide this but water for candidates. Supervisor may use a thermostatically controlled water-bath to provide this but water for candidates. Supervisor may use a thermostatically controlled water-bath to provide this but water for candidates.	1	
est-tube holder to hold hot test-tubes eaker (capacity approximately 400 cm³), with water at 45 °C to 50 °C, suitable r heating as a water-bath, labelled hot water . The Supervisor may use a thermostatically controlled water-bath to provide this but water for candidates. Supervisor may use a thermostatically controlled water-bath to provide this but water for candidates. Supervisor may use a thermostatically controlled water-bath to provide this but water for candidates.	6	
eaker (capacity approximately 400 cm ³), with water at 45 °C to 50 °C, suitable r heating as a water-bath, labelled hot water . The Supervisor may use a thermostatically controlled water-bath to provide this bot water for candidates. Supervisor may use a thermostatically controlled water-bath to provide this bot water for candidates. Supervisor may use a thermostatically controlled water-bath to provide this bot water for candidates.	1	
r heating as a water-bath, labelled hot water . ne Supervisor may use a thermostatically controlled water-bath to provide this of water for candidates. unsen burner, bench mat, gauze and tripod to support water-bath nermometer, -10 °C to 110 °C	1	
nermometer, -10 °C to 110 °C	1	
*	1	
ontainer with tap water (capacity approximately 200 cm ³), labelled For	1	
ashing	1	
ontainer (capacity approximately 400 cm ³), labelled For waste	1	
aper towels	8	
lass marker pen	1	
top-clock or timer showing seconds	1	
uitable eye protection		

It is advisable to wear suitable eye protection when handling chemicals.

Preparation of materials

You will need the following stock solutions:

1.0% starch suspension

This is prepared by putting 1.0 g of starch into approximately 5 cm³ of warm distilled water in a beaker or container. Mix to a paste. Make up to 100 cm³ with warm distilled water. Heat to boiling for 1 to 2 minutes, stirring well. Allow to cool.

2.0% glucose solution

This is prepared by sprinkling 2.0 g of glucose into 50 cm³ of distilled water, stirring well. Make up to 100 cm³ with distilled water.

(i) S, a mixture of equal volumes of 1.0% starch suspension and 2.0% glucose solution

This is prepared by adding 10 cm³ of 1.0% starch suspension to 10 cm³ of 2.0% glucose solution. Stir well.

Note: the Question Paper will state that **S** is 1.0% starch suspension.

(ii) R, 0.5% glucose solution

This is prepared by putting 25 cm³ of 2.0% glucose solution into 75 cm³ of distilled water. Stir well.

Note: the Question Paper will state that **R** is 1.0% reducing sugar solution.

Question 2

Each candidate will require:

(i) Microscope with an eyepiece graticule fitted into the eyepiece lens (as described on page 2)

For each candidate:

- the microscope must be set up on low power
- no slide must be left on the stage of the microscope.

(ii) Slide L1

On receipt of the slides, please check that they are labelled **L1** and that no slides are broken. The material is **confidential** (so **must not** be disclosed to candidates) and the slides should not be viewed in advance of the examination.

The number of slides supplied by Cambridge will be equal to half the candidate entry.

Therefore, half the candidates should start on **Question 2** and the other candidates should start on **Question 1**.

SUPERVISOR'S REPORT

The Supervisor's Report is essential in order to allow the Examiners to assess all candidates as fairly as possible and should always be completed by every Centre.

During the examination, the Supervisor or other competent biologist (not the Invigilator), should follow the steps in **Question 1**, in order to obtain results for **1(a)(iii)** and **1(a)(v)**.

The Supervisor should use the same solutions as those provided to the candidates and work **out of the sight of the candidates**.

These results should be written in the Supervisor's Report, **not** on a spare Question Paper.

SEATING PLAN

Provide a **seating plan** of work benches, on separate paper, giving details of the places occupied by the candidates for **each question** using each candidate's number.

The Supervisor's Report and the candidates' seating plan should be enclosed with each packet of scripts.

MATERIALS TO BE SUPPLIED BY CAMBRIDGE

Slide L1

RETURN OF EXAMINATION MATERIALS TO CAMBRIDGE

Immediately after the examination the microscope slides **must** be:

 returned to Cambridge in the containers in which they were received, using the self-adhesive label. The slides must **not** be included in the packet of scripts.

or

 purchased using the order form enclosed with the slides, which should be completed and returned to Cambridge. The order form must **not** be included in the packet of scripts.

Slides and boxes will be charged at the rate of £3 per slide plus £1 per box.

If the items are not returned or purchased by the deadline stated on the order form, they will be charged at £3.50 per slide plus £1 per box.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2017 9700/35/CI/M/J/17

This form should be completed and sent with the scripts.

SUPERVISOR'S REPORT

May/June 2017

The Supervisor or Teacher responsible for the subject should provide the following information.

- 1 Was any difficulty experienced in providing the necessary materials? If so, give brief details.
- **2** Give details of any difficulties experienced by particular candidates, giving names and candidate numbers. Reference should be made to:
 - (a) difficulties arising from faulty specimens or microscopes;
 - (b) accidents to apparatus or materials;
 - (c) assistance provided in case of colour blindness;
 - (d) any other information that is likely to assist the Examiner, especially if this cannot be discovered from the scripts.

All other cases of individual hardship, e.g. illness or disability, should be reported direct to Cambridge on the 'Special Consideration Form' as detailed in the Handbook for Centres.

- During the examination the Supervisor (or other competent biologist) should follow the steps in **Question 1** in order to obtain results for **1(a)(iii)** and **1(a)(v)**. The Supervisor should use the same solutions as those provided to the candidates, and work **out of the sight of the candidates**. These results should be written on page 8, which should be enclosed with the candidates' scripts. If the scripts are in several packets, please ensure that a copy of the Supervisor's Report is enclosed with each packet of scripts.
- 4 Enclose a **seating plan** of work benches with the scripts, giving details of the candidate numbers for the places occupied by the candidates for **each question**.

Declaration (to be signed by the Supervisor)

The preparation of this practical examination has been carried out so as to maintain the security of the examination.
Signed
Name (in block capitals)
Centre number (of enclosed scripts)
Centre name

If scripts are despatched in more than one envelope, it is essential that **each envelope** includes a copy of the:

- relevant Supervisor's Report
- appropriate seating plan(s).

Temperature of examination room	°(

Results for Question 1(a)(iii) and 1(a)(v)