

## **Cambridge International Examinations**

Cambridge International General Certificate of Secondary Education

0620/22 **CHEMISTRY** 

May/June 2017 Paper 2 Multiple Choice (Extended)

45 minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

#### **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO **NOT** WRITE IN ANY BARCODES.

There are forty questions on this paper. Answer all questions. For each question there are four possible answers A, B, C and D.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

#### Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

Electronic calculators may be used.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate. This document consists of 15 printed pages and 1 blank page.




© UCLES 2017





1 Small crystals of purple KMnO<sub>4</sub> ( $M_r$  = 158) and orange K<sub>2</sub>Cr<sub>2</sub>O<sub>7</sub> ( $M_r$  = 294) were placed at the centres of separate petri dishes filled with agar jelly. They were left to stand under the same physical conditions.

After some time, the colour of each substance had spread out as shown.



The lengths of the arrows indicate the relative distances travelled by particles of each substance.

Which statement is correct?

- **A** Diffusion is faster in dish 1 because the mass of the particles is greater.
- **B** Diffusion is faster in dish 2 because the mass of the particles is greater.
- **C** Diffusion is slower in dish 1 because the mass of the particles is smaller.
- **D** Diffusion is slower in dish 2 because the mass of the particles is greater.
- 2 Impurities change the melting and boiling points of substances.


Sodium chloride is added to a sample of pure water.

How does the addition of sodium chloride affect the melting point and boiling point of the water?

	melting point	boiling point	
A increases		increases	
В	increases	decreases	
С	decreases increases		
D	decreases	decreases	

**3** The diagram shows a chromatogram of four substances.

Which substance has an  $R_f$  value of approximately 0.32?



- 4 Which element does **not** form a stable ion with the same electronic structure as argon?
  - A aluminium
  - **B** chlorine
  - C phosphorus
  - **D** potassium
- **5** Graphite and diamond are both forms of the element carbon.

Which row shows the number of other carbon atoms that each carbon atom is covalently bonded to in graphite and diamond?

	graphite	diamond	
Α	3	3	
В	3	4	
С	4	3	
D	4	4	

6	\	statement	daaaribaa	ma a ta Ilia	h a m di m a O
n	WWITH	Cialemeni	MACCINAC	meranic	110111111111111111111111111111111111111

- A The attraction between a lattice of negative ions and delocalised protons.
- **B** The attraction between a lattice of positive ions and delocalised electrons.
- **C** The attraction between delocalised protons and electrons.
- **D** The attraction between oppositely charged ions.

## 7 Which equations are balanced?

1 Fe<sub>2</sub>O<sub>3</sub> + 3CO 
$$\rightarrow$$
 2Fe + 3CO<sub>2</sub>

2 
$$ZnCO_3 + 2HCl \rightarrow ZnCl_2 + CO_2 + 2H_2O$$

3 
$$Mg(NO_3)_2 + NaOH \rightarrow Mg(OH)_2 + 2NaNO_3$$

4 
$$CaCO_3 + H_2SO_4 \rightarrow CaSO_4 + H_2O + CO_2$$

- **A** 1 and 2
- **B** 1 and 4
- **C** 2 and 3
- **D** 3 and 4

## 8 Calcium carbide, CaC<sub>2</sub>, reacts with water to form ethyne, C<sub>2</sub>H<sub>2</sub>, and calcium hydroxide.

The equation for the reaction is shown.

$$CaC_2(s) + 2H_2O(I) \rightarrow C_2H_2(g) + Ca(OH)_2(s)$$

Which volume of ethyne is produced when 6 g of water react completely with calcium carbide?

- $\mathbf{A}$  4 dm<sup>3</sup>
- **B** 8 dm<sup>3</sup>
- **C** 36 dm<sup>3</sup>
- $\mathbf{D}$  72 dm<sup>3</sup>


## **9** Which statement about electrolysis is correct?

- **A** Electrons move through the electrolyte from the cathode to the anode.
- **B** Electrons move towards the cathode in the external circuit.
- C Negative ions move towards the anode in the external circuit.
- **D** Positive ions move through the electrolyte towards the anode during electrolysis.

**10** The reactivity series for a number of different metals is shown.

most reactive				least re	eactive
magnesium	zinc	iron	copper	silver	platinum

The diagram shows different metal strips dipped into an electrolyte.



Which pair of metals produces the highest voltage?

- A copper and magnesium
- B magnesium and platinum
- C magnesium and zinc
- D silver and platinum
- **11** Which statement about fuels is correct?
  - **A** Heat energy can only be produced by burning fuels.
  - **B** Hydrogen is used as a fuel although it is difficult to store.
  - **C** Methane is a good fuel because it produces only water when burned.
  - **D** Uranium is burned in air to produce energy.
- 12 Which statements about exothermic and endothermic reactions are correct?
  - 1 During an exothermic reaction, heat is given out.
  - 2 The temperature of an endothermic reaction goes up because heat is taken in.
  - 3 Burning methane in the air is an exothermic reaction.
  - **A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only

**13** The equation for the reaction between hydrogen and chlorine is shown.

$$H_2(g) + Cl_2(g) \rightarrow 2HCl(g)$$

The reaction is exothermic.

The bond energies are shown in the table.

bond	bond energy in kJ/mol
Cl-Cl	+240
H–C1	+430
H–H	+436

What is the energy change for the reaction?


- **A** -1536 kJ/mol
- **B** -184 kJ/mol
- C +184 kJ/mol
- **D** +246 kJ/mol

**14** A gas is produced when calcium carbonate is heated.

Which type of change is this?

- **A** chemical
- **B** exothermic
- C physical
- **D** separation

**15** A student was investigating the reaction between marble chips and dilute hydrochloric acid.



Which changes slow down the rate of reaction?

	temperature of acid	concentration of acid	surface area of marble chips
Α	decrease	decrease	decrease
В	decrease	decrease	increase
С	increase	decrease	decrease
D	increase	increase	increase

16 The reaction used to manufacture ammonia from nitrogen and hydrogen is reversible.

An equilibrium can be established between ammonia, nitrogen and hydrogen.

Which statement describes the equilibrium?

- **A** Both the forward reaction and the backward reaction have the same rate.
- **B** The rate of the backward reaction is greater than the rate of the forward reaction.
- **C** The rate of the forward reaction is greater than the rate of the backward reaction.
- **D** The forward and backward reactions have both stopped.
- **17** An example of a redox reaction is shown.

$$Zn + Cu^{2+} \rightarrow Zn^{2+} + Cu$$

Which statement about the reaction is correct?

- A Zn is the oxidising agent and it oxidises Cu<sup>2+</sup>.
- **B** Zn is the oxidising agent and it reduces Cu<sup>2+</sup>.
- **C** In is the reducing agent and it oxidises Cu<sup>2+</sup>.
- **D** Zn is the reducing agent and it reduces Cu<sup>2+</sup>.

18	Which	type	of ox	ide is	alumini	um	oxide	?

A acidic

**B** amphoteric

**C** basic

**D** neutral

## 19 Which statements about a weak acid, such as ethanoic acid, are correct?

- 1 It reacts with a carbonate.
- 2 It does not neutralise aqueous sodium hydroxide solution.
- 3 It turns red litmus blue.
- 4 It is only partially ionised in aqueous solution.
- **A** 1 and 2 **B** 1 and 4 **C** 2 and 3 **D** 3 and 4
- 20 Silver chloride is a white solid which is insoluble in water.

Which statement describes how a sample of pure silver chloride can be made?

- **A** Add aqueous silver nitrate to aqueous sodium chloride and then filter.
- **B** Add aqueous silver nitrate to dilute hydrochloric acid, evaporate and then crystallise.
- **C** Add silver carbonate to dilute hydrochloric acid, evaporate and then crystallise.
- **D** Add silver to dilute hydrochloric acid, filter and then wash the residue.
- **21** Dilute sulfuric acid is added to two separate aqueous solutions, X and Y. The observations are shown.

solution X	white precipitate
solution Y	bubbles of a colourless gas

Which row shows the ions present in the solutions?

	solution X	solution Y
Α	Ba <sup>2+</sup>	CO <sub>3</sub> <sup>2-</sup>
В	Ca <sup>2+</sup>	C <i>l</i> −
С	Cu <sup>2+</sup>	CO <sub>3</sub> <sup>2-</sup>
D	Fe <sup>2+</sup>	NO <sub>3</sub> <sup>-</sup>

22	VVII	ilon element is less reactive than the other members of its group in the Fehotic Table!
	Α	astatine
	В	caesium
	С	fluorine
	D	rubidium

23 The elements oxygen and sulfur are in the same group of the Periodic Table.

Which statement about oxygen and sulfur is **not** correct?

- **A** They are non-metals.
- **B** They have giant covalent structures.
- **C** They have six electrons in their outer shells.
- **D** They react together to form an acidic oxide.
- 24 Why are weather balloons sometimes filled with helium rather than hydrogen?
  - A Helium is found in air.
  - **B** Helium is less dense than hydrogen.
  - C Helium is more dense than hydrogen.
  - **D** Helium is unreactive.
- 25 Which process is involved in the extraction of zinc from zinc blende?
  - **A** Cryolite is added to lower the melting point of zinc blende.
  - **B** Molten zinc blende is electrolysed.
  - **C** Zinc blende is heated with carbon.
  - **D** Zinc blende is roasted in air.

<b>26</b> E	lement	E:
-------------	--------	----

- forms an alloy
- has a basic oxide
- is below hydrogen in the reactivity series.

۱۸/	hat	io	$\Box$
vv	Πaι	15	$\sqsubset$ !

- A carbon
- **B** copper
- **C** sulfur
- **D** zinc
- 27 A list of metals is shown.

aluminium

copper

iron

magnesium

silver

zinc


Which metal will displace all of the other metals from aqueous solutions of their salts?


- A aluminium
- **B** iron
- **C** magnesium
- **D** zinc
- **28** Stainless steel is an alloy of iron and other metals. It is strong and does not rust but it costs much more than normal steel.


What is **not** made from stainless steel?

- **A** cutlery
- **B** pipes in a chemical factory
- C railway lines
- D saucepans

**29** The diagram shows some uses of water in the home.







For which uses is it important for the water to have been treated?

A 1 only

**B** 2 only

C 3 only

**D** 1, 2 and 3

**30** The carbon cycle includes the processes combustion, photosynthesis and respiration.

Which row shows how each process changes the amount of carbon dioxide in the atmosphere?

	combustion	photosynthesis	respiration
Α	decreases	decreases	increases
В	decreases	increases	decreases
С	increases	decreases	increases
D	increases	increases	decreases

- **31** Which statement about the conditions used in the Haber process is **not** correct?
  - **A** A high temperature is used because the forward reaction is exothermic.
  - **B** A high pressure is used because there are fewer moles of gas in the products than in the reactants.
  - **C** An iron catalyst is used to increase the rate of the forward reaction.
  - **D** The unreacted hydrogen and nitrogen are recycled to increase the amount of ammonia produced.
- 32 Which chemical reaction decreases pollution in the air?

$$\mathbf{A} \quad \mathsf{S} \, + \, \mathsf{O}_2 \, \rightarrow \, \mathsf{SO}_2$$

$$\mathbf{B} \quad \mathsf{N}_2 \, + \, \mathsf{O}_2 \, \rightarrow \, \mathsf{2NO}$$


**C** 
$$2CH_4 + 3O_2 \rightarrow 2CO + 4H_2O$$

**D** 2NO + 2CO 
$$\rightarrow$$
 2CO<sub>2</sub> + N<sub>2</sub>

- **33** Which statement about sulfuric acid is correct?
  - A It is made by the Haber process.
  - **B** It is made in the atmosphere by the action of lightning.
  - **C** It reacts with ammonia to produce a fertiliser.
  - **D** It reacts with copper metal to produce hydrogen gas.
- **34** Statements about methods of manufacture and uses of calcium oxide are shown.
  - 1 It is manufactured by reacting acids with calcium carbonate.
  - 2 It is manufactured by heating calcium carbonate.
  - 3 It is used to desulfurise flue gases.
  - 4 It is used to treat alkaline soil.

Which statements are correct?


- **A** 1 and 2
- **B** 1 and 4
- **C** 2 and 3
- **D** 3 and 4
- **35** The industrial fractional distillation of petroleum is shown.



Which process happens at Y?

- **A** burning
- **B** condensation
- C cracking
- **D** evaporation

- 36 Which statement about homologous series is **not** correct?
  - **A** Alkenes have the same general formula,  $C_nH_{2n+2}$ .
  - **B** Each member of the homologous series of alkanes differs from the next by CH<sub>2</sub>.
  - **C** The members of a homologous series all have similar chemical properties.
  - **D** The members of a homologous series all have the same functional group.
- **37** The diagram shows part of the molecule of a polymer.



Which diagram shows the monomer from which this polymer could be manufactured?

38 Ethanol is manufactured by fermentation or by the catalytic addition of steam to ethene.

What is an advantage of ethanol manufacture by fermentation instead of by the catalytic addition of steam to ethene?

- **A** Ethanol manufactured by fermentation is purified by distillation.
- **B** Ethanol manufacture by fermentation produces purer ethanol.
- **C** Ethanol manufacture by fermentation uses large areas of land.
- **D** Ethanol manufacture by fermentation uses renewable resources.
- **39** The formula of an ester is CH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>COOCH<sub>2</sub>CH<sub>2</sub>CH<sub>3</sub>.

Which acid and alcohol react together to make the ester?

	acid	alcohol
Α	butanoic acid	butanol
В	butanoic acid	propanol
С	propanoic acid	butanol
D	propanoic acid	propanol

**40** Polyesters and polyamides are types of synthetic polymer.

Which statements are correct?

- 1 They are made by addition polymerisation.
- 2 They are made by condensation polymerisation.
- 3 The monomers from which they are made are unsaturated hydrocarbons.
- 4 The monomers from which they are made contain reactive functional groups at their ends.

**A** 1 and 3 **B** 1 and 4 **C** 2 and 3 **D** 2 and 4

## **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

# The Periodic Table of Elements

Group																	
I	П						Ш	IV	V	VI	VII	VIII					
Key 1																	2 He helium 4
3	4			atomic numbe	r			1				5	6	7	8	9	10
Li	Be	atomic symbol										В	С	Ν	0	F	Ne
lithium	beryllium			name								boron 11	carbon	nitrogen	oxygen	fluorine	neon
7	9	relative atomic mass											12	14	16	19	20
11 No	12 <b>N/</b> G											13 <b>A 7</b>	14 C:	15 <b>P</b>	16 C	17 <b>C 1</b>	18
Na	Mg											A <i>l</i>	Si silicon	•	S sulfur	C1 chlorine	Ar
sodium 23	magnesium 24											aiuminium 27	28	phosphorus 31	32	35.5	argon 40
19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
K	Ca	Sc	Ti	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr
potassium	calcium	scandium	titanium	vanadium	chromium	manganese	iron	cobalt	nickel	copper	zinc	gallium	germanium	arsenic	selenium	bromine	krypton
39	40	45	48	51	52	55	56	59	59	64	65	70	73	75	79	80	84
37 Db	38	39 <b>V</b>	40	41 N.I.	42 N 4 a	43 <b>T</b> a	44 D.	45 Db	46	47 <b>A</b> =:	48	49 T	50	51 Ch	52 <b>T</b> -	53 <b>T</b>	54
Rb	Sr	ı .	Zr	Nb	Мо	Тс	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te	1	Xe
rubidium 85	strontium 88	yttrium 89	zirconium 91	niobium 93	molybdenum 96	technetium -	ruthenium 101	rhodium 103	palladium 106	silver 108	cadmium 112	indium 115	tin 119	antimony 122	tellurium 128	iodine 127	xenon 131
55	56	57–71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86
Cs	Ва	lanthanoids	Hf	Та	W	Re	Os	Ir	Pt	Au	Hg	T1	Pb	Bi	Po	At	Rn
caesium	barium		hafnium	tantalum	tungsten	rhenium	osmium	iridium	platinum	gold	mercury	thallium	lead	bismuth	polonium	astatine	radon
133	137		178	181	184	186	190	192	195	197	201	204	207	209	-	_	-
87	88	89–103	104	105	106	107	108	109	110	111	112		114		116		
Fr	Ra	actinoids	Rf	Db	Sg	Bh	Hs	Mt	Ds	Rg	Cn		F1		Lv		
francium	radium —		rutherfordium —	dubnium _	seaborgium —	bohrium —	hassium —	meitnerium —	darmstadtium –	roentgenium -	copernicium —		flerovium —		livermorium —		
	_		_	_	_	_	_	_	_	_	_	l	_		_		

	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71
lanthanoids	La	Ce	Pr	Nd	Pm	Sm	Eu	Gd	Tb	Dy	Но	Er	Tm	Yb	Lu
	lanthanum 139	cerium 140	praseodymium 141	neodymium 144	promethium —	samarium 150	europium 152	gadolinium 157	terbium 159	dysprosium 163	holmium 165	erbium 167	thulium 169	ytterbium 173	lutetium 175
	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103
actinoids	Ac	Th	Pa	U	Np	Pu	Am	Cm	Bk	Cf	Es	Fm	Md	No	Lr
	actinium –	thorium 232	protactinium 231	uranium 238	neptunium —	plutonium —	americium -	curium -	berkelium –	californium –	einsteinium –	fermium -	mendelevium -	nobelium -	lawrencium -

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).