



## **Cambridge International Examinations**

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME			
CENTRE NUMBER		CANDIDATE NUMBER	
CHEMISTRY			0620/31
Paper 3 Theory	(Core)		May/June 2017
			1 hour 15 minutes
Candidates ans	wer on the Question Paper.		
No Additional M	laterials are required.		

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 16.

You may lose marks if you do not show your working or if you do not use appropriate units.


At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.



1 (a) The electronic structures of five atoms, A, B, C, D and E, are shown.



Answer the following questions about these atoms. Each atom may be used once, more than once or not at all.

Which atom, A, B, C, D or E,

(i)	has a complete outer shell of electrons,	 [1]
(ii)	has a proton number of 15,	 [1]
iii)	has 4 shells containing electrons,	 [1]
iv)	is a fluorine atom,	 [1]
(v)	is an atom of a metallic element?	 [1]

**(b)** Complete the table to show the number of electrons, neutrons and protons in the chlorine atom and bromide ion shown.

	number of electrons	number of neutrons	number of protons
<sup>35</sup> C <i>l</i>	17		
<sup>79</sup> <sub>35</sub> Br-		44	

[3]

[Total: 8]

2 (a) The table shows the ions present in a 1000 cm<sup>3</sup> sample of polluted river water.


ion present	formula of ion	mass present in mg/1000 cm <sup>3</sup>
calcium	Ca <sup>2+</sup>	2.0
chloride	C1-	1.3
hydrogencarbonate	HCO₃⁻	2.0
magnesium	Mg <sup>2+</sup>	1.0
potassium	K <sup>+</sup>	4.0
silicate	SiO <sub>3</sub> <sup>2-</sup>	12.0
sodium	Na⁺	11.0
	SO <sub>3</sub> <sup>2-</sup>	3.0

Answer these questions using the information from the table.

(i)	Which positive ion is present in the highest concentration?
	[1]
(ii)	State the name of the ion SO <sub>3</sub> <sup>2-</sup> .
	[1]
(iii)	Calculate the mass of silicate ions present in 250 cm³ of this sample.
	mass of silicate ions = mg [1]
(iv)	Calculate the mass of solid formed when all the water is evaporated from the 1000 cm <sup>3</sup> sample.
	mass of solid formed = mg [1]
(v)	Name the compound containing Ca <sup>2+</sup> ions and HCO <sub>3</sub> <sup>-</sup> ions.

(b)	Describe a test for sodium ions.	
	test	
	result	
		[2]
(c)	The formulae of some chlorides are given.	
	aluminium chloride, $AlCl_3$	
	calcium chloride, $CaCl_2$	
	sodium chloride, NaC1	
	Deduce the formula for magnesium chloride.	
		[1]
(d)	Molten calcium chloride can be electrolysed using inert electrodes.	
	Predict the products of this electrolysis at	
	the negative electrode (cathode),	
	the positive electrode (anode).	
		[2]
		Total: 10]


3 The diagram shows part of the structures of three substances, **X**, **Y** and **Z**, at room temperature and pressure.



- (a) Describe substances X, Y and Z in terms of
  - their bonding,
  - the arrangement of their particles,
  - the motion of their particles.

								[5]

**(b)** A closed gas syringe contains substance **X**.



		be what happens to the volume of substance ${f X}$ in the syringe when the pressure is ed. The temperature remains constant. Explain your answer in terms of particles.
		[2]
(c)	Substa	nce <b>Z</b> is diamond. Diamond is used in jewellery.
	Give or	ne other use of diamond.
		[1]
(d)	Substa	nce <b>Y</b> undergoes physical and chemical changes.
	Which t	wo of the following are physical changes? Explain your answer.
	A	Substance Y dissolves easily in water.
	В	An aqueous solution of substance <b>Y</b> gives a white precipitate with acidified aqueous silver nitrate.
	С	Substance Y melts at 801 °C.
	D	Substance Y reacts with concentrated sulfuric acid.
		[3]

[Total: 11]

4

Chlorin	e is an element in Group VII of the Periodic Table.
(a) Ch	lorine is a diatomic molecule.
Ex	plain what is meant by the term <i>diatomic</i> .
	[1]
<b>(b)</b> Aq	ueous chlorine reacts with aqueous potassium bromide.
	$Cl_2 + 2KBr \rightarrow Br_2 + 2KCl$
(i)	How does this equation show that chlorine is more reactive than bromine?
	[1]
(ii)	Aqueous potassium bromide and aqueous potassium chloride are both colourless.
	Predict the colour change when aqueous chlorine reacts with aqueous potassium bromide.
	[1]
(iii)	Complete the chemical equation for the reaction of aqueous bromine with aqueous potassium iodide.
	$Br_2 + 2KI \rightarrow \dots + \dots$ [2]
(c) De	scribe a test for iodide ions.
tes	t
res	sult
	[2]

(d)	Chlorine is used to make the polymer PVC.						
	(i)	Give <b>one</b> other use of chlorine.					
		[1]					
	(ii)	The monomer used to make PVC is made by the thermal decomposition of dichloroethane.					
		$CH_2Cl-CH_2Cl \rightarrow CH_2=CHCl + HCl$					
		Explain what is meant by the term thermal decomposition.					
		[2]					
	(iii)	PVC is a non-biodegradable plastic.					
		Describe <b>two</b> pollution problems caused by non-biodegradable plastics.					
		1					
		2					
		[2]					
		[Total: 12]					

**5** Citronellol is found in rose oil.

The structure of citronellol is shown.

(a)	On the structure shown draw a circle around the alcohol functional group.	[1]
(b)	How many hydrogen atoms are there in <b>one</b> molecule of citronellol?	
		[1]
(c)	What feature of the citronellol structure shows that it is unsaturated?	
		ra i

(d) The table shows the properties of some alkanes.

alkane	number of carbon atoms in one molecule	melting point in °C	boiling point in °C	density of liquid alkane in g/cm³
methane	1	-182	-162	0.466
ethane	2	-183	-88	0.572
propane	3	-188		0.585
butane	4		0	0.601
pentane	5	-130	36	0.626

(i)	Describe how the density of the liquid alkanes varies with the number of carbon atoms in one molecule.
	[1]
(ii)	Predict the boiling point of propane.
	[1]
(iii)	Why would it be difficult to predict the melting point of butane from the information in the table?
	[1]
(iv)	What is the state of pentane at 30 °C? Explain your answer.
	[2]
(v)	Alkanes are hydrocarbons.
	What is the meaning of the term <i>hydrocarbon</i> ?
	[2]
(vi)	Draw the structure of ethane. Show all of the atoms and all of the bonds.
	[1]
vii)	Complete the chemical equation for the combustion of propane.
	$C_3H_8 +O_2 \rightarrowCO_2 + 4H_2O$
	[2]
	[Total: 13]

6 (a) The table shows the properties of some metals.

metal	density in g/cm <sup>3</sup>	melting point in °C	relative strength	relative electrical conductivity	cost
aluminium	2.7	660	7.0	4.0	expensive
iron	7.9	1535	21.0	1.1	cheap
lead	11.3	328	1.5	0.5	expensive
silver	10.5	962	2.0	6.7	very expensive
tungsten	19.4	3420	12.0	2.0	expensive

Use the information in the table to answer the questions.

		·	
	(i)	Which metal would be most useful for making overhead power cables? Give <b>two</b> reasons for your answer.	
		metal	
		reason 1	
		reason 2	
	(ii)	Why is iron and <b>not</b> tungsten used to reinforce concrete?	[2]
			[1
	(iii)	The front part of a space rocket is called a nose cone. The nose cone gets <b>very</b> hot as space rocket moves through the air.	the
		Which metal is best to make a space rocket nose cone? Explain your answer.	
			[1
(b)	Tun	gsten is a transition element.	
	Sta	te two physical properties of transition elements which are not shown by Group I elemer	าts
	1		
	2		
			[2

(	c)	When extremel	v hot tunasten	reacts with oxygen,	tunasten(VI	) oxide is formed.
•	-,		,		, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, 0,4.0.0 .0 .0

Balance the chemical equation for this reaction.

.....W + .....
$$O_2 \rightarrow 2WO_3$$
 [2]

(d) Some information about the reaction of four metals with oxygen is given.

cobalt: reacts slowly at high temperatures

iron: thin wire burns when heated strongly

magnesium: burns when heated

tungsten: reacts very slowly at extremely high temperatures

List these metals in order of their reactivity. Put the least reactive metal first.

least reactive —		→ most reactive	
			[2]

**(e)** The table compares the time taken for reaction of an alloy with ethanoic acid, nitric acid and phosphoric acid, each at three different concentrations. The time taken for the alloy to decrease in mass by 1.0 g was measured. All other conditions were kept the same.


	time taken for reaction/hours								
acid	concentration of acid 0.04 mol/dm <sup>3</sup>	concentration of acid 0.02 mol/dm <sup>3</sup>	concentration of acid 0.01 mol/dm <sup>3</sup>						
ethanoic acid	92	190	410						
nitric acid	2	6	18						
phosphoric acid	19	39	80						

(i)	How does the concentration of acid affect the rate of reaction?	
		[1
(ii)	Which acid reacts most rapidly with the alloy?	
		[1

(iii)	Predict how long it vacid of concentration		alloy to decrease i	n mass by 1.0g us	ing phosphoric
(iv)	Suggest which <b>one</b> Draw a circle around	•	es is the pH of cond	en = centrated aqueous	
	pH 4	pH 7	pH 10	pH 13	[1]
					[Total: 14]

7	Carbon is an element in Gro	p IV of the Periodic Table. It reacts with ox	xygen to form carbon dioxide.
---	-----------------------------	---	-------------------------------

(a) The energy level diagram for this reaction is shown.



	Explain how this diagram shows that the reaction is exothermic.
	[1
(b)	Carbon monoxide, carbon dioxide and methane are all atmospheric pollutants.
	<ul> <li>Give the sources of these gases.</li> <li>Describe the effects that both carbon dioxide and methane have on the environment.</li> <li>State an adverse effect of carbon monoxide on health.</li> </ul>
	[5

(c)	Cal	cium carbonate decomposes to form calcium oxide (lime) and carbon dioxide.
	(i)	State one use of calcium oxide.
		[1]
	(ii)	Calculate the relative formula mass of calcium carbonate, $CaCO_3$ . Show all your working. Use your Periodic Table to help you.
		relative formula mass = [2]
(d)	Car	bon and magnesium are both insoluble in water. bon does <b>not</b> react with hydrochloric acid but magnesium reacts to form a soluble salt and as which escapes into the air.
		ggest how you could prepare a pure dry sample of carbon from a mixture of carbon powder magnesium powder.
		[3]
		[Total: 12]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

## **The Periodic Table of Elements**

								Gr	oup								
I	П											Ш	IV	V	VI	VII	VIII
				Key			1 H hydrogen 1										2 He helium 4
3	4			atomic numbe								5	6	7	8	9	10
Li	Be		ato	mic sym	ıbol							В	С	N	0	F	Ne
lithium 7	beryllium 9		rela	name ative atomic m	ass							boron 11	carbon 12	nitrogen 14	oxygen 16	fluorine 19	neon 20
11	12	-										13	14	15	16	17	18
Na	Mg											Αl	Si	Р	S	Cl	Ar
sodium 23	magnesium 24											aluminium 27	silicon 28	phosphorus 31	sulfur 32	chlorine 35.5	argon 40
19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
K	Ca	Sc	Ti	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr
potassium 39	calcium 40	scandium 45	titanium 48	vanadium 51	chromium 52	manganese 55	iron 56	cobalt 59	nickel 59	copper 64	zinc 65	gallium 70	germanium 73	arsenic 75	selenium 79	bromine 80	krypton 84
37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54
Rb	Sr	Υ	Zr	Nb	Мо	Tc	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te	I	Xe
rubidium 85	strontium 88	yttrium 89	zirconium 91	niobium 93	molybdenum 96	technetium –	ruthenium 101	rhodium 103	palladium 106	silver 108	cadmium 112	indium 115	tin 119	antimony 122	tellurium 128	iodine 127	xenon 131
55	56	57–71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86
Cs	Ba	lanthanoids	Hf	Ta	W	Re	Os	Ir	Pt	Au	Hg	T1	Pb	Bi	Po	At	Rn
caesium 133	barium 137		hafnium 178	tantalum 181	tungsten 184	rhenium 186	osmium 190	iridium 192	platinum 195	gold 197	mercury 201	thallium 204	lead 207	bismuth 209	polonium –	astatine –	radon —
87	88	89–103	104	105	106	107	108	109	110	111	112		114		116		
Fr	Ra	actinoids	Rf	Db	Sg	Bh	Hs	Mt	Ds	Rg	Cn		F1		Lv		
francium	radium		rutherfordium	dubnium	seaborgium	bohrium	hassium	meitnerium	darmstadtium	roentgenium	copernicium		flerovium		livermorium		
_	_		_		_	_	_	_	_	_	_		_		_		

	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71
lanthanoids	La	Ce	Pr	Nd	Pm	Sm	Eu	Gd	Tb	Dy	Но	Er	Tm	Yb	Lu
	lanthanum 139	cerium 140	praseodymium 141	neodymium 144	promethium —	samarium 150	europium 152	gadolinium 157	terbium 159	dysprosium 163	holmium 165	erbium 167	thulium 169	ytterbium 173	lutetium 175
actinoids	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103
	Ac	Th	Pa	U	Np	Pu	Am	Cm	Bk	Cf	Es	Fm	Md	No	Lr
	actinium –	thorium 232	protactinium 231	uranium 238	neptunium —	plutonium —	americium –	curium –	berkelium –	californium –	einsteinium –	fermium –	mendelevium –	nobelium —	lawrencium -

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).