

CHEMISTRY

Paper 2 Multiple Choice (Extended)

0620/22 October/November 2017

45 minutes

Additional Materials: Multiple Choice Answer Sheet Soft clean eraser Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

9518447

Do not use staples, paper clips, glue or correction fluid. Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you. DO **NOT** WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 16. Electronic calculators may be used.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of 14 printed pages and 2 blank pages.



1 The diagram shows the arrangement of particles in the three states of matter.



Solid carbon dioxide (dry ice) sublimes to gaseous carbon dioxide.

Which row describes the initial and final states?

	initial state	final state
Α	Р	R
В	Q	Р
С	R	Р
D	R	Q

2 During an experiment a measurement is recorded in cm³.

Which apparatus is used?

- A balance
- B measuring cylinder
- C stopclock
- D thermometer
- **3** A student carried out paper chromatography on a mixture of amino acids.

The student sprayed the dried chromatogram with a locating agent.

What is the function of the locating agent?

- A to dissolve the amino acids
- **B** to form coloured spots with the amino acids
- **C** to preserve the amino acids
- **D** to stop the amino acids reacting

4 Which row describes silicon(IV) oxide?

	has a giant structure	is an acidic oxide	conducts electricity
Α	✓	\checkmark	~
В	\checkmark	\checkmark	x
С	\checkmark	X	x
D	x	\checkmark	1

- 5 Why do isotopes of the same element have the same chemical properties?
 - **A** They have the same nucleon number.
 - **B** They have the same number of electrons in the outer shell.
 - **C** They have the same number of neutrons in the nucleus.
 - **D** They have the same number of protons as neutrons.
- **6** Which dot-and-cross diagram shows the outer shell electron arrangement in a molecule of carbon dioxide?



7 The equation for the reaction between phosphorus and oxygen is shown.

 $xP_4 + yO_2 \rightarrow zP_2O_5$

Which values of *x*, *y* and *z* balance the equation?

	x	У	Z
Α	1	5	2
В	1	10	2
С	2	5	2
D	2	10	1

8 The relative molecular mass of an alcohol is 88.

Its percentage composition by mass is: C, 54.5%; H, 9.1%; O, 36.4%.

Which row shows the empirical formula and molecular formula for this alcohol?

	empirical formula	molecular formula
Α	C₂H₄O	C₂H₄O
В	C ₂ H ₄ O	$C_4H_8O_2$
С	$C_4H_8O_2$	$C_4H_8O_2$
D	$C_4H_8O_2$	C₂H₄O

- 9 Which statements about the electrolysis of concentrated copper(II) chloride are correct?
 - 1 Electrons are transferred from the cathode to the copper(II) ions.
 - 2 Electrons move round the external circuit from the cathode to the anode.
 - 3 Chloride ions are attracted to the anode.
 - 4 Hydroxide ions transfer electrons to the cathode.

A 1 and 3 **B** 1 and 4 **C** 2 and 3 **D** 2 and 4

10 Which metal combination produces the highest voltage reading in the cells shown?



11 The equation for the combustion of methane is shown.

 $CH_4 \ + \ 2O_2 \ \rightarrow \ CO_2 \ + \ 2H_2O$

The energy change for the combustion of methane is -890 kJ/mol.

The bond energies are shown in the table.

bond	bond energy in kJ/mol
C–H	+410
O=0	+496
H–O	+460

What is the bond energy of the C=O bond?

A +49 kJ/mol **B** +841 kJ/mol **C** +1301 kJ/mol **D** +1335 kJ/mol

- 12 Which statement describes an exothermic reaction?
 - **A** The energy absorbed for bond breaking is greater than the energy released by bond formation.
 - **B** The energy absorbed for bond breaking is less than the energy released by bond formation.
 - **C** The energy released by bond breaking is greater than the energy absorbed for bond formation.
 - **D** The energy released by bond breaking is less than the energy absorbed for bond formation.
- **13** The mass of a beaker and its contents is plotted against time.

Which graph represents what happens when sodium carbonate reacts with an excess of dilute hydrochloric acid in an open beaker?



14 Copper metal donates electrons to silver ions.

Zinc metal donates electrons to copper ions.

What is the strongest reducing agent?

- A copper ions
- B copper metal
- **C** silver ions
- D zinc metal
- **15** Four statements about the effect of increasing temperature on a reaction are shown.
 - 1 The activation energy becomes lower.
 - 2 The particles move faster.
 - 3 There are more collisions between reacting particles.
 - 4 There are more collisions which have energy greater than the activation energy.

Which statements are correct?

A 1, 2 and 3 **B** 1, 3 and 4 **C** 2, 3 and 4 **D** 2 and 3 only

16 The formation of sulfur trioxide from sulfur dioxide is a reversible reaction.

 $2SO_2(g) + O_2(g) \rightleftharpoons 2SO_3(g)$

The forward reaction is exothermic.

Which changes would increase the equilibrium yield of SO₃?

- 1 increasing the pressure
- 2 lowering the temperature
- 3 decreasing the concentration of oxygen

A 1, 2 and 3 **B** 1 and 2 only **C** 1 only **D** 2 and 3 only

17 Some properties of four oxides are listed.

Oxide 1 reacts with both acids and alkalis to form salts.

Oxide 2 reacts with acids to form salts but does not react with alkalis.

Oxide 3 reacts with alkalis to form salts but does not react with acids.

Oxide 4 does not react with acids or alkalis.

Which row describes the oxides?

	oxide 1	oxide 2	oxide 3	oxide 4
Α	amphoteric	acidic	basic	neutral
в	amphoteric	basic	acidic	neutral
С	neutral	acidic	basic	amphoteric
D	neutral	basic	acidic	amphoteric

- **18** What is **not** a typical characteristic of acids?
 - **A** They react with alkalis producing water.
 - **B** They react with **all** metals producing hydrogen.
 - **C** They react with carbonates producing carbon dioxide.
 - **D** They turn blue litmus paper red.

19 Copper(II) sulfate can be prepared by adding excess copper(II) carbonate to sulfuric acid.

Why is an excess of copper(II) carbonate added?

- A to ensure all the copper(II) carbonate has reacted
- **B** to ensure all the sulfuric acid has reacted
- **C** to increase the rate of reaction
- **D** to increase the yield of copper(II) sulfate
- 20 Compound P reacts with hydrochloric acid to produce a gas that turns limewater milky.

What is P?

- A sodium carbonate
- B sodium chloride
- **C** sodium hydroxide
- D sodium sulfate
- 21 Which statement about nitrogen and phosphorus is not correct?
 - **A** Both are in the same group of the Periodic Table.
 - **B** Both are in the same period of the Periodic Table.
 - **C** Both are non-metals.
 - **D** Both have the same number of electrons in their outer shell.
- 22 Sodium and rubidium are elements in Group I of the Periodic Table.

Which statement is correct?

- A Sodium atoms have more electrons than rubidium atoms.
- **B** Sodium has a lower density than rubidium.
- **C** Sodium has a lower melting point than rubidium.
- **D** Sodium is more reactive than rubidium.
- 23 Which properties do the elements chromium, iron and vanadium have in common?
 - 1 They all conduct electricity.
 - 2 They, or their compounds, can act as catalysts.
 - 3 They all form coloured compounds.
 - **A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only

- 24 Why is argon gas used to fill electric lamps?
 - A It conducts electricity.
 - **B** It glows when heated.
 - **C** It is less dense than air.
 - D It is not reactive.
- **25** What is a property of **all** metals?
 - A conduct electricity
 - B hard
 - C low melting points
 - D react with water
- **26** Aluminium is extracted from bauxite by electrolysis.

Which row shows the anode material and the anode reaction?

	anode material	anode reaction
Α	carbon	Al^{3+} + $3e^- \rightarrow Al$
в	carbon	$20^{2\text{-}} \rightarrow 0_2 \ \text{+} \ 4\text{e}^{\text{-}}$
С	steel	Al^{3+} + $3e^- \rightarrow Al$
D	steel	$20^{2\text{-}} \rightarrow 0_2 \text{ + } 4e^{\text{-}}$

- 27 Which statement about the metal zinc is not correct?
 - A It forms an oxide more readily than iron.
 - **B** It is manufactured by the electrolysis of zinc blende.
 - **C** It is used to make brass.
 - **D** It is used to prevent iron from rusting.
- **28** Calcium nitrate decomposes when it is heated.

What is the equation for the thermal decomposition of calcium nitrate?

- $\textbf{A} \quad 2Ca(NO_3)_2 \ \rightarrow \ 2CaO \ + \ O_2 \ + \ 4NO_2$
- $\textbf{B} \quad Ca(NO_3)_2 \ \rightarrow \ Ca(NO_2)_2 \ + \ O_2$
- $\textbf{C} \quad Ca(NO_3)_2 \ \rightarrow \ Ca \ + \ O_2 \ + \ 2NO_2$
- $\textbf{D} \quad Ca(NO_3)_2 \ \rightarrow \ Ca \ + \ 3O_2 \ + \ N_2$

29 The flow chart shows stages in the treatment of river water to produce drinking water.



What occurs at stages X and Y?

	Х	Y
Α	distillation	chlorination
в	distillation	filtration
С	filtration	chlorination
D	filtration	distillation

30 An experiment to investigate the effect of galvanising iron is shown.



The experiment is left for seven days.

What happens to the water level in tubes X and Y?

	tube X	tube Y
Α	falls	rises
В	no change	no change
С	rises	falls
D	rises	no change

- 31 Which metal is used as a catalyst in the Haber process for the manufacture of ammonia?
 - A iron
 - B nickel
 - C platinum
 - D vanadium

- 32 Which process removes carbon dioxide from the atmosphere?
 - A combustion of fossil fuels
 - **B** decomposition of carbonates
 - **C** photosynthesis
 - **D** respiration
- 33 Which row shows the conditions used in the manufacture of sulfuric acid by the Contact process?

	temperature /°C	pressure / atm	catalyst
Α	40	200	Fe
В	40	200	V_2O_5
С	400	2	Fe
D	400	2	V_2O_5

34 Some marble chips (calcium carbonate) are heated strongly and substances X and Y are formed.

Substance X is a white solid that reacts with water, giving out heat. Substance Y is a colourless gas.

What are substances X and Y?

	Х	Y
Α	calcium chloride	oxygen
В	calcium hydroxide	carbon dioxide
С	calcium oxide	carbon dioxide
D	calcium sulfate	oxygen

35 The structures of four organic compounds are shown.



- 36 Which statement is not correct?
 - **A** Petroleum is a mixture of hydrocarbons.
 - **B** The main constituent of natural gas is ethane.
 - **C** The naphtha fraction of petroleum is used for making chemicals.
 - **D** When natural gas burns in air, carbon dioxide and water are formed.
- **37** X, Y and Z are three hydrocarbons.

X $CH_2=CH_2$ Y $CH_3-CH=CH_2$ Z $CH_3-CH_2-CH=CH_2$

What do compounds X, Y and Z have in common?

- 1 They are all alkenes.
- 2 They are all part of the same homologous series.
- 3 They all have the same boiling point.
- **A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only
- **38** The diagram shows a reaction sequence.



Which row names the processes X, Y and Z?

	Х	Y	Z
Α	cracking	fermentation	respiration
В	cracking	hydration	combustion
С	distillation	fermentation	respiration
D	distillation	hydration	combustion

39 The structure of an ester is shown.



Which substances react to form this ester?

- ethanol and ethanoic acid Α
- В ethanol and propanoic acid
- С propanol and ethanoic acid
- propanol and propanoic acid D
- **40** A polymer can be made from methyl propene.



Which diagram shows the structure of the polymer?









BLANK PAGE

14

BLANK PAGE

15

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.



200	
0	
22/	
ş	
1	
~	

The Periodic Table of Elements																	
Group																	
I	П												IV	V	VI	VII	VIII
Кеу																	2 He helium 4
3	4		;	atomic numbe	r							5	6	7	8	9	10
Li ^{lithium} 7	Be beryllium 9		rela	name name ative atomic m	ass							B ^{boron} 11	C carbon 12	N nitrogen 14	O _{oxygen} 16	F ^{fluorine} 19	Ne neon 20
11	12					-						13	14	15	16	17	18
Na	Mg											Al	Si	Р	S	Cl	Ar
sodium 23	magnesium 24											aluminium 27	silicon 28	phosphorus 31	sulfur 32	chlorine 35.5	argon 40
19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
K	Ca	Sc	Ti	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr
potassium 39	calcium 40	scandium 45	titanium 48	vanadium 51	chromium 52	manganese 55	iron 56	cobalt 59	nickel 59	copper 64	zinc 65	gallium 70	germanium 73	arsenic 75	selenium 79	bromine 80	krypton 84
37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54
Rb	Sr	Y	Zr	Nb	Mo	Tc	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te	Ι	Xe
rubidium 85	strontium 88	yttrium 89	zirconium 91	niobium 93	molybdenum 96	technetium -	ruthenium 101	rhodium 103	palladium 106	silver 108	cadmium 112	indium 115	tin 119	antimony 122	tellurium 128	iodine 127	xenon 131
55	56	57–71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86
Cs	Ba	lanthanoids	Hf	Та	W	Re	Os	Ir	Pt	Au	Hg	Τl	Pb	Bi	Po	At	Rn
caesium	barium		hafnium	tantalum	tungsten	rhenium	osmium	iridium	platinum	gold	mercury	thallium	lead	bismuth	polonium	astatine	radon
133	137	00.402	1/8	181	184	186	190	192	195	197	201	204	207	209	-	_	-
	Do	89-103 actinoids	Df		Sa	Dh		N/I+		Da							
francium	radium	dounoido			Seaborgium	DII	ns bassium	IVIL	US darmstadtium	roentgenium	conernicium		flerovium				
-	-		-	_		-	-	-	-	-			-		-		

lanthanoid

actinoids

	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71
noids	La	Ce	Pr	Nd	Pm	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu
	lanthanum	cerium	praseodymium	neodymium	promethium	samarium	europium	gadolinium	terbium	dysprosium	holmium	erbium	thulium	ytterbium	lutetium
	139	140	141	144	-	150	152	157	159	163	165	167	169	173	175
	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103
ds	Ac	Th	Pa	U	Np	Pu	Am	Cm	Bk	Cf	Es	Fm	Md	No	Lr
	actinium	thorium	protactinium	uranium	neptunium	plutonium	americium	curium	berkelium	californium	einsteinium	fermium	mendelevium	nobelium	lawrencium
	-	232	231	238	-	-	-	-	-	-		-	-		-

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).