



## **Cambridge International Examinations**

Cambridge International General Certificate of Secondary Education

CHEMISTRY		0620/43
CENTRE NUMBER	CANDIDATE NUMBER	
CANDIDATE NAME		

Paper 4 Theory (Extended)

October/November 2017

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 12.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.



Substances can be classified as elements, compounds or mixtures.

1


S	tate whether each of the following is an element, a compound or a mixture.	
(a	a) brass	[1]
(k	<b>o)</b> gold	[1]
(0	butane	[1]
(0	d) air	[1]
	[Tota	il: 4]

2

(i)	Define the term	moled	cule.				 
(ii)	Define the term	 n eleme					 [2
							_
) The	e table shows the	e comp			ions, <b>A</b> , <b>B</b> ,		 [1
			number of protons	numbe neutro	<b>I</b>	nber of ctrons	
		Α	10	10		10	
		В	10	12		10	
		С	12	10		10	
		D	13	14		10	
(ii) (iii)	What is the nuc		<b>D</b> are isotope	s of each	other?		[1
(iv)	Which of <b>A</b> , <b>B</b> ,	<b>C</b> and	<b>D</b> are atoms?				<b>1</b> 4
(v)	Which of <b>A</b> , <b>B</b> ,	<b>C</b> and	<b>D</b> are positive				 [1
) Co	mplete the table.						 [1
			I	ımber of protons	number o		
			Na				
			S <sup>2-</sup>				
			Cl <sub>2</sub>				

[3]

3 Iron is extracted from its ore using coke in a blast furnace.



(a)	Name the ore of iron which is mainly iron(III) oxide.
	[1]
(b)	Describe the reactions occurring in the blast furnace.
	<ul> <li>In your answer, include</li> <li>two reasons for using coke in the blast furnace,</li> <li>a chemical equation for the reduction of iron(III) oxide,</li> <li>an explanation for using limestone in the blast furnace.</li> </ul>

(c) (i) Describe the bonding in iron. Include a diagram in your answer.

	[3]
(ii)	Use your diagram in (c)(i) to explain why iron is malleable.
	[2]
(iii)	Iron containing a small amount of carbon is known as steel.
	Explain why steel is less malleable than iron.
	[2]
d) (i)	When iron is added to dilute sulfuric acid, an aqueous solution of iron ( $\rm II$ ) sulfate is formed as one of the products.
	Write a chemical equation for the reaction.
	[1]
(ii)	When iron(III) oxide is added to dilute sulfuric acid, an aqueous solution of iron(III) sulfate is formed as one of the products.
	Write a chemical equation for the reaction.
	[3]

- (e) Aqueous sodium hydroxide, aqueous potassium iodide and aqueous acidified potassium manganate(VII) are added to aqueous solutions of iron(II) sulfate and iron(III) sulfate.
  - Iron(II) ions, Fe<sup>2+</sup>, are reducing agents in aqueous solution.
  - Iron(III) ions, Fe<sup>3+</sup>, are oxidising agents in aqueous solution.


Complete the table.

reagent	observations with aqueous iron(II) sulfate	observations with aqueous iron(III) sulfate
aqueous sodium hydroxide	green precipitate	
aqueous potassium iodide		
aqueous acidified potassium manganate(VII)		no change

[4]

[Total: 22]

4 Hydrogen and oxygen react together in a hydrogen fuel cell. A hydrogen fuel cell is shown in the diagram.



(a) Name the process by which oxygen is obtained from air.

......[1]

(b)	(i)	In a hydrogen fuel cell, the hydrogen molecules are converted into hydrogen ions, had according to the ionic half-equation shown.	<b>Ⅎ</b> ⁺,
		$H_2 \rightarrow 2H^+ + 2e^-$	
		What type of reaction does this ionic half-equation represent?	
	(ii)	What <b>type</b> of substance reacts by donating hydrogen ions, H <sup>+</sup> ?	[1]
	(,		[1]
(c)	Wr	ite a chemical equation for the overall reaction that occurs in a hydrogen fuel cell.	[1]
(d)	Ну	drogen fuel cells are being developed as alternatives to petrol engines in cars.	
	(i)	Give <b>one</b> advantage of hydrogen fuel cells compared to petrol engines.	[1]
	(ii)	Give <b>one</b> disadvantage of hydrogen fuel cells compared to petrol engines.	
			. ' ]
(e)		me fuel cells use ethanol, $\rm C_2H_5OH$ , instead of hydrogen. Carbon dioxide and water and oducts of the reaction in an ethanol fuel cell.	re
	(i)	Write a chemical equation for the overall reaction occurring in an ethanol fuel cell.	
			[2]
	(ii)	State an environmental problem caused by the release of carbon dioxide into the atmosphere.	ιе
			[1]
	(iii)	Name the process by which ethanol can be manufactured from a renewable resource.	
			[1]
(f)	Na	me the process occurring when electrical energy is used to break down an ionic compoun	d.
			[1]
		[Total: 1	1]

5

(a) (i)	Name the products formed when sodium nitrate is heated.
(ii)	When copper(II) nitrate, $Cu(NO_3)_2$ , undergoes thermal decomposition, three products are formed. One of the products is nitrogen dioxide, $NO_2$ .
	Write a chemical equation for the thermal decomposition of copper(II) nitrate.
	[2]
	e chemical equation shows the equilibrium between dinitrogen tetroxide ( $N_2O_4$ , a colourless and nitrogen dioxide ( $NO_2$ , a brown gas).
	$N_2O_4(g) \rightleftharpoons 2NO_2(g)$ colourless brown
	nixture of dinitrogen tetroxide and nitrogen dioxide is allowed to reach equilibrium in a sed gas syringe.
(i)	In chemistry, what is meant by the term equilibrium?
(ii)	If the equilibrium mixture is heated at constant pressure, a darker brown colour is seen inside the gas syringe.
	What does this information indicate about the decomposition of dinitrogen tetroxide? Explain your answer in terms of the position of the equilibrium.
	[2]
(iii)	Suggest what you would see if the pressure on the equilibrium mixture were increased at constant temperature.  Explain your answer in terms of the position of the equilibrium.
	[2]

6

(a) All	(a) Alkanes and alkenes are two homologous series of hydrocarbons.							
(i)	What is meant by the term hydrocarbon?							
	[1]							
(ii)	What is the general formula of the homologous series of							
	alkanes,							
	alkenes?							
(iii)	[2] Other than having a general formula, state <b>two</b> characteristics of a homologous series.							
	1							
	2[2]							
(iv)	The structure of an alkene molecule with the molecular formula $C_4H_8$ is shown.							
	H H H H 							
	Draw the structure of a different alkene molecule with the molecular formula $C_4H_8$ . Show all of the atoms and all of the bonds.							
	[1]							
(v)	What term describes molecules with the same molecular formula but different structural formulae?							
	[1]							

(b)	25 cm <sup>3</sup> of a gaseous hydrocarbon,	$C_x H_v$	were	burnt in	150 cm <sup>3</sup>	of oxygen.	This \	vas i	an (	excess
	of oxygen.	. ,								

After cooling, the volume of the gases remaining was 100 cm³. This consisted of 75 cm³ of carbon dioxide and 25 cm³ of unreacted oxygen. The water that was produced in the reaction was liquid.

All volumes were measured at the same temperature and pressure.

(i)	What is meant	by an	excess	of oxygen?
-----	---------------	-------	--------	------------

.....[1]

(ii) What was the volume of oxygen that reacted with the hydrocarbon?

..... cm<sup>3</sup> [1]

(iii) Complete the table to show the smallest whole number ratio of volumes.

	volume of hydrocarbon reacted	:	volume of oxygen reacted	:	volume of carbon dioxide produced
smallest whole number ratio of volumes		:		:	

[1]

(iv) Use your answer to (b)(iii) to balance the chemical equation. Deduce the formula of the hydrocarbon.

$$C_xH_v(g) + .....O_2(g) \rightarrow .....CO_2(g) + .....H_2O(I)$$

formula of the hydrocarbon = ..... [2]

[Total: 12]

(a) Carbon and silicon are elements in Group IV of the Periodic Table.

7

(i)	Name the process by which carbon dioxide molecules move through the air into green plants.											
		[1]										
(ii)	Explain why silicon( $IV$ ) oxide ${\bf cannot}$ move through the air in the same way the carbon dioxide can.											
(iii)	Name the process by which carbon dioxide is converted into glucose, $C_6H_{12}O_6$ , in greplants. Give <b>two</b> conditions required for this process to occur. Write a chemical equat for the reaction which occurs.											
	name of process											
	condition 1											
	condition 2											
	chemical equation	 [5]										
		[]										
<b>(b)</b> Sta	rch is a natural polymer made from glucose.											
(i)	What type of polymerisation occurs when glucose is converted into starch?											
		[1]										
(ii)	What type of reaction occurs when starch is converted into glucose?											
		[1]										
(iii)	Starch can be represented as shown.											
	-0000-											
	Complete the diagram below to represent the structure of the glucose monomer.											
		[1]										

© UCLES 2017 0620/43/O/N/17

[Total: 10]

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

## The Periodic Table of Elements

Group																	
1	Ш	Cloup											IV	V	VI	VII	VIII
				Key			1 H hydrogen 1					III		-			2 He
3	4			atomic numbe				•				5	6	7	8	9	10
Li	Ве		atomic symbol									В	С	N	0	F	Ne
lithium 7	beryllium 9	name relative atomic mass										boron 11	carbon 12	nitrogen 14	oxygen 16	fluorine 19	neon 20
11	12	Totalive atomic mass										13	14	15	16	17	18
Na	Mg											Αl	Si	Р	S	Cl	Ar
sodium	magnesium											aluminium	silicon	phosphorus	sulfur	chlorine	argon
23	24				T			T				27	28	31	32	35.5	40
19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
K	Ca	Sc	Ti	V	Cr	Mn	Fe	Со	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr
potassium 39	calcium 40	scandium 45	titanium 48	vanadium 51	chromium 52	manganese 55	iron 56	cobalt 59	nickel 59	copper 64	zinc 65	gallium 70	germanium 73	arsenic 75	selenium 79	bromine 80	krypton 84
37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54
Rb	Sr	Υ	Zr	Nb	Мо	Tc	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te	I	Xe
rubidium	strontium	yttrium	zirconium	niobium	molybdenum	technetium	ruthenium	rhodium	palladium	silver	cadmium	indium	tin	antimony	tellurium	iodine	xenon
85	88	89 57–71	91	93	96	-	101	103	106	108	112	115	119	122	128	127	131
55	56 D.o.	57-71 lanthanoids	72	73 <b>T</b> o	74 W	75 De	76	77 T.,	78 D#	79 <b>A</b>	80	81 T <i>l</i>	82 Db	83 D:	84 De	85 <b>A 4</b>	86
Cs	Ва	iunthunoids	Hf	Та		Re	Os	Ir	Pt	Au	Hg	1	Pb	Bi	Po	At	Rn
caesium 133	barium 137		hafnium 178	tantalum 181	tungsten 184	rhenium 186	osmium 190	iridium 192	platinum 195	gold 197	mercury 201	thallium 204	lead 207	bismuth 209	polonium —	astatine –	radon —
87	88	89–103	104	105	106	107	108	109	110	111	112		114		116		
Fr	Ra	actinoids	Rf	Db	Sg	Bh	Hs	Mt	Ds	Rg	Cn		F1		Lv		
francium	radium		rutherfordium	dubnium	seaborgium	bohrium	hassium	meitnerium	darmstadtium	roentgenium	copernicium		flerovium		livermorium		
_	-		-	-	-	-	-	-	-	-	-		-		-		

	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71
lanthanoids	La	Ce	Pr	Nd	Pm	Sm	Eu	Gd	Tb	Dy	Но	Er	Tm	Yb	Lu
	lanthanum 139	cerium 140	praseodymium 141	neodymium 144	promethium —	samarium 150	europium 152	gadolinium 157	terbium 159	dysprosium 163	holmium 165	erbium 167	thulium 169	ytterbium 173	lutetium 175
	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103
actinoids	Ac	Th	Pa	U	Np	Pu	Am	Cm	Bk	Cf	Es	Fm	Md	No	Lr
	actinium –	thorium 232	protactinium 231	uranium 238	neptunium —	plutonium –	americium -	curium -	berkelium —	californium –	einsteinium –	fermium —	mendelevium -	nobelium -	lawrencium -

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).