

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions. A copy of the Periodic Table is printed on page 24.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
Total	

This document consists of 23 printed pages and 1 blank page.



(a) Fig. 1.1 shows the arrangement of molecules of water when it is a solid (ice), 1 (water) and a gas (steam).




Fig. 1.1

Complete the table by putting ticks into the appropriate boxes.

state	molecules have least energy	molecules have most energy	molecules are least strongly attracted to each other	molecules occupy fixed positions
ice				
water				
steam				

[4]


(b) A beaker contains warm water.

Some of the water evaporates.

Describe and explain what is happening to the molecules as the water evaporates.

.... [2]

_____g/cm³ [2]



- (a) On diagram A, write the letter X in a place where the alveolus in diagram B could be found.
 [1]
- (b) As air is drawn into the lungs, it flows through tubes lined with a tissue containing goblet cells and ciliated cells.
 - (i) Explain the meaning of the term *tissue*.

		•••••
		[2]
(ii)	On diagram A , write the letter Y where this tissue could be found.	[1]
(iii)	Explain how this tissue helps to prevent infections in the lungs.	
		[2]
		[-]

	4242	
	5	For Examiner's
(c) (i) On diagram B , carefully draw an arrow to show where oxygen moves durexchange.	Use B.
(ii) Name the process by which the oxygen moves. [1]	bridge.con
		1
(iii) Explain one way in which the structures shown in diagram B help gas exchange to occur efficiently.	
	[2]	




Fig. 3.1

		observations	Exam D Cambridge
	1.	After much heating, the mixture suddenly glowed even when the bunsen burner was removed.	
	2.	The drop of limewater went cloudy.	
	3.	When the mixture stopped glowing it contained traces of a brown solid.	
(i) State occurr		ervation, 1 , 2 or 3 , showed that an exothermic reaction	had
(ii) Name	the gas wh	nich is produced in this reaction.	
			[1]
(iii) Write a		ation for the reaction which occurred in the experiment in Fig.	3.1.
(iii) Write a		ation for the reaction which occurred in the experiment in Fig.	3.1.
Copper is	a word equa + a transitio	ation for the reaction which occurred in the experiment in Fig.	[2]
Copper is	a word equa + a transitio om those of	ation for the reaction which occurred in the experiment in Fig. + \longrightarrow + \longrightarrow + \bigcirc	[2] are

		42	
		8 car of mass 1200 kg is travelling forward at a constant speed of 20 m/s. 4.1 shows the driving force and the frictional force acting on the car.	
4	(a) A c	ar of mass 1200 kg is travelling forward at a constant speed of 20 m/s.	
-		. 4.1 shows the driving force and the frictional force acting on the car.	
		ing.	
		driving force	
		driving force	
		Fig. 4.1	1
	(i)	Explain why the car does not accelerate.	
		[1]	
	(ii)	Calculate the distance travelled by the car in 30 seconds.	
		State the formula that you use and show your working.	
		formula used	
		working	
		m [2]	
	(iii)	Calculate the work done by the driving force in 30 seconds.	
		State the formula that you use and show your working.	
		formula used	
		working	
		J [2]	

www.papaCambridge.com (b) A pedestrian steps into the path of the moving car. Fig. 4.2 shows a graph of h speed of the car changes from the moment when the driver sees the pedestrian the car stops.





Fig. 4.2

How long does it take between the driver seeing the pedestrian and the brakes being applied?

Explain your answer.


time taken	seconds
explanation	
	[2]

	444	
	10	F Exar
(c) A p	police car uses a siren and a blue light to alert people.	Can
(i)	Explain why sound needs a medium, such as air, to travel through.	abride
	10 police car uses a siren and a blue light to alert people. Explain why sound needs a medium, such as air, to travel through.	N
		[2]
(ii)	How will the sound of the siren change if the amplitude of the sound waves emitt is increased?	ed
		[1]
	e police communicate using radio waves. Both blue light and radio waves are part e electromagnetic spectrum.	of
(i)	State one property which all electromagnetic waves have in common.	
		[1]
(ii)	State one difference between blue light waves and radio waves.	
		[1]





			12 cose and starch are carbohydrates. The chemical formula of glucose is $C_6H_{12}O_6$. State the total number of atoms which are combined in one molecule of glucose.
6	(a)	Glu	cose and starch are carbohydrates.
		(i)	The chemical formula of glucose is $C_6H_{12}O_6$.
			State the total number of atoms which are combined in one molecule of glucose.
			[1]
		(ii)	Starch is a polymer which has been formed from glucose.
			Explain the meaning of this statement.
			,
			[2]
	(-)		teins are polymers which have been formed from amino acids. 6.1 shows an amino acid called cysteine. $ \begin{array}{c} H \\ S \\ H-C-H \\ H \\ N-C-C-O-H \\ H \\ H \\ O \\ \end{array} $ Fig. 6.1
		(i)	Give one reason why the molecule in Fig. 6.1 is not a carbohydrate.
			[1]
		(ii)	Cysteine was present in the bodies of sea creatures that long ago were changed
		()	into petroleum (crude oil). This means that petroleum contains sulphur.
			Explain why sulphur should be removed from fuels made from petroleum.
			[3]

		13 M. Day	For Examiner's
(c)		icin is an analgesic which was first extracted from the bark and leaves of the e. Chemists converted salicin into the more effective drug, aspirin.	Cannus.
	(i)	Why would a person take an analgesic?	'ide co.
			[1]
	(ii)	Suggest one reason why drugs like aspirin must be highly purified.	1
			 [1]



	12	
	15 er electricity has been generated, the voltage is increased before the electrony	
	er electricity has been generated, the voltage is increased before the electronsmitted through power lines.	Cam
(i)	Name the device which increases the voltage of the electricity.	
		[1]
(ii)	Explain why it is advantageous to increase the voltage before the electricity transmitted through power lines.	is
		[1]
(e) At	urbine in a gas-fired power station is made of a nickel alloy.	
(i)	Explain the meaning of the term alloy.	
		[1]
(ii)	Suggest a reason for using a nickel alloy rather than pure nickel.	
		[1]








(b) (i) State what is meant by a *mutation*.


(ii) Describe the effect of increasing the X-ray dose on the percentage of mutated sperms.

		122	
		17	
	(iii)	17 If 200 sperms were exposed to an X-ray dosage of 1000 rads, use the greater the number that would have mutations.	and
	(iv)	Explain how X-rays cause mutations.	"
		[[2]
(c)	Fru	it flies have four pairs of chromosomes in their cells.	
	Sor	ne of the mutations in the experiment above involved the loss of one chromosome.	
	(i)	How many chromosomes are there in a normal sperm of a fruit fly?	
		[[1]
	(ii)	A fruit fly sperm that had lost one chromosome fertilised a normal egg.	
		How many chromosomes would there be in the zygote?	
		[[1]

	12
	18 × 2
In man	y countries supplies of clean water for drinking are obtained from river water.
	18 y countries supplies of clean water for drinking are obtained from river water. ate two processes that are used to convert river water into water which is safe to mans to drink.
1.	
2.	[2]
(b) Sa	fe drinking water may still contain dissolved compounds which make the water hard.
(i)	Name a metallic element whose compounds cause hardness in water.
	[1]
(ii)	Suggest a reason why some natural water supplies are hard and others are not.
	[1]
(iii)	Describe how a soap solution can be used to find out whether a sample of water is hard.
	[2]
(iv)	Some types of water are said to contain temporary hardness. Describe one way in which temporary hardness may be removed from water.
	[1]



(ii) What conclusions can be drawn from Fig. 9.1 about the effect of temperature on the solubilities of the two salts?



°C [1]

www.papacambridge.com

10 Fig. 10.1 shows a circuit containing four ammeters, A_1 , A_2 , A_3 and A_4 .




Fig. 10.1

Table 10.1 shows the readings on each ammeter.

Table 10.1

ammeter	reading on ammeter / amps
A ₁	0.5
A ₂	0.2
A ₃	0.3
A ₄	0.5

(a) Electric current is a flow of electrical charge.

(i) State the name of the particle that carries charge around an electrical circuit.

[1]

(ii) State the unit of electrical charge.

[1]

		122		
		21		For Examiner's
(b)	(i)	Which one of the following statements about the resistor \mathbf{R}_1 in Fig. 10.1 is c Tick the correct box.	Camp	For Examiner's Use
		The resistance of \mathbf{R}_1 is less than 40 Ω .		dse.co
		The resistance of \mathbf{R}_1 is equal to 40 Ω .		133
		The resistance of \mathbf{R}_1 is greater than 40 Ω .	[1]	
	(ii)	Explain your answer.		-
			[1]	
(c)	(i)	Write down the equation connecting resistance ${\bf R},$ potential difference ${\bf V}$ current ${\bf I}.$	and	
			[1]	
	(ii)	Calculate the reading on the voltmeter.		
		Show your working.		
		V	[1]	
	(iii)	State the potential difference across the power supply.		
		V	[1]	
			L 3	

т	he diagram shows a food chain.	22	MANN POX	For Examiner's Use Use Cannon
		-	+	ASE.CON.
	oak tree caterpillar	small bird	hawk	
(a	a) Name the primary consumer in this fo	ood chain.		
				[1]
(k	b) Explain one way in which hawks are	adapted to be preda	tors.	
				[2]
(0	c) The arrows in the food chain show the	e direction of energy	[,] flow.	
	(i) Name the process by which the o in glucose.	oak tree transfers en	nergy from sunlight into en	ergy
				[1]
	(ii) Name the green pigment that abs	sorbs energy from su	unlight.	
				[1]
(0	d) An oak tree can be many metres tall.			
	Describe and explain how water from of the tree.	າ the soil is transpor	ted up to the leaves at the	e top
				[3]



BLANK PAGE

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.	
--	--

		_						Gr	oup									
Ι	II											III	IV	V	VI	VII	0	
							1 H Hydrogen 1										4 He Helium	
7 Li Lithium	9 Be Beryllium							_				11 B Boron 5	12 C Carbon 6	14 N Nitrogen 7	16 O Oxygen 8	19 F Fluorine 9	20 Ne Neon	
23 Na Sodium	24 Mg Magnesium 12											27 A1 Aluminium 13	28 Si Silicon 14	31 P Phosphorus 15	32 S Sulphur 16	35.5 C1 Chlorine 17	40 Ar Argon 18	
39 K Potassium	40 Ca Calcium 20	45 Sc Scandium 21	48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron 26	59 Co Cobalt 27	59 Ni Nickel 28	64 Cu Copper 29	65 Zn Zinc 30	70 Ga Gallium 31	73 Ge Germanium 32	75 As Arsenic 33	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton 36	2
85 Rb Rubidium	88 Sr Strontium 38	89 Y Yttrium 39	91 Zr ^{Zirconium} 40	93 Nb Niobium 41	96 Mo Molybdenum 42	Tc Technetium 43	101 Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver 47	112 Cd Cadmium 48	115 In Indium 49	119 Sn 50	122 Sb Antimony 51	128 Te Tellurium 52	127 I Iodine 53	131 Xe Xenon 54	24
133 CS Caesium	137 Ba ^{Barium} 56	139 La Lanthanum 57 *	178 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re _{Rhenium} 75	190 Os Osmium 76	192 Ir Iridium 77	195 Pt Platinum 78	197 Au _{Gold} 79	201 Hg Mercury 80	204 T 1 Thallium 81	207 Pb Lead 82	209 Bi Bismuth 83	Po Polonium 84	At Astatine 85	Rn Radon 86	
Fr Francium	226 Ra Radium 88	227 Ac Actinium 89 †																_
*58-71 Lanthanoid series †90-103 Actinoid series				140 Ce Cerium 58	141 Pr Praseodymium 59	144 Nd Neodymium 60	Pm Promethium 61	150 Sm Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	159 Tb Terbium 65	162 Dy Dysprosium 66	165 Ho Holmium 67	167 Er ^{Erbium} 68	169 Tm ^{Thulium} 69	173 Yb Ytterbium 70	175 Lu Lutetium 71	
у	X X	= relative atomic = atomic symbo = proton (atomic	bl	232 Th Thorium 90	Pa Protactinium 91	238 U Uranium 92	Np Neptunium 93	Pu Plutonium 94	Am Americium 95	Cm Curium 96	Bk Berkelium 97	Cf Californium 98	Es Einsteinium 99	Fermium 100	Md Mendelevium 101	No Nobelium 102	71 Lr Lawrenclum 103	