
Centre Number	Candidate Number	Name
		2
		°C2
UNIVER	SITY OF CAMBRID	GE INTERNATIONAL EXAMINATIONS
Inte	ernational General C	ertificate of Secondary Education
CO-ORDINA	TED SCIENCES	Name GE INTERNATIONAL EXAMINATIONS ertificate of Secondary Education 0654/03
		0054/05
Paper 3 Exte	ended	
		May/June 2006
		2 hours
	wer on the Question Pa	per.
NO Additional IV	laterials are required.	
EAD THESE INSTRU	JCTIONS FIRST	
rite your Centre num	ber, candidate number a	nd name on all the work you hand in.
rite your Centre num rite in dark blue or bla	ber, candidate number a	
rite your Centre num rite in dark blue or bla o not use staples, paj	ber, candidate number a ack pen.	
rite your Centre num rite in dark blue or bla o not use staples, pap nswer all questions. ou may use a pencil f	ber, candidate number a ack pen. per clips, highlighters, glu or any diagrams, graphs	ue or correction fluid. , tables or rough working.
frite your Centre num frite in dark blue or bla o not use staples, pap nswer all questions. ou may use a pencil f copy of the Periodic	ber, candidate number a ack pen. per clips, highlighters, glu for any diagrams, graphs Table is printed on page	ue or correction fluid. , tables or rough working. 24.
/rite your Centre num /rite in dark blue or bla o not use staples, pap nswer all questions. ou may use a pencil f copy of the Periodic ⁷ t the end of the exam	ber, candidate number a ack pen. per clips, highlighters, glu for any diagrams, graphs Table is printed on page ination, fasten all your w	ue or correction fluid. , tables or rough working. 24.
/rite your Centre num /rite in dark blue or bla o not use staples, pap nswer all questions. ou may use a pencil f copy of the Periodic ⁷ t the end of the exam	ber, candidate number a ack pen. per clips, highlighters, glu for any diagrams, graphs Table is printed on page ination, fasten all your w	ue or correction fluid. , tables or rough working. 24. ork securely together.
frite your Centre num frite in dark blue or bla o not use staples, pap nswer all questions. ou may use a pencil f copy of the Periodic t the end of the exam	ber, candidate number a ack pen. per clips, highlighters, glu for any diagrams, graphs Table is printed on page ination, fasten all your w	ue or correction fluid. , tables or rough working. 24. ork securely together.
frite your Centre num frite in dark blue or bla o not use staples, pap nswer all questions. ou may use a pencil f copy of the Periodic t the end of the exam	ber, candidate number a ack pen. per clips, highlighters, glu for any diagrams, graphs Table is printed on page ination, fasten all your w	ue or correction fluid. , tables or rough working. 24. ork securely together.
frite your Centre num frite in dark blue or bla o not use staples, pap nswer all questions. ou may use a pencil f copy of the Periodic t the end of the exam	ber, candidate number a ack pen. per clips, highlighters, glu for any diagrams, graphs Table is printed on page ination, fasten all your w	ue or correction fluid. , tables or rough working. 24. ork securely together.
/rite your Centre num /rite in dark blue or bla o not use staples, pap nswer all questions. ou may use a pencil f copy of the Periodic ⁷ t the end of the exam	ber, candidate number a ack pen. per clips, highlighters, glu for any diagrams, graphs Table is printed on page ination, fasten all your w	ue or correction fluid. , tables or rough working. 24. ork securely together. the end of each question or part question.
/rite in dark blue or bla o not use staples, pap nswer all questions. ou may use a pencil f copy of the Periodic t the end of the exam	ber, candidate number a ack pen. per clips, highlighters, glu for any diagrams, graphs Table is printed on page ination, fasten all your w	ue or correction fluid. , tables or rough working. 24. ork securely together. the end of each question or part question. For Examiner's Us

	intel 3 03e
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
Total	

00	od contains red cells, white cells and plasma.	Ca
(a)	2 od contains red cells, white cells and plasma. Outline the function of white blood cells.	nbrie .
(b)	The heart pumps blood around the body. Explain how the heart pushes blood into arteries.	the
	State and difference between the structure of exterios and the structure of voice	[2]
(C)	State one difference between the structure of arteries and the structure of veins. Explain how this difference relates to their different functions.	
	structure	
	function	
		[3]
(d)	Plants do not have a heart to pump fluids around them. Water is carried through xylem vessels from a plant's roots to its leaves.	
	Explain why this happens more quickly when it is warm than when it is cold.	
		[3]

www.papaCambridge.com 2 (a) A student uses a pH sensor connected to a computer to investigate four liquids, and **D**. The apparatus is shown in Fig. 2.1.




The results obtained when the pH sensor was placed into the liquids in the test-tubes are shown in Table 2.1.

tube	pН
А	14.0
В	7.0
С	1.0
D	6.0

Table 2.1


(i) Which liquid in Table 2.1 could be pure water? Explain your answer. (ii) Which liquid in Table 2.1 would react with iron(II) sulphate to form a green precipitate of iron(II) hydroxide? Explain your answer. [2] (iii) Which liquid in Table 2.1 contains the highest concentration of H⁺ ions? Explain your answer.[1]

www.papaCambridge.com (b) The student then used a temperature sensor in a second experiment as s Fig. 2.2.





The student opened the tap and added the hydrochloric acid slowly to the potassium hydroxide solution. She plotted a graph of the temperature of the mixture against the volume of acid added. Her graph is shown in Fig. 2.3.





The mixture became neutral when 15.0 cm³ of acid had been added.

(i) Explain why the temperature of the mixture increased when the acid was first added to the potassium hydroxide solution.


......[1]

	5	For
(ii)	5 Suggest why the temperature of the mixture decreased once 15.0 cm ³ of a been added.	Examiner's Use
	[2]	SE.COM
	The balanced equation for this reaction is	L
()	HCl (aq) + KOH (aq) \rightarrow KCl (aq) + H ₂ O (I)	
(iii)	Show that the number of moles of hydrochloric acid required to neutralise all of the potassium hydroxide was 0.0075. Show your working.	
	[2]	
(iv)	Calculate the concentration of the potassium hydroxide solution in mol/dm ³ . Show your working.	
	[3]	
(v)	Write an ionic equation for the neutralisation of any acid by any alkali.	
(•)	[1]	

	6 Inclear fission and nuclear fusion are both sources of energy. Apart from releasing energy, in what way are these two processes similar? [1]
(a) Nu	clear fission and nuclear fusion are both sources of energy.
(i)	Apart from releasing energy, in what way are these two processes similar?
	[1]
(ii)	In what way are these two processes different?
	[1]
(iii)	There are safety concerns about the use of nuclear fission as an energy resource. Describe and explain one of these safety concerns.
	[3]
(b) (i)	The voltage of electricity generated in a power station is increased using transformers for transmission through power lines to the users.
	Explain why this is done.
	[2]

- www.papacambridge.com 7 (ii) Fig. 3.1 shows a diagram of a simple transformer. -0 12 V 120 V 0 -0 10 turns Fig. 3.1 Use the equation $\frac{V_p}{V_s} = \frac{N_p}{N_s}$ to calculate the number of turns on the coil in the secondary circuit. number of turns = [1] (iii) Explain how a transformer changes the voltage of an electrical supply. Your explanation should include the terms induced current and magnetic field.
 - [3]

4 Big-horn sheep live on rocky mountain sides in Canada. The males have very large The size of their horns is caused by their genes.



(a) State **one** feature shown in the photograph that is found only in mammals.

			[1]
(b)	(i)	Name the part of a cell that contains the genes.	
			[1]
	(ii)	In which cells in the big-horn sheep's body will the gene for horn size be present	?
			[1]

(c) Hunters kill big-horn sheep and keep their horns as trophies. They kill the she the largest horns.

www.papacambridge.com Fig. 4.1 shows how the average size of the horns in a population of big-horn sheep changed between 1970 and 2005.





Fig. 4.1

Explain how hunting of big-horn sheep could have caused the general trend shown in Fig. 4.1.

		[4]
(d)	ln s	summer it may be very hot in the mountains, but in winter it is very cold.
	(i)	Explain how the big-horn sheep's sweat glands can help to keep them cool in summer.
		[2]
	(ii)	Explain how vasoconstriction can help to keep the sheep warm in winter.
		[3]





	11 Annu Daba	
	11	For Examiner's
(ii)	Human eyes are able to detect the three primary colours.	Use Shidde.co
	1	Se.con
	2	1
	3[1]	
(iii)	These three colours of light are electromagnetic waves. Apart from their colour, state one other way in which they differ from each other.	-


[1]


www.papaCambridge.com 12 (a) The diagrams below show some common raw materials which are changed 6 chemical reactions into useful products. Choose words from the list to complete each box. aluminium ammonia chlorine ceramics glass paper plastics useful products raw materials silicon(IV) oxide mixed with metal oxides clay OIL petroleum (crude oil) [3] (b) Explain why silicon (IV) oxide has a very high melting point. You may draw a diagram if it helps your answer. [2]

www.papaCambridge.com 13 (c) Petroleum (crude oil) undergoes many processes in order to provide a wide useful chemicals. Some of the alkane molecules from petroleum are cracked on the surface of a catalyst to produce a mixture of saturated and unsaturated hydrocarbons. Fig. 6.1 shows a schematic diagram of catalytic cracking. catalyst in the form of very small particles mixture of large cracking unit mixture of smaller saturated hydrocarbon saturated and unsaturated molecules hydrocarbon molecules Fig. 6.1 (i) Name the unsaturated hydrocarbon, produced by cracking, which is used to make ethanol, C_2H_6O . (ii) Write a balanced equation for the reaction referred to in (i) that produces ethanol.[1] (iii) Describe how a sample of the mixture coming from the cracking unit could be tested to show that it contained unsaturated compounds. [2] (iv) The mixture coming from the cracking unit contains molecules of different sizes. Suggest the name of a process which could be used to separate the mixture into individual substances. [1]










[3]

Name this element. [1] (ii) State which two of these elements have the same number of electrons in the outer shells of their atoms. Explain your answer briefly. elements and explanation [2]			emical symbols of three of these elements are N, P and K. One of these elements, when uncombined, is a metal.
(ii) State which two of these elements have the same number of electrons in the outer shells of their atoms. Explain your answer briefly. elements and	a	(י)	Name this element.
shells of their atoms. Explain your answer briefly. elements and			[1]
 explanation		(ii)	shells of their atoms.
(f) In industry, nitrogen from the atmosphere is used to make ammonia. Ammonia is used to make the salts ammonium nitrate and ammonium phosphate, which are added to sol used for growing crops. Fig. 9.1 shows a diagram of the industrial process used to make ammonia. Initrogen hydrogen Initrogen </td <th></th> <td></td> <td>elements and</td>			elements and
(b) In industry, nitrogen from the atmosphere is used to make ammonia. Ammonia is used is make the salts ammonium nitrate and ammonium phosphate, which are added to sol used for growing crops. Fig. 9.1 shows a diagram of the industrial process used to make ammonia. In the industrial process used to make ammonia is shown below. In the equation for the formation of ammonia is shown below. $H_2(g) + 3H_2(g) \implies 2NH_3(g)$			explanation
to make the salts ammonium nitrate and ammonium phosphate, which are added to soil used for growing crops. Fig. 9.1 shows a diagram of the industrial process used to make ammonia. $\begin{array}{c} \text{nitrogen hydrogen} \\ \text{of the equation for the formation of ammonia is shown below.} \\ \text{Fig. 9.1} \end{array}$ (1) The equation for the formation of ammonia is shown below. $\begin{array}{c} \text{N}_2(g) + 3\text{H}_2(g) \ \rightleftharpoons 2\text{NH}_3(g) \end{array}$			[2]
$N_2(g) + 3H_2(g) \implies 2NH_3(g)$		5	
$N_2(g) + 3H_2(g) \implies 2NH_3(g)$			A ammonia ammonia separator
			A mmonia separator Fig. 9.1
Name the two main gases in the mixture flowing through pipe A .		(i)	$ \begin{array}{c} & & \\ & & $
		(i)	$ \begin{array}{c} & & \\ & & $



10	(a)	20 Explain why the pressure inside a car tyre increases as the tyre gets hotter.	For Examiner's Use
10	(u)		S.
			300
			com
		[2]	
	(b)	Explain why snow skis have a large surface area.	
		[2]	
	(c)	Explain why an earthquake taking place inside the Earth can be detected on the surface.	
		[2]	



BLANK PAGE



BLANK PAGE



BLANK PAGE

Copyright Acknowledgements:

Question 4 © William Ervin/Science Photo Library

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department

DATA SHEET The Periodic Table of the Elements

								Gr	oup									
I	II											III	IV	V	VI	VII	0	
							1 H Hydrogen 1										4 He Helium	
7 Li Lithium 3	9 Be Beryllium							_				11 B Boron 5	12 C Carbon 6	14 N Nitrogen 7	16 O Oxygen 8	19 F Fluorine 9	20 Ne Neon 10	
23 Na Sodium 11	24 Mg Magnesium 12											27 A1 Aluminium 13	28 Si Silicon 14	31 P Phosphorus 15	32 Sulphur 16	35.5 C1 Chlorine 17	40 Ar Argon 18	
39 K Potassium 19	40 Ca Calcium 20	45 Sc Scandium 21	48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron 26	59 Co Cobalt 27	59 Ni ^{Nickel} 28	64 Cu Copper 29	65 Zn Zinc 30	70 Gallium 31	73 Ge Germanium 32	75 As Arsenic 33	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton 36	24
85 Rb Rubidium 37	88 Sr Strontium 38	89 Y Yttrium 39	91 Zr Zirconium 40	93 Nb Niobium 41	96 Mo Molybdenum 42	Tc Technetium 43	101 Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver 47	112 Cd Cadmium 48	115 In Indium 49	119 Sn Tin 50	122 Sb Antimony 51	128 Te Tellurium 52	127 I Iodine 53	131 Xe _{Xenon} 54	
133 CS Caesium 55	137 Ba Barium 56	139 La Lanthanum 57 *	178 Hf _{Hafnium} 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re Rhenium 75	190 OS Osmium 76	192 Ir Iridium	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury 80	204 T 1 Thallium 81	207 Pb Lead 82	209 Bi Bismuth 83	Po Polonium 84	At Astatine 85	Rn Radon 86	
Fr Francium 87	226 Ra Radium 88	227 Ac Actinium 89																_
*58-71 Lanthanoid series 90-103 Actinoid series				140 Ce Cerium 58	141 Pr Praseodymium 59	144 Nd Neodymium 60	Pm Promethium 61	150 Sm Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	159 Tb Terbium 65	162 Dy Dysprosium 66	165 Ho Holmium 67	167 Er Erbium 68	169 Tm Thulium 69	173 Yb Ytterbium 70	175 Lu Lutetium 71	J.N
беу	X X	e relative atom = atomic symb e proton (atom	bol	232 Th Thorium 90	Pa Protactinium 91	238 U Uranium 92	Np Neptunium 93	Pu Plutonium 94	Am Americium 95	Cm ^{Curium} 96	Bk Berkelium 97	Cf Californium 98	Es Einsteinium 99	Fm Fermium 100	Md Mendelevium 101	No Nobelium 102	Lr Lav	Dede dime
				The v	olume of o	one mole	of any ga	as is 24 di	m ³ at roo	m temper	ature and	d pressure	e (r.t.p.).				ouque	/
																103.8		
																woo		