UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

 CANDIDATE NAME

 CENTRE NUMBER

CO-ORDINATED SCIENCES

Paper 3 (Extended)

0654/31

May/June 2012 2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 28.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
Total	

This document consists of 28 printed pages.

www.papaCambridge.com Sugar cane is a food crop grown in Australia. It is harvested and then transported on 1 trains to the processing plant.

Fig. 1.1 shows one of the trains carrying sugar cane.



Fig. 1.1

(a) The mass of the engine and empty trucks is 20000 kg and the mass of the sugar cane transported is 10000 kg.

The train travels at a speed of 0.5 m/s.

(i) Calculate the kinetic energy of the loaded train.

State the formula that you use and show your working.

formula used

working

		[2]
(ii)	To travel at this speed, a driving force of 1000000 N is needed.	
	Calculate the work done by the engine when the train travels 1 km.	
	State the formula that you use and show your working.	
	formula used	
	working	

[2]

www.papaCambridge.com (iii) It takes the train 5 minutes to travel 1 km. Calculate the power output of the State the formula that you use and show your working.

formula used

working

[2]

(b) The water used to irrigate one sugar cane farm comes from a waterfall. The farmer attempts to reconstruct an experiment which may have been carried out by James Joule in 1847.

Joule attempted to show that the water at the bottom of a waterfall was hotter than water at the top of the waterfall. His reasoning was that the water had gravitational potential energy at the top of the waterfall, which would be converted to kinetic energy as it fell. This kinetic energy would be changed to heat energy when the water fell into the pool at the bottom of the waterfall.

(i) 1 kg of water has 300 J of gravitational potential energy at the top of the waterfall.

State the maximum kinetic energy that 1 kg of water will have when it reaches the bottom of the waterfall. Explain your answer.

maximum kinetic energy explanation

......[1]

(ii) Assuming that all the kinetic energy of the water is converted to thermal (heat) energy, calculate the temperature rise in the 1kg of water. The specific heat capacity of water is 4200 J/kg °C.

State the formula that you use and show your working.

formula used

working

[3]

www.papaCambridge.com 2 Magnesium is a reactive metal that combines with both oxygen and nitrogen when a air. The white solid that remains after this combustion reaction contains mainly magned oxide mixed with a little magnesium nitride.

Nitrogen exists in the air in the form of diatomic molecules, N₂.

(a) A diagram of a nitrogen atom is shown below.



(i) Complete the bonding diagram below to show how all the outer electrons are arranged in a nitrogen molecule.



[2]

[1]

(ii) When magnesium reacts with nitrogen, the bonds in the nitrogen molecules are broken. Nitrogen atoms then combine with magnesium atoms to form the ionic compound magnesium nitride.

Draw a diagram of a nitride **ion**, N^{3-} , showing how **all** of the electrons are arranged.

(iii) Explain, in terms of protons and electrons, why the nitride ion carries an electrical charge of 3⁻.

..... [2]





Fig. 2.1

(i) Suggest the name of the gaseous element which forms on the surface of the anode in Fig. 2.1.

.....[1]

(ii) If an aqueous solution of magnesium chloride is used as the electrolyte instead of the molten salt, a colourless gas forms on the cathode instead of magnesium.

Suggest the name of this gas and describe a simple test which would confirm its identity.

gas	
test	
	[2]

www.papaCambridge.com 6 3 Fig. 3.1 shows part of a section across a root from a radish plant, photographed the microscope. 6 Fig. 3.1 (a) On Fig. 3.1, use a label line to label a root hair cell. [1] (b) Root hair cells absorb water from the soil. (i) Explain how root hair cells absorb water. _____ (ii) State one other function of root hair cells. [1] (iii) Explain how root hair cells are adapted for their functions. [2]

- www.papaCambridge.com (c) A complete radish plant was placed with the lower part of its root standing in w soluble red dye was added to the water. After a while, the veins in the leaves of radish plant became red.
 - (i) Name the tissue in the radish plant through which the coloured water was transported from the roots to the leaves.
 - [1]
 - (ii) On Fig. 3.1, write the letter A to show the position of this tissue in the root. [1]
 - (iii) Water was drawn up through the radish plant because water vapour was constantly escaping from its leaves. A plastic bag was placed over the leaves of the radish plant and the water vapour formed colourless droplets of liquid water on the bag as it condensed.

Explain why these water droplets were not red.

[2]

			444
			8
4	(a)	A b	at produces a sound wave with a frequency of 212 kHz and a wavelength of 0.0
		(i)	State the meaning of the terms <i>frequency</i> and <i>wavelength</i> , when describing wave. You may use a diagram if it helps your explanation.
			frequency
			wavelength
			101
		(::)	[2]
		(11)	State the formula that you use and show your working
			formula used
			working
			[2]

- www.papaCambridge.com (iii) Sound travels through the air by a series of compressions and rarefactions. Describe what this means in terms of air particles. [2]
- (b) The two incomplete diagrams below show rays of light travelling through a rectangular glass block.
 - (i) Fig. 4.1 shows a ray of light passing out of a glass block.



Fig. 4.1

On Fig. 4.1, label the angle of incidence, *i*, and the angle of refraction, *r*. [2]

(ii) Fig. 4.2 shows a ray of light that does not pass out of the glass block. This is called total internal reflection.





On Fig. 4.2, label the angle of reflection.

[1]

(iii) Describe **one** way in which total internal reflection of light is used.

..... [2]

5 Marmots are herbivorous mammals. Fig. 5.1 shows a marmot.



Fig. 5.1

(a) Explain how mammals, such as marmots, use food to help to keep their body temperature constant.

[3]

(b) A study has been carried out on the marmots living in Colorado, USA.

The winters in this part of Colorado are so cold that the marmots would not be able to find enough food to eat. Instead, they allow their body temperature to drop much lower than normal and stay inactive for many months. This is called hibernation. They do not eat while they are hibernating. They emerge from hibernation in spring.

Before they hibernate, marmots build up large fat stores beneath their skin.

(i) Suggest and explain what marmots must do in order to build up large fat stores in their bodies.

[0]
[2]

www.papaCambridge.com

www.papaCambridge.com Fig. 5.2 shows the percentage of marmots with different body masses that through the winter.



Fig. 5.2

(ii) Describe the relationship between a marmot's body mass and its chance of surviving the winter.

..... [2] (iii) Suggest how a layer of fat beneath the skin can reduce heat transfer from a hibernating marmot's body to its surroundings. [1]

www.papaCambridge.com (c) In the last twenty years in Colorado, spring has been arriving earlier in the year a result of global warming. Explain how human activities, other than the combustion of fossil fuels, are thought to be contributing to global warming.

..... [3]

(d) Fig. 5.3 shows the mean body mass of the marmots on the first day of August (during summer) between 1976 and 2006.





(i) Describe the general trend shown in Fig. 5.3. [1] (ii) Suggest how the earlier arrival of spring could be responsible for this trend. [1]

www.papaCambridge.com Fig. 6.1 shows the apparatus a student used to investigate the effect of changing **T** 6 concentration on the rate of reaction between dilute hydrochloric acid and magnesium the start of the experiment the measuring cylinder contained no gas and was full of water.



Fig. 6.1

To carry out his investigation the student used the following method.

- He dropped the magnesium into the dilute acid. •
- He immediately placed the bung into the side-arm test-tube and started a stopclock.
- He measured the volume of gas in the measuring cylinder every half minute for eight minutes.

He carried out two experiments, A and B, in which the only variable that he changed was the concentration of the hydrochloric acid.

(a) State two other variables (factors) that the student needed to keep the same in experiments **A** and **B**.

1	
2	[1]



(i) In which experiment, **A** or **B**, did the student use hydrochloric acid which had the higher concentration?

Explain your answer.	
experiment	
explanation	
	[1]

- www.papaCambridge.com 15 (ii) The student was told that he could calculate the average rate of reaction using maximum volume of gas collected average rate of reaction = minimum time taken to collect maximum volume Use the information in Fig. 6.2 to calculate the average rate of reaction for experiment A. Show your working and state the units. [3] (c) The balanced symbol equation for the reaction between hydrochloric acid and magnesium is shown below. Mg (s) + 2HCl (aq) \rightarrow MgCl₂ (aq) + H₂ (g) (i) What is meant by the state symbol (aq) in this equation? [1] (ii) Calculate the number of moles of magnesium atoms contained in 6.0g of magnesium metal. Show your working.
 - [2]

www.papaCambridge.com 16 7 Nuclear power can be used to generate electricity. (a) Energy is released from atoms during nuclear fission. Describe what happens to the nuclei of atoms during nuclear fission. (b) When an unstable strontium-90 nucleus changes into an yttrium nucleus, a beta particle is emitted. Ο strontium beta yttrium nucleus nucleus particle (i) What is a beta particle? [1] (ii) The nucleus of the strontium-90 atom contains 38 protons and 52 neutrons. How many protons and neutrons are there in the yttrium nucleus that is produced? number of neutrons _____ [2] number of protons (iii) Explain how a neutral atom may be changed by a collision with a beta particle. [2]



(c) The graphs in Fig. 7.1 show how the count rate for three different radioactive s X, Y and Z, changes with time.

(ii) Which source, X, Y or Z has the shortest half-life?

[1]

- 8 An element is a substance that is made of atoms which have the same proton h Most atoms contain protons, neutrons and electrons.
- www.papaCambridge.com (a) The electronic structures (configurations) of atoms of three elements, P, Q and R are shown below. P, Q and R are not the chemical symbols of these elements.

Ρ 2,8,1 2,8 R 2,7 Q

(i) Use the electronic structures to state and explain the group numbers in the Periodic Table that contain elements P, Q and R.

	Ρ	Group		
	Q	Group		
	R	Group		
	exp	lanation		
				[2]
(ii)	Sta	te and ex	xplain which of the elements, P , Q or R , is the least reactive.	
	elei	ment		
	exp	lanation		
				[1]
(iii)	Sta ele	te and e ctricity.	explain which one of the elements, P , Q or R , is a good conductor	of
	ele	ment		
	exp	lanation		
				[1]

www.papaCambridge.com (b) Most metallic elements occur combined with non-metals in the Earth's cru thousands of years, humans have carried out chemical reactions to extract metals their ores.

Fig. 8.1 shows a cross-section through a shaft furnace which was a simple reaction vessel used by ancient civilisations to extract iron.



Fig. 8.1

In this shaft furnace the mixture of raw materials consisted of charcoal and iron ore. Charcoal contains mainly carbon, and iron ore contains iron oxide.

Nowadays iron is extracted from iron ore in a blast furnace.

(i) Name another raw material, which is added to a modern blast furnace but which is not present in the shaft furnace in Fig. 8.1.

Explain briefly why this material is used.

	name of material
	reason this material is used
	[2]
(ii)	Iron is extracted from iron ore when a gaseous oxide of carbon reacts with iron oxide.
	Write a word chemical equation for this reaction.
	[2]



(.)	– •	202
(a)	Def	ine the term hormone.
		V
		·····
	•••••	[3]
(b)	Insu con	ulin and glucagon are hormones that help to keep the blood glucose concentration stant.
	(i)	Name the gland that produces insulin and glucagon.
		[1]
	(ii)	Describe how the production of insulin helps to lower the concentration of glucose in the blood.
		[2]
(c)	Adr per:	enaline is sometimes called the 'fright, flight or fight' hormone. It is produced when a son is frightened.
	Des	scribe two effects of adrenaline on the body.
	For frigł	each effect, explain how it helps the person to respond to the event that has htened them.
	effe	ect 1
	how	v it helps
	effe	ect 1
	how	v it helps

- www.papaCambridge.com 10 (a) A student investigates how the change in potential difference across a lamp affect current flowing through it.
 - (i) Draw the circuit diagram that the student uses.

[3]

(ii) During his investigations the student measures the voltage across the lamp as 3.0V and the current passing through the lamp as 0.3A.

Calculate the resistance of the lamp.

State the formula that you use and show your working.

formula used

working

[2]

(b) Table 10.1 shows some information about six pieces of wire, all at room temp (20°C).

23 Table 10.1 shows some information about six pieces of wire, all at room temp (20 °C). Table 10.1				
wire	metal composition	length/cm	cross-sectional area/mm ²	
Α	copper	10	0.5	
В	nichrome	10	0.5	
С	copper	20	0.5	
D	nichrome	20	0.5	
Е	copper	10	1.0	
F	copper	20	1.0	

(i) Which wire, **B** or **D**, will have the greater resistance?

Explain your answer.

wire

(ii) Which wire, A or E, will have the greater resistance?

Explain your answer.

wire

[1]

.....

[1]

(iii) If the resistance of wire **A** is 10Ω , state the resistance of wires **C** and **E**.

wire **C** resistance =

wire E resistance =

Explain your answers.

..... [2]



(i) State the probability that their first child would have cystic fibrosis.

[1]

(ii) Explain your answer to (i). You may use a genetic diagram as part of your explanation.

	25 XXXXX. D	
(c)	A person with cystic fibrosis makes very thick mucus. This can form a thick cover the inner surfaces of the alveoli in the lungs. Explain how this would make gas exchange difficult.	For iner's
	[2	

12 The element carbon is combined with other elements in millions of different compound

Chemists have organised carbon compounds into families which have similar chemic properties to one another.

www.papaCambridge.com (a) (i) The structures of three molecules together with the names of three families of carbon compounds are shown below.

Draw straight lines to connect the molecules with the family to which they belong.



[2]

(ii) Complete the molecular structure below to show a hydrocarbon molecule which contains four carbon atoms and eight hydrogen atoms combined together.



[2]



Copyright Acknowledgements:

Question 3 Photograph

© B23WP8 cross section of a radish root; Biodisc/Visuals Unlimited/Alamy.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of

	1							Gr	oup			1	1	T	1	1		_
	II							1					IV	V	VI	VII	0	
							1 H Hydrogen 1										4 He Helium	
7 Li Lithium 3	9 Be Beryllium											11 B Boron 5	12 C Carbon 6	14 N Nitrogen 7	16 O Oxygen 8	19 F Fluorine 9	20 Ne Neon 10	
23 Na ^{Sodium}	24 Mg Magnesium 12											27 A 1 Aluminium 13	28 Si Silicon 14	31 P Phosphorus 15	32 S Sulfur 16	35.5 C1 Chlorine	40 Ar Argon 18	
39 K Potassium 19	40 Ca Calcium 20	45 Sc Scandium 21	48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron 26	59 Co Cobalt 27	59 Ni ^{Nickel} 28	64 Cu Copper 29	65 Zn Zinc 30	70 Ga Gallium 31	73 Ge Germanium 32	75 As Arsenic 33	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton 36	N
85 Rb Rubidium 37	88 Sr Strontium 38	89 Y Yttrium 39	91 Zr Zirconium 40	93 Nb Niobium 41	96 Mo Molybdenum 42	Tc Technetium 43	101 Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver 47	112 Cd Cadmium 48	115 I n Indium 49	119 Sn 50	122 Sb Antimony 51	128 Te Tellurium 52	127 lodine 53	131 Xe _{Xenon} 54	ŏ
133 Cs Caesium 55	137 Ba Barium 56	139 La Lanthanum 57 *	178 Hf ^{Hafnium} 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re Rhenium 75	190 Os Osmium 76	192 I r Iridium 77	195 Pt Platinum 78	197 Au _{Gold} 79	201 Hg Mercury 80	204 T 1 Thallium 81	207 Pb Lead 82	209 Bi Bismuth 83	Po Polonium 84	At Astatine 85	Rn Radon 86	
Fr Francium 87	226 Ra Radium 88	227 Ac Actinium 89 †				_	_							_				_
58-71 La 90-103 /	58-71 Lanthanoid series 90-103 Actinoid series				141 Pr Praseodymium 59	144 Nd Neodymium 60	Pm Promethium 61	150 Sm Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	159 Tb ^{Terbium} 65	162 Dy Dysprosium 66	165 Ho Holmium 67	167 Er Erbium 68	169 Tm ^{Thulium} 69	173 Yb Ytterbium 70	175 Lu ^{Lutetium} 71	
кеу	a a X X	a = relative atomic mass X = atomic symbol b = proton (atomic) number			Pa Protactinium 91	238 U Uranium 92	Np Neptunium 93	Pu Plutonium 94	Am Americium 95	Cm ^{Curium} 96	Bk Berkelium 97	Cf Californium 98	Es Einsteinium 99	Fm Fermium 100	Md Mendelevium 101	No Nobelium 102	Lr Lawrencium 103	
				The \	volume of	one mole	of any ga	as is 24 di	m ³ at rooi	m temper	ature and	l pressure	(r.t.p.).					eded

DATA SHEET The Periodic Table of the Elements