

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

Middle Con

| _ | |
|--------|--|
| * v | |
| x | |
| ۷ ا | |
| N | |
| v | |
| ` | |
| N | |
| x | |

| CANDIDATE NAME | | | | | |
|-------------------|--|--|---------------------|--|--|
| CENTRE NUMBER | | | CANDIDATE NUMBER | | |

CO-ORDINATED SCIENCES

0654/23

Paper 2 (Core)

May/June 2012

2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 28.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

| For Exam | iner's Use |
|----------|------------|
| 1 | |
| 2 | |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| 10 | |
| 11 | |
| 12 | |
| Total | |

This document consists of 26 printed pages and 2 blank pages.



1 (a) Most atoms of metallic elements found in the Earth's crust exist in compounds ores which are contained in rocks.

www.papaCambridge.com The chemical formulae of some metal compounds found in ores, together with the names of the ores, are shown below.

| argentite | Ag_2S |
|-----------|---------|
|-----------|---------|

chromite FeCr₂O₄

galena PbS

scheelite CaWO₄

| (i) | A binary | compound | is one | that | contains | only | two | different | elements |
|-----|----------|----------|--------|------|----------|------|-----|-----------|----------|
|-----|----------|----------|--------|------|----------|------|-----|-----------|----------|

State which of the compounds in the list above are binary compounds.

| [1] |
|------|
| |

(ii) State the ore from which the metallic element tungsten could be extracted.

| [1] |
|------|
| |

(b) Fig. 1.1 shows a diagram of an atom of the element lithium. This atom has a nucleon number (mass number) of seven.





Fig. 1.1

Complete Fig. 1.1 by labelling the particles that exist in the nucleus.

[2]

WANN, PARAC CAMBRIDGE COM (c) (i) A teacher dropped a small piece of sodium into a beaker containing cold was a thermometer. She stirred the mixture until all of the sodium had reacted.



Predict **two** observations that could be made as the sodium reacts with the water. 1 ______ 2 [2] (ii) Potassium is another element in the same group of the Periodic Table as sodium. State one way in which the reaction of potassium with cold water would be different from that of sodium. [1] (iii) Complete the word chemical equation for the reaction between potassium and water. potassium + water +


2 An athlete warms up by running along a race track.

He accelerates from rest and after 10 seconds reaches a maximum speed of 7 m/s.

He continues at this speed for another 10 seconds.

During the next 5 seconds, he steadily slows down and stops.

(a) Draw a speed-time graph to show the motion of the athlete.



[4]

(b) He then competes in a 200 m race. He completes the race in 25 seconds.

Calculate his average speed.

State the formula that you use and show your working.

formula used

working

| | | m/s | [2 |
|--|--|-----|----|
|--|--|-----|----|

| M | For iner's |
|---|---------------|
| | age C |
| | AT . |
| | |

(c) During a race the athlete cools down by sweating.

| | May |
|------|---|
| | fing a race the athlete cools down by sweating. |
| Dui | ring a race the athlete cools down by sweating. |
| (i) | Describe and explain, in terms of the movement of water molecules, ho evaporation cools down the athlete. |
| | |
| | |
| | |
| | [3] |
| (ii) | State two factors which would increase the rate of evaporation. |
| | and [1] |

| | plain what is meant by the term enzyme. |
|---------------|---|
| | [2] |
| o) Fig | g. 3.1 shows the effect of pH on the activity of an enzyme. |
| | ate of eaction 1 2 3 4 5 6 7 8 9 10 11 12 |
| | рН |
| | |
| | Fig. 3.1 |
| De | Fig. 3.1 escribe the effect of pH on the activity of this enzyme. |
| | escribe the effect of pH on the activity of this enzyme. [2] protease enzyme works in the human stomach, where hydrochloric acid is secreted. |
| | escribe the effect of pH on the activity of this enzyme. [2] Dirotease enzyme works in the human stomach, where hydrochloric acid is secreted. is enzyme is adapted to work best in these conditions. |

[2]

| | The state of the s | |
|-------|--|------------|
| | 7 | |
| (iii) | Name the substrate and product of a protease enzyme. | For iner's |
| | substrate | Strick |
| | product [2] | Se. COM |
| (iv) | Explain how the activity of this enzyme makes it possible for body cells to obtain nutrients from the food inside the digestive system. | |
| | | |
| | [2] | |

| 4 | (a) | A car tyre is inflated with air. |
|---|-----|---|
| | | Explain how the air molecules in the tyre exert a pressure on the wall of the tyre. |
| | | |
| | | |
| | | [2] |
| | (b) | Many forces act on a car tyre during a car journey. |
| | | State three effects that forces can have on an object. |
| | | 1 |
| | | 2 |
| | | 3 |
| | | [2] |
| | (c) | Fig. 4.1 shows a car travelling in a straight line. The car is decelerating (slowing down). |
| | | F → B |
| | | Fig. 4.1 |
| | | The total forward force on the car is F and the total backward force is B . |
| | | Which force is greater, F or B ? |
| | | Explain your answer. |

(d) Using some of the words below, complete the sentences to explain the energy of which take place in a car when petrol (gasoline) is used to power the car.

WANN, P. BRIS CAMBRIDGE COM boiled burned cooled chemical kinetic heat nuclear sound energy. The petrol is Petrol (gasoline) contains

in the engine to produce heat energy. The heat energy is changed into _____ energy which moves the car. This process is not very efficient and much energy is wasted as energy and _____energy. [5]

(e) Car brake lights (stop lights) light up when the driver presses on the footbrake pedal. The pedal acts as a switch.

Draw a circuit diagram including a battery to show how this works.

Design your circuit so that if one brake light fails, the other still lights up.

5 In hydrocarbons, carbon atoms are joined in chains of various lengths.

Table 5.1 shows information about some hydrocarbons.

Table 5.1

| alkanes | | | | |
|---|---------------------|--|--|--|
| molecular structure | boiling point/°C | | | |
| H H | -87 | | | |
| H H H H—C—C—C—H H H H | -42 | | | |
| H H H H | 0 | | | |
| H H H H H | 36 | | | |

| alkenes | | |
|----------------------------------|--|--|
| molecular structure | | |
| H H C==C H H | | |
| H H H | | |
| H H H H | | |
| H H H H H | | |

- (a) Table 5.1 contains examples of both saturated and unsaturated hydrocarbons.
 - (i) Fig. 5.1 shows a simplified diagram of the industrial process used to produce unsaturated hydrocarbons.




Fig. 5.1

State the name of this process. [1]

| | (ii) | The reaction in (i) requires a catalyst. State the meaning of the term <i>catalyst</i> . |
|-----|------------|--|
| | | State the meaning of the term <i>catalyst</i> . |
| | | |
| | | |
| | | [2] |
| | (iii) | Describe a chemical test that is used to show whether a hydrocarbon is saturated or unsaturated. |
| | | |
| | | |
| | | [2] |
| (b) | The gas | alkanes in Table 5.1 occur naturally in deposits of petroleum (crude oil) and natural. |
| | Pet | coleum is separated into simpler mixtures by fractional distillation at an oil refinery. |
| | (i) | Fractional distillation relies on differences in the boiling points of hydrocarbons. |
| | | Describe the trend in boiling point shown by the alkanes in Table 5.1. |
| | | |
| | | [1] |
| | (ii) | Refinery gas is a useful fraction obtained from petroleum. |
| | | State one use for refinery gas. |
| | | [1] |
| (| (iii) | Gasoline is a mixture of hydrocarbons that is used as car fuel. |
| | | When gasoline is burned in car engines one of the waste gases (exhaust gases) is carbon monoxide. |
| | | Describe briefly how carbon monoxide is formed in a car engine and explain why this gas is considered to be a serious air pollutant. |
| | | |
| | | |
| | | [2] |

For iner's

BLANK PAGE

www.PapaCambridge.com


www.PatraCambridge.com 6 (a) Each time a human child is born, there is an equal chance that it will be a boy or Complete the genetic diagram to explain why.

| sex of parents | female | male |
|---------------------|--------|------|
| genotype of parents | XX | |
| gametes | | and |

gametes from woman gametes from man

[3]

(b) Hawksbill turtles are an endangered species. They lay their eggs in nests in the on a beach.



The sex of hawksbill turtles is determined by the temperature of the sand in which the eggs develop.

- At 29 °C, equal numbers of males and females develop.
- Higher temperatures produce more females.
- Lower temperatures produce more males.
- (i) Researchers measured the temperature, at a depth of 30 cm, in two different parts of a beach, on Antigua, where hawksbill turtles lay their eggs. The results are shown in Fig. 6.1. The tops of the bars represent the mean temperature.




Fig. 6.1

| | With reference to Fig. 6.1, describe the effect of the presence of trees temperature of the sand. | | | | | |
|--|--|---|--|--|--|--|
| | | | | | | |
| | | | | | | |
| | | | [2] | | | |
| ` ' | searchers counted the property of the two different parts of | • | nale turtles hatching from re shown in Table 6.1. | | | |
| | Та | ble 6.1 | | | | |
| part of beach | nests producing more males than females | nests producing more females than males | nests producing equal numbers of females and males | | | |
| open sand | 0 | 16 | 0 | | | |
| in forest | 36 | 0 | 0 | | | |
| Use the information in Fig. 6.1 to explain the results for nests in open sand and in forest, shown in Table 6.1. | | | | | | |
| . , | (iii) Suggest why hawksbill turtles might become extinct if all the forest by the beaches is cut down. | | | | | |
| | | | | | | |
| | | | | | | |
| | [2] | | | | | |
| result from | narmful effects to the envi | | ction of species, that can | | | |
| | | | | | | |

| (a) | The three types of nuclear radiation are alpha, beta and gamma. They can be idea by their different penetrating powers. Alpha radiation cannot penetrate paper. | | | | |
|-----|---|--|--|--|--|
| | Explain how you could identify beta and gamma radiations by their penetrating powers. | | | | |
| | beta radiation | | | | |
| | | | | | |
| | gamma radiation | | | | |
| | [2] | | | | |
| (h) | Gamma radiation is an electromagnetic wave with a short wavelength | | | | |
| (D) | Gamma radiation is an electromagnetic wave with a short wavelength. | | | | |
| | Explain the meaning of the term <i>wavelength</i> . You may draw a diagram if it helps your answer. | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | [0] | | | | |
| | [2] | | | | |
| (c) | Radon is a gas that emits alpha radiation. | | | | |
| | Explain why alpha radiation is dangerous to human beings. | | | | |
| | | | | | |
| | | | | | |
| | [2] | | | | |

| | the state of the s |
|------------|--|
| | 17 |
| Wa drir | ter supplies are often impure and have to be purified to make them safe for humank. State one process that is used to make water safe for humans to drink. |
| (a) | State one process that is used to make water safe for humans to drink. |
| | Explain, for the process you have chosen, how this process helps to purify the water. |
| | process |
| | how it purifies |
| | [2] |
| (b) | Water is a compound which contains the elements hydrogen and oxygen. |
| | Describe one difference, other than physical state, between the compound water and a mixture of the elements hydrogen and oxygen. |
| | |
| | |
| | [2] |

Table 8.1

| Table 8.1 shows info with water. | Table 8.1 shows information about water and two compounds that can form mixing with water. Table 8.1 compound melting point/°C boiling point/°C solubility in water | | | | |
|----------------------------------|---|------------------|---------------------|--|--|
| compound | melting point/°C | boiling point/°C | solubility in water | | |
| water | 0 | 100 | _ | | |
| sodium chloride | 801 | 1413 | soluble | | |
| hexane | – 95 | 69 | insoluble | | |

| | Describe briefly how a sample of sodium chloride could be obtained from a solution of sodium chloride. |
|-----|--|
| , | |
| | [2] |
| ` , | Use the information in Table 8.1 to predict and explain whether or not a mixture of hexane and water could be separated at room temperature (20 °C) by the method of filtration. |
| | |
| | [2] |

(d) A student was given some small pieces of two solid elements. One of these ele was a metal and the other was a non-metal.

WANN, PARAC CAMBRIDGE, COM The student burned the samples in air, using the apparatus shown in Fig. 8.1. The oxide of each element was produced.





Fig. 8.1

(i) One of the oxides was a solid at room temperature and the other was a gas.

State and explain, in terms of the type of chemical bonding involved, which oxide was a solid

| | was a soliu. |
|------|---|
| | type of element whose oxide was solid |
| | explanation |
| | |
| | [2] |
| (ii) | The student also found that both of the oxides dissolved and reacted with the water in the bottom of the gas jar. |
| | State and explain the colour of full range indicator (Universal Indicator) when a few drops are added to the solution formed by the oxide of the metal. |
| | colour |
| | explanation |
| | |
| | [2] |



(b) Fig. 9.1 is a photograph of a cross-section of a leaf, taken through a microscope.




Fig. 9.1

Name the parts of the leaf labelled **A** and **B**.

| | A | |
|-----|--|-----|
| | В | [2] |
| (c) | There are small gaps in the lower surface of the leaf, called stomata. | |
| | Explain the role of stomata in photosynthesis. | |
| | | |
| | | [2] |

[2]

| | May |
|-----|---|
| | 21 Stomata allow water vapour to diffuse out of the leaf. |
| (d) | Stomata allow water vapour to diffuse out of the leaf. |
| | State the correct term for the loss of water vapour from a leaf. |
| | [1] |
| (e) | Plants that live in hot, dry deserts often have fewer stomata than plants that live in places where there is plenty of water. |
| | Suggest how this helps the desert plants to survive. |
| | |
| | [1] |
| (f) | Most leaves have stomata on their lower surfaces. |
| | Plants that live in water, with leaves that float on the water, often have stomata on the upper surface of their leaves. |
| | Suggest how this helps the water plants to survive. |
| | |
| | |
| | [2] |
| (g) | Plants must have a good supply of magnesium ions, in order to grow well. |
| | State why they need magnesium ions. |
| | |
| | [1] |

| | | | The state of the s | |
|----|-----|-----------------------|--|-----------|
| | | | 22 | Papa Cann |
| 10 | (a) | Radio waves are elec | tromagnetic waves. Sound waves are not. | A Car |
| | | State three other way | s in which radio waves differ from sound waves. | |
| | | 1 | | |
| | | | | |
| | | 2 | | |
| | | | | |
| | | 3 | | |
| | | | | ····· |
| | | | | [3] |
| | (b) | Draw lines to connect | each type of radiation to its use. | |
| | | radiation | use | |
| | | gamma | examining bones and teeth | |
| | | microwave | remote controls for television sets | |
| | | infra-red | satellite communications | |
| | | X-rays | sterilising surgical instruments | |

[3]

(c) A student carried out an experiment to find the speed of sound in air by watch listening to a bell being rung.

He stood 500 m from the bell.




Fig. 10.1

The sound took 1.5s to travel from the bell to the student.

Calculate the speed of sound.

State the formula that you use and show your working.

formula used

working

_____m/s [2]

(d) The mass of the bell is 10 000 kg and it has a volume of 1.1 m³.

Calculate the density of the bell.

State the formula that you use and show your working.

formula used

working

.....kg/m³ [2]

www.Papa Cambridge.com 11 Fig. 11.1 shows apparatus a student used to investigate temperature change occurred during chemical reactions.




Fig. 11.1

The student added reactants to the insulated beaker and stirred the mixture. She recorded the final temperature of each mixture.

At the start of each experiment, the temperature of the reactants was 22 °C.

Table 11.1 contains the results the student obtained.

Table 11.1

| experiment | reactant A | reactant B | final temperature/°C |
|------------|--------------------------|------------------------------|-------------------------|
| 1 | dilute hydrochloric acid | sodium hydrogencarbonate | 16 |
| 2 | dilute hydrochloric acid | potassium hydroxide solution | 26 |
| 3 | magnesium | copper sulfate solution | 43 |
| 4 | copper | magnesium sulfate solution | 22 |

| (a) | (i) | Explain which experiment, 1 , 2 , 3 or 4 , was a neutralisation reaction between a acid and an alkali. | 1 |
|-----|-----|--|---|
| | | experiment | |
| | | explanation | |
| | | [1 | 1 |

| | (ii) | State and explain which experiment, 1, 2, 3 or 4, was an endothermic reaction | | | | | | | | | | |
|-----|--|--|--|--|--|--|--|--|--|--|--|--|
| | | experiment | | | | | | | | | | |
| | | explanation | | | | | | | | | | |
| | | [1] | | | | | | | | | | |
| | /:::\ | | | | | | | | | | | |
| | (iii) | Suggest why the temperature did not change when copper was added to magnesium sulfate solution. | | | | | | | | | | |
| | | [1] | | | | | | | | | | |
| (b) | | e student used the apparatus in Fig. 11.1 to carry out two further experiments, 5 and o investigate the exothermic reaction between zinc and copper sulfate solution. | | | | | | | | | | |
| | In experiment 5 the student used zinc powder and in experiment 6 she used a sing piece of zinc. The mass of zinc in both experiments was the same. Suggest and explain briefly in which experiment, 5 or 6 , the temperature increase more quickly. | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | ехр | eriment | | | | | | | | | | |
| | | lanation | | | | | | | | | | |
| | | [2] | | | | | | | | | | |
| | | | | | | | | | | | | |
| (c) | | en reactive metals are added to dilute acid, the metal reacts and dissolves and a is given off. Unreactive metals do not dissolve in acid. | | | | | | | | | | |
| | (i) | Name the gas that is given off, and describe how you would test for this gas. | | | | | | | | | | |
| | | gas | | | | | | | | | | |
| | | test | | | | | | | | | | |
| | | [2] | | | | | | | | | | |
| | (ii) | A student has a mixture of powdered zinc and powdered copper. | | | | | | | | | | |
| | | Suggest and explain how the student could use some dilute hydrochloric acid and usual laboratory apparatus to obtain some copper from this mixture. | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | থে | | | | | | | | | | |

For iner's

| 2 (a | a) | Define the term respirati | on. | ana C | | | | |
|------|---|---------------------------|----------------------------|---------------------------|--|--|--|--|
| | | | | | | | | |
| | | | [2 | | | | | |
| (1 | (b) Complete Table 12.1 to show the approximate percentages of oxygen, and nitrogen in inspired and expired air. Table 12.1 | | | | | | | |
| | | gas | percentage in inspired air | percentage in expired air | | | | |
| | | oxygen | 21 | | | | | |
| | | carbon dioxide | | 4 | | | | |
| | | nitrogen | | | | | | |
| | | | | | | | | |

For iner's

[2]

BLANK PAGE

www.PapaCambridge.com

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of

DATA SHEET The Periodic Table of the Elements

| | | | | | | | | Gr | oup | | | | | | | | |
|-----------------------------------|----------------------------------|---------------------------------------|------------------------------------|------------------------------------|-----------------------------------|-----------------------------------|-------------------------------------|------------------------------------|------------------------------|--------------------------------|-----------------------------------|--|------------------------------------|------------------------------------|-------------------------------------|------------------------------|----------------------------|
| I | II | III IV V VI VII | | | | | | | | | | | | | 0 | | |
| | 1 H Hydrogen 1 | | | | | | | | | | | | 4 He Helium | | | | |
| 7 Li Lithium 3 | 9 Be Beryllium | | | | | | | | | | | 11 B Boron | 12 C Carbon | 14 N Nitrogen | 16 O Oxygen 8 | 19 F Fluorine | 20 Ne Neon |
| 23 Na Sodium | 24 Mg Magnesium 12 | | | | | | | | | | | 27 A1 Aluminium 13 | 28 Si Silicon | 31 P Phosphorus 15 | 32 S Sulfur | 35.5 C1 Chlorine | 40 Ar Argon |
| 39 K Potassium 19 | 40 Ca Calcium 20 | 45 Sc Scandium 21 | 48 Ti Titanium 22 | 51 V Vanadium 23 | 52 Cr Chromium 24 | 55 Mn Manganese 25 | 56 Fe Iron | 59 Co Cobalt 27 | 59 Ni Nickel | 64 Cu Copper 29 | 65 Zn Zinc | 70 Ga Gallium | 73 Ge Germanium 32 | 75 As Arsenic | 79 Se Selenium 34 | 80 Br Bromine 35 | 84 Kr Krypton |
| 85 Rb Rubidium 37 | 88 Sr Strontium 38 | 89 Y Yttrium | 91 Zr Zirconium 40 | 93 Nb Niobium | 96 Mo Molybdenum 42 | Tc Technetium 43 | 101 Ru Ruthenium 44 | 103 Rh Rhodium 45 | 106 Pd Palladium 46 | 108 Ag Silver | 112 Cd Cadmium 48 | 115 I n Indium 49 | 119 Sn Tin | 122 Sb Antimony 51 | 128 Te Tellurium 52 | 127 lodine 53 | 131 Xe Xenon 54 |
| 133 Cs Caesium | 137 Ba Barium 56 | 139 La Lanthanum 57 * | 178 Hf Hafnium 72 | 181 Ta Tantalum 73 | 184 W Tungsten 74 | 186 Re Rhenium 75 | 190 Os Osmium 76 | 192 I r Iridium 77 | 195 Pt Platinum 78 | 197 Au Gold 79 | 201 Hg Mercury 80 | 204 T <i>t</i> Thallium 81 | 207 Pb Lead 82 | 209 Bi Bismuth 83 | Po Polonium 84 | At Astatine 85 | Rn Radon 86 |
| Fr | 226 Ra | 227 Ac | | | | | | | | | | | | | | | |

*58-71 Lanthanoid series †90-103 Actinoid series

Radium

Key

Francium

Actinium

| 140 | 141 | 144 | | 150 | 152 | 157 | 159 | 162 | 165 | 167 | 169 | 173 | 175 |
|---------------|--------------------|-----------------|------------------|-----------------|-----------------|------------------|-----------------|-------------------|-------------------|----------------|--------------------|-----------------|-------------------|
| Ce | Pr | Nd | Pm | Sm | Eu | Gd | Tb | Dy | Но | Er | Tm | Yb | Lu |
| Cerium 58 | Praseodymium 59 | Neodymium 60 | Promethium 61 | Samarium 62 | Europium 63 | Gadolinium 64 | Terbium 65 | Dysprosium 66 | Holmium 67 | Erbium 68 | Thulium 69 | Ytterbium 70 | Lutetium 71 |
| 232 | | 238 | | | | | | | | | | | |
| Th | Pa | U | Np | Pu | Am | Cm | Bk | Cf | Es | Fm | Md | No | Lr |
| Thorium 90 | Protactinium 91 | Uranium 92 | Neptunium 93 | Plutonium 94 | Americium 95 | Curium 96 | Berkelium 97 | Californium 98 | Einsteinium 99 | Fermium 100 | Mendelevium 101 | Nobelium 102 | Lawrencium 103 |

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).