

Candidates answer on the Question Paper.

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions. A copy of the Periodic Table is printed on page 28.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
Total	

This document consists of 26 printed pages and 2 blank pages.



1 (a) Most atoms of metallic elements found in the Earth's crust exist in compounds ores which are contained in rocks.

www.papaCambridge.com The chemical formulae of some metal compounds found in ores, together with the names of the ores, are shown below.

argentite	Ag <sub>2</sub> S
chromite	FeCr <sub>2</sub> O <sub>4</sub>
galena	PbS
scheelite	CaWO₄

(i) A binary compound is one that contains only two different elements.

State which of the compounds in the list above are binary compounds.

[1]

- (ii) State the ore from which the metallic element tungsten could be extracted.
  - ......[1]
- (b) Fig. 1.1 shows a diagram of an atom of the element lithium. This atom has a nucleon number (mass number) of seven.



Fig. 1.1

Complete Fig. 1.1 by labelling the particles that exist in the nucleus.

[2]

www.papaCambridge.com (c) (i) A teacher dropped a small piece of sodium into a beaker containing cold way a thermometer. She stirred the mixture until all of the sodium had reacted.



Predict two observations that could be made as the sodium reacts with the water.

1 \_\_\_\_\_ 2 .....

- [2]
- (ii) Potassium is another element in the same group of the Periodic Table as sodium.

State one way in which the reaction of potassium with cold water would be different from that of sodium.

- ......[1]
- (iii) Complete the word chemical equation for the reaction between potassium and water.



2 An athlete warms up by running along a race track.

www.papacambridge.com He accelerates from rest and after 10 seconds reaches a maximum speed of 7 m/s.

He continues at this speed for another 10 seconds.

During the next 5 seconds, he steadily slows down and stops.

(a) Draw a speed-time graph to show the motion of the athlete.



(b) He then competes in a 200 m race. He completes the race in 25 seconds.

Calculate his average speed.

State the formula that you use and show your working.

formula used

working

m/s [2]

[4]

4

- (c) During a race the athlete cools down by sweating.
  - (i) Describe and explain, in terms of the movement of water molecules, how evaporation cools down the athlete.

www.papaCambridge.com ..... ..... ......[3] (ii) State two factors which would increase the rate of evaporation.

and [1]







		9	ANNA Dax	200	
which take place in a car	when petrol (gas	e the sentences to e soline) is used to po	wer the car.	any.	For iner's
boiled	burned	cooled	chemical	19	20.0
heat	kinetic	nuclear	sound		-0
Petrol (gasoline) contains		ε	energy. The petrol is		
	in the engine to	produce heat energ	gy. The heat energy		
is changed into		energy which	moves the car. This		
process is not very efficie	ent and much en	ergy is wasted as			
energy and	e	nergy.		[5]	

(e) Car brake lights (stop lights) light up when the driver presses on the footbrake pedal. The pedal acts as a switch.

Draw a circuit diagram including a battery to show how this works.

Design your circuit so that if one brake light fails, the other still lights up.

[4]

Table 5.1 shows information about some hydrocarbons.



Table 5.1

(a) Table 5.1 contains examples of both saturated and unsaturated hydrocarbons.

(i) Fig. 5.1 shows a simplified diagram of the industrial process used to produce unsaturated hydrocarbons.



11         (ii) The reaction in (i) requires a catalyst.         State the meaning of the term catalyst.			4722
<ul> <li>(ii) The reaction in (i) requires a catalyst.</li> <li>State the meaning of the term <i>catalyst</i>.</li> <li>[2]</li> <li>(iii) Describe a chemical test that is used to show whether a hydrocarbon is saturated or unsaturated.</li> <li>[2]</li> <li>(iii) Describe a chemical test that is used to show whether a hydrocarbon is saturated or unsaturated.</li> <li>[2]</li> <li>(b) The alkanes in Table 5.1 occur naturally in deposits of petroleum (crude oil) and natura gas.</li> <li>Petroleum is separated into simpler mixtures by fractional distillation at an oil refinery.</li> <li>(i) Fractional distillation relies on differences in the boiling points of hydrocarbons. Describe the trend in boiling point shown by the alkanes in Table 5.1.</li> <li>(ii) Refinery gas is a useful fraction obtained from petroleum.</li> <li>(iii) Gasoline is a mixture of hydrocarbons that is used as car fuel.</li> <li>When gasoline is burned in car engines one of the waste gases (exhaust gases) is carbon monoxide.</li> <li>Describe briefly how carbon monoxide is formed in a car engine and explain why this gas is considered to be a serious air pollutant.</li> </ul>			11 2.02
State the meaning of the term <i>catalyst</i> .  [2] (iii) Describe a chemical test that is used to show whether a hydrocarbon is saturated or unsaturated. [2] (i) The alkanes in Table 5.1 occur naturally in deposits of petroleum (crude oil) and natura gas. Petroleum is separated into simpler mixtures by fractional distillation at an oil refinery. (i) Fractional distillation relies on differences in the boiling points of hydrocarbons. Describe the trend in boiling point shown by the alkanes in Table 5.1. [1] (ii) Refinery gas is a useful fraction obtained from petroleum. State one use for refinery gas. [1] (iii) Gasoline is a mixture of hydrocarbons that is used as car fuel. When gasoline is burned in car engines one of the waste gases (exhaust gases) is carbon monoxide. Describe briefly how carbon monoxide is formed in a car engine and explain why this gas is considered to be a serious air pollutant. [2] [2] [3] [4] [4] [4] [4] [5] [5] [5] [5] [5] [5] [5] [5] [5] [5		(ii)	The reaction in (i) requires a catalyst.
<ul> <li>[2]</li> <li>(iii) Describe a chemical test that is used to show whether a hydrocarbon is saturated or unsaturated.</li> <li>[2]</li> <li>(b) The alkanes in Table 5.1 occur naturally in deposits of petroleum (crude oil) and natural gas.</li> <li>Petroleum is separated into simpler mixtures by fractional distillation at an oil refinery.</li> <li>(i) Fractional distillation relies on differences in the boiling points of hydrocarbons.</li> <li>Describe the trend in boiling point shown by the alkanes in Table 5.1.</li> <li>[1]</li> <li>(ii) Refinery gas is a useful fraction obtained from petroleum.</li> <li>State one use for refinery gas.</li> <li>[1]</li> <li>(iii) Gasoline is a mixture of hydrocarbons that is used as car fuel.</li> <li>When gasoline is burned in car engines one of the waste gases (exhaust gases) is carbon monoxide.</li> <li>Describe briefly how carbon monoxide is formed in a car engine and explain why this gas is considered to be a serious air pollutant.</li> </ul>			State the meaning of the term <i>catalyst</i> .
<ul> <li>[2]</li> <li>(iii) Describe a chemical test that is used to show whether a hydrocarbon is saturated or unsaturated.</li> <li>[2]</li> <li>(b) The alkanes in Table 5.1 occur naturally in deposits of petroleum (crude oil) and natural gas.</li> <li>Petroleum is separated into simpler mixtures by fractional distillation at an oil refinery.</li> <li>(i) Fractional distillation relies on differences in the boiling points of hydrocarbons.</li> <li>Describe the trend in boiling point shown by the alkanes in Table 5.1.</li> <li>[1]</li> <li>(ii) Refinery gas is a useful fraction obtained from petroleum.</li> <li>State one use for refinery gas.</li> <li>[1]</li> <li>(iii) Gasoline is a mixture of hydrocarbons that is used as car fuel.</li> <li>When gasoline is burned in car engines one of the waste gases (exhaust gases) is carbon monoxide.</li> <li>Describe theilty how carbon monoxide is formed in a car engine and explain why this gas is considered to be a serious air pollutant.</li> </ul>			
<ul> <li>[2]</li> <li>(iii) Describe a chemical test that is used to show whether a hydrocarbon is saturated or unsaturated.</li> <li>[2]</li> <li>(b) The alkanes in Table 5.1 occur naturally in deposits of petroleum (crude oil) and natural gas.</li> <li>Petroleum is separated into simpler mixtures by fractional distillation at an oil refinery.</li> <li>(i) Fractional distillation relies on differences in the boiling points of hydrocarbons.</li> <li>Describe the trend in boiling point shown by the alkanes in Table 5.1.</li> <li>[1]</li> <li>(ii) Refinery gas is a useful fraction obtained from petroleum.</li> <li>State one use for refinery gas.</li> <li>[1]</li> <li>(iii) Gasoline is a mixture of hydrocarbons that is used as car fuel.</li> <li>When gasoline is burned in car engines one of the waste gases (exhaust gases) is carbon monoxide.</li> <li>Describe briefly how carbon monoxide is formed in a car engine and explain why this gas is considered to be a serious air pollutant.</li> </ul>			
<ul> <li>(iii) Describe a chemical test that is used to show whether a hydrocarbon is saturated or unsaturated.</li> <li>[2]</li> <li>(b) The alkanes in Table 5.1 occur naturally in deposits of petroleum (crude oil) and natura gas.</li> <li>Petroleum is separated into simpler mixtures by fractional distillation at an oil refinery.</li> <li>(i) Fractional distillation relies on differences in the boiling points of hydrocarbons.</li> <li>Describe the trend in boiling point shown by the alkanes in Table 5.1.</li> <li>(ii) Refinery gas is a useful fraction obtained from petroleum.</li> <li>State one use for refinery gas.</li> <li>(iii) Gasoline is a mixture of hydrocarbons that is used as car fuel.</li> <li>When gasoline is burned in car engines one of the waste gases (exhaust gases) is carbon monoxide.</li> <li>Describe briefly how carbon monoxide is formed in a car engine and explain why this gas is considered to be a serious air pollutant.</li> </ul>			[2]
<ul> <li>(b) The alkanes in Table 5.1 occur naturally in deposits of petroleum (crude oil) and natural gas.</li> <li>Petroleum is separated into simpler mixtures by fractional distillation at an oil refinery.</li> <li>(i) Fractional distillation relies on differences in the boiling points of hydrocarbons. Describe the trend in boiling point shown by the alkanes in Table 5.1.</li> <li>(ii) Refinery gas is a useful fraction obtained from petroleum. State one use for refinery gas.</li> <li>(iii) Gasoline is a mixture of hydrocarbons that is used as car fuel.</li> <li>When gasoline is burned in car engines one of the waste gases (exhaust gases) is carbon monoxide.</li> <li>Describe briefly how carbon monoxide is formed in a car engine and explain why this gas is considered to be a serious air pollutant.</li> </ul>		(iii)	Describe a chemical test that is used to show whether a hydrocarbon is saturated or unsaturated.
<ul> <li>(b) The alkanes in Table 5.1 occur naturally in deposits of petroleum (crude oil) and natural gas.</li> <li>Petroleum is separated into simpler mixtures by fractional distillation at an oil refinery.</li> <li>(i) Fractional distillation relies on differences in the boiling points of hydrocarbons. Describe the trend in boiling point shown by the alkanes in Table 5.1.</li> <li>(ii) Refinery gas is a useful fraction obtained from petroleum. State one use for refinery gas.</li> <li>(iii) Gasoline is a mixture of hydrocarbons that is used as car fuel.</li> <li>When gasoline is burned in car engines one of the waste gases (exhaust gases) is carbon monoxide.</li> <li>Describe briefly how carbon monoxide is formed in a car engine and explain why this gas is considered to be a serious air pollutant.</li> </ul>			
<ul> <li>[2]</li> <li>(b) The alkanes in Table 5.1 occur naturally in deposits of petroleum (crude oil) and natural gas.</li> <li>Petroleum is separated into simpler mixtures by fractional distillation at an oil refinery.</li> <li>(i) Fractional distillation relies on differences in the boiling points of hydrocarbons. Describe the trend in boiling point shown by the alkanes in Table 5.1.</li> <li>[1]</li> <li>(ii) Refinery gas is a useful fraction obtained from petroleum. State one use for refinery gas.</li> <li>[1]</li> <li>(iii) Gasoline is a mixture of hydrocarbons that is used as car fuel.</li> <li>When gasoline is burned in car engines one of the waste gases (exhaust gases) is carbon monoxide.</li> <li>Describe briefly how carbon monoxide is formed in a car engine and explain why this gas is considered to be a serious air pollutant.</li> </ul>			
<ul> <li>(b) The alkanes in Table 5.1 occur naturally in deposits of petroleum (crude oil) and natural gas.</li> <li>Petroleum is separated into simpler mixtures by fractional distillation at an oil refinery.</li> <li>(i) Fractional distillation relies on differences in the boiling points of hydrocarbons. Describe the trend in boiling point shown by the alkanes in Table 5.1.</li> <li>[1]</li> <li>(ii) Refinery gas is a useful fraction obtained from petroleum. State one use for refinery gas.</li> <li>[1]</li> <li>(iii) Gasoline is a mixture of hydrocarbons that is used as car fuel.</li> <li>When gasoline is burned in car engines one of the waste gases (exhaust gases) is carbon monoxide.</li> <li>Describe briefly how carbon monoxide is formed in a car engine and explain why this gas is considered to be a serious air pollutant.</li> </ul>			[2]
Petroleum is separated into simpler mixtures by fractional distillation at an oil refinery.  (i) Fractional distillation relies on differences in the boiling points of hydrocarbons. Describe the trend in boiling point shown by the alkanes in Table 5.1.  [1] (ii) Refinery gas is a useful fraction obtained from petroleum. State one use for refinery gas. [1] (iii) Gasoline is a mixture of hydrocarbons that is used as car fuel. When gasoline is burned in car engines one of the waste gases (exhaust gases) is carbon monoxide. Describe briefly how carbon monoxide is formed in a car engine and explain why this gas is considered to be a serious air pollutant. [2]	(b)	The gas	alkanes in Table 5.1 occur naturally in deposits of petroleum (crude oil) and natural
<ul> <li>(i) Fractional distillation relies on differences in the boiling points of hydrocarbons. Describe the trend in boiling point shown by the alkanes in Table 5.1.</li> <li>[1]</li> <li>(ii) Refinery gas is a useful fraction obtained from petroleum. State one use for refinery gas.</li> <li>[1]</li> <li>(iii) Gasoline is a mixture of hydrocarbons that is used as car fuel. When gasoline is burned in car engines one of the waste gases (exhaust gases) is carbon monoxide. Describe briefly how carbon monoxide is formed in a car engine and explain why this gas is considered to be a serious air pollutant.</li> </ul>		Pet	oleum is separated into simpler mixtures by fractional distillation at an oil refinery.
Describe the trend in boiling point shown by the alkanes in Table 5.1. [1] (ii) Refinery gas is a useful fraction obtained from petroleum. State one use for refinery gas. [1] (iii) Gasoline is a mixture of hydrocarbons that is used as car fuel. When gasoline is burned in car engines one of the waste gases (exhaust gases) is carbon monoxide. Describe briefly how carbon monoxide is formed in a car engine and explain why this gas is considered to be a serious air pollutant. [2]		(i)	Fractional distillation relies on differences in the boiling points of hydrocarbons.
<ul> <li>(ii) Refinery gas is a useful fraction obtained from petroleum.</li> <li>State one use for refinery gas.</li> <li>(iii) Gasoline is a mixture of hydrocarbons that is used as car fuel.</li> <li>(iii) Gasoline is burned in car engines one of the waste gases (exhaust gases) is carbon monoxide.</li> <li>Describe briefly how carbon monoxide is formed in a car engine and explain why this gas is considered to be a serious air pollutant.</li> </ul>			Describe the trend in boiling point shown by the alkanes in Table 5.1.
<ul> <li>[1]</li> <li>(ii) Refinery gas is a useful fraction obtained from petroleum.</li> <li>State one use for refinery gas.</li> <li>[1]</li> <li>(iii) Gasoline is a mixture of hydrocarbons that is used as car fuel.</li> <li>When gasoline is burned in car engines one of the waste gases (exhaust gases) is carbon monoxide.</li> <li>Describe briefly how carbon monoxide is formed in a car engine and explain why this gas is considered to be a serious air pollutant.</li> </ul>			
<ul> <li>(ii) Refinery gas is a useful fraction obtained from petroleum.</li> <li>State one use for refinery gas.</li> <li>[1]</li> <li>(iii) Gasoline is a mixture of hydrocarbons that is used as car fuel.</li> <li>When gasoline is burned in car engines one of the waste gases (exhaust gases) is carbon monoxide.</li> <li>Describe briefly how carbon monoxide is formed in a car engine and explain why this gas is considered to be a serious air pollutant.</li> </ul>			[1]
State one use for refinery gas.       [1]         (iii) Gasoline is a mixture of hydrocarbons that is used as car fuel.       [1]         When gasoline is burned in car engines one of the waste gases (exhaust gases) is carbon monoxide.       [2]         Describe briefly how carbon monoxide is formed in a car engine and explain why this gas is considered to be a serious air pollutant.       [2]		(ii)	Refinery gas is a useful fraction obtained from petroleum.
<ul> <li>[1]</li> <li>(iii) Gasoline is a mixture of hydrocarbons that is used as car fuel.</li> <li>When gasoline is burned in car engines one of the waste gases (exhaust gases) is carbon monoxide.</li> <li>Describe briefly how carbon monoxide is formed in a car engine and explain why this gas is considered to be a serious air pollutant.</li> </ul>		. ,	State <b>one</b> use for refinery gas.
<ul> <li>(iii) Gasoline is a mixture of hydrocarbons that is used as car fuel.</li> <li>When gasoline is burned in car engines one of the waste gases (exhaust gases) is carbon monoxide.</li> <li>Describe briefly how carbon monoxide is formed in a car engine and explain why this gas is considered to be a serious air pollutant.</li> </ul>			[1]
<ul> <li>When gasoline is burned in car engines one of the waste gases (exhaust gases) is carbon monoxide.</li> <li>Describe briefly how carbon monoxide is formed in a car engine and explain why this gas is considered to be a serious air pollutant.</li> </ul>		(;;;)	Gasoline is a mixture of hydrocarbons that is used as car fuel
Carbon monoxide. Describe briefly how carbon monoxide is formed in a car engine and explain why this gas is considered to be a serious air pollutant.		(111)	When appeling is humand in our engines and of the waste appeal (when at appeal) is
Describe briefly how carbon monoxide is formed in a car engine and explain why this gas is considered to be a serious air pollutant.			carbon monoxide.
[2]			Describe briefly how carbon monoxide is formed in a car engine and explain why this gas is considered to be a serious air pollutant.
[2]			
[2]			
			[2]



**BLANK PAGE** 

6 (a) Each time a human child is born, there is an equal chance that it will be a boy or Complete the genetic diagram to explain why.



[3]

(b) Hawksbill turtles are an endangered species. They lay their eggs in nests in the on a beach.



The sex of hawksbill turtles is determined by the temperature of the sand in which the eggs develop.

- At 29 °C, equal numbers of males and females develop.
- Higher temperatures produce more females.
- Lower temperatures produce more males.
- (i) Researchers measured the temperature, at a depth of 30 cm, in two different parts of a beach, on Antigua, where hawksbill turtles lay their eggs. The results are shown in Fig. 6.1. The tops of the bars represent the mean temperature.





Fig. 6.1



(ii) The researchers counted the proportion of male and female turtles hatching from nests in the two different parts of the beach. The results are shown in Table 6.1.

Table	6.1
-------	-----

part of beach	nests producing more males than females	nests producing more females than males	nests producing equal numbers of females and males
open sand	0	16	0
in forest	36	0	0

Use the information in Fig. 6.1 to explain the results for nests in open sand and in forest, shown in Table 6.1.

..... [2] (iii) Suggest why hawksbill turtles might become extinct if all the forest by the beaches is cut down. ..... ..... [2] (c) State two harmful effects to the environment, other than extinction of species, that can result from deforestation. 1 ..... ..... 2 [2]

<ul> <li>a) The three types of nuclear radiation are alpha, beta and gamma. They can be ide by their different penetrating powers. Alpha radiation cannot penetrate paper.</li> <li>Explain how you could identify beta and gamma radiations by their penetrating powers and beta radiation</li> <li>gamma radiation</li> <li>b) Gamma radiation is an electromagnetic wave with a short wavelength.</li> <li>Explain the meaning of the term <i>wavelength</i>. You may draw a diagram if it helps answer.</li> </ul>	vers.
<ul> <li>Explain how you could identify beta and gamma radiations by their penetrating power beta radiation</li> <li>gamma radiation</li> <li>Gamma radiation is an electromagnetic wave with a short wavelength.</li> <li>Explain the meaning of the term <i>wavelength</i>. You may draw a diagram if it helps answer.</li> </ul>	vers.
<ul> <li>beta radiation</li> <li>gamma radiation</li> <li>o) Gamma radiation is an electromagnetic wave with a short wavelength.</li> <li>Explain the meaning of the term <i>wavelength</i>. You may draw a diagram if it helps answer.</li> </ul>	[2]
<ul> <li>gamma radiation</li> <li>Gamma radiation is an electromagnetic wave with a short wavelength.</li> <li>Explain the meaning of the term <i>wavelength</i>. You may draw a diagram if it helps answer.</li> </ul>	[2]
<ul> <li>c) Gamma radiation is an electromagnetic wave with a short wavelength.</li> <li>Explain the meaning of the term <i>wavelength</i>. You may draw a diagram if it helps answer.</li> </ul>	[2]
o) Gamma radiation is an electromagnetic wave with a short wavelength. Explain the meaning of the term <i>wavelength</i> . You may draw a diagram if it helps answer.	
Explain the meaning of the term <i>wavelength</i> . You may draw a diagram if it helps answer.	
	your
	[2]
c) Radon is a gas that emits alpha radiation	
Explain why alpha radiation is dangerous to human beings	

		17 4744. P
8	Wat drin	ter supplies are often impure and have to be purified to make them safe for hunk.
	(a)	State <b>one</b> process that is used to make water safe for humans to drink.
		Explain, for the process you have chosen, how this process helps to purify the water.
		process
		how it purifies
		[2]
	(b)	Water is a compound which contains the elements hydrogen and oxygen.
		Describe <b>one</b> difference, other than physical state, between the <b>compound</b> water and a <b>mixture</b> of the elements hydrogen and oxygen.
		[2]

Table 8.1 shows info with water.	18 ormation about water	3 and two compounds	that can form m
	Table 8.	1	
compound	melting point/°C	boiling point/°C	solubility in water
water	0	100	_
sodium chloride	801	1413	soluble
hexane	-95	69	insoluble

(i) Describe briefly how a sample of sodium chloride could be obtained from a solution of sodium chloride.

..... ..... 

(ii) Use the information in Table 8.1 to predict and explain whether or not a mixture of hexane and water could be separated at room temperature (20 °C) by the method of filtration.

..... [2]

(d) A student was given some small pieces of two solid elements. One of these ele was a metal and the other was a non-metal.

www.papaCambridge.com The student burned the samples in air, using the apparatus shown in Fig. 8.1. The oxide of each element was produced.



Fig. 8.1

(i) One of the oxides was a solid at room temperature and the other was a gas.

State and explain, in terms of the type of chemical bonding involved, which oxide was a solid.

type of element whose oxide was solid
explanation
[2]
The student also found that both of the oxides dissolved and reacted with the water in the bottom of the gas jar.
State and explain the colour of full range indicator (Universal Indicator) when a few drops are added to the solution formed by the oxide of the metal.
colour
explanation
[2]



	14
	21
I)	Stomata allow water vapour to diffuse out of the leaf.
	State the correct term for the loss of water vapour from a leaf.
	[1]
	Plants that live in hot, dry deserts often have fewer stomata than plants that live in places where there is plenty of water.
	Suggest how this helps the desert plants to survive.
	[1]
	Most leaves have stomata on their lower surfaces.
	Plants that live in water, with leaves that float on the water, often have stomata on the upper surface of their leaves.
	Suggest how this helps the water plants to survive.
•	
	[2]
	Plants must have a good supply of magnesium ions, in order to grow well.
	State why they need magnesium ions.
	[1]

•) Dadia waxaa ara alaafiiramaana ati		2
a) Radio waves are electromagnetic	c waves. Sound waves are not.	an
State <b>three</b> other ways in which r	radio waves differ from sound waves.	
1		
2		
3		
		•••••
		[2]
		[3]
<b>b)</b> Draw lines to connect each type of	of radiation to its use.	[3]
b) Draw lines to connect each type or radiation	of radiation to its use. <b>use</b>	[3]
b) Draw lines to connect each type of radiation	of radiation to its use. <b>use</b>	[3]
<ul> <li>b) Draw lines to connect each type</li> <li>radiation</li> <li>gamma</li> </ul>	of radiation to its use. <b>use</b> examining bones and teeth	[3]
<ul> <li>b) Draw lines to connect each type</li> <li>radiation</li> <li>gamma</li> <li>microwave</li> </ul>	of radiation to its use. <b>use</b> examining bones and teeth remote controls for television sets	[3]
<ul> <li>b) Draw lines to connect each type of radiation</li> <li>gamma</li> <li>microwave</li> <li>infra-red</li> </ul>	of radiation to its use. use examining bones and teeth remote controls for television sets satellite communications	[3]
<ul> <li>b) Draw lines to connect each type of radiation</li> <li>gamma</li> <li>microwave</li> <li>infra-red</li> <li>X-rays</li> </ul>	of radiation to its use. use examining bones and teeth remote controls for television sets satellite communications sterilising surgical instruments	[3]

23 (c) A student carried out an experiment to find the speed of sound in air by watch. He stood 500 m from the bell.

500 m

Fig. 10.1

The sound took 1.5s to travel from the bell to the student.

State the formula that you use and show your working.

(d) The mass of the bell is 10 000 kg and it has a volume of  $1.1 \text{ m}^3$ .

State the formula that you use and show your working.

student

\_\_\_\_\_m/s

..... kg/m<sup>3</sup>

[2]

[2]

bell tower

Calculate the speed of sound.

Calculate the density of the bell.

formula used

working

formula used

working

www.papacambridge.com 11 Fig. 11.1 shows apparatus a student used to investigate temperature change occurred during chemical reactions.



Fig. 11.1

The student added reactants to the insulated beaker and stirred the mixture. She recorded the final temperature of each mixture.

At the start of each experiment, the temperature of the reactants was 22 °C.

Table 11.1 contains the results the student obtained.

Table	11	.1
-------	----	----

experiment	reactant A	reactant B	final temperature/°C
1	dilute hydrochloric acid	sodium hydrogencarbonate	16
2	dilute hydrochloric acid	potassium hydroxide solution	26
3	magnesium	copper sulfate solution	43
4	copper	magnesium sulfate solution	22

(a) (i) Explain which experiment, 1, 2, 3 or 4, was a neutralisation reaction between an acid and an alkali.

experiment	
explanation	 
	 [1]

	123	
	25	
(ii)	State and explain which experiment, 1, 2, 3 or 4, was an endothermic reaction	Car
	experiment	
	explanation	
		[1]
(iii)	Suggest why the temperature did <b>not</b> change when copper was added magnesium sulfate solution.	to
		[1]
(b) Th 6, 1	e student used the apparatus in Fig. 11.1 to carry out two further experiments, <b>5</b> a to investigate the exothermic reaction between zinc and copper sulfate solution.	and
In pie	experiment <b>5</b> the student used zinc powder and in experiment <b>6</b> she used a sin ce of zinc. The mass of zinc in both experiments was the same.	gle
Su mo	ggest and explain briefly in which experiment, <b>5</b> or <b>6</b> , the temperature increas re quickly.	sed
ex	periment	
ex	planation	
		[2]
<b>(c)</b> Wh gas	nen reactive metals are added to dilute acid, the metal reacts and dissolves and sis given off. Unreactive metals do <b>not</b> dissolve in acid.	d a
(i)	Name the gas that is given off, and describe how you would test for this gas.	
	gas	
	test	
		[2]
(ii)	A student has a mixture of powdered zinc and powdered copper.	
	Suggest and explain how the student could use some dilute hydrochloric acid a usual laboratory apparatus to obtain some copper from this mixture.	and
		[3]

- www.papaCambridge.com **12 (a)** Define the term *respiration*. ..... ..... .....
  - (b) Complete Table 12.1 to show the approximate percentages of oxygen, carbon dioxide and nitrogen in inspired and expired air.

Та	bl	е	1	2.	1
		-	-		

gas	percentage in inspired air	percentage in expired air
oxygen	21	
carbon dioxide		4
nitrogen		

[3]

(c) Outline how oxygen is transported to a respiring cell in a muscle.

 [2]



**BLANK PAGE** 

Pe rea put University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of

↓ I cleared where possible. Even ve unwittingly been included, th	squiring clearance	ght is included h but if any items re	ected by copyri syright holders, I unity.	ed material prote _ES) to trace cop	, third-party own pe publisher (UCI) nds at the earlies	items where n made by th make ame	on to reproduce ole effort has been r will be pleased to	rmission asonable blisher v
---	--------------------	--	---	--	---	---	--	-----------------------------------

								Gr	oup								
I	II											III	IV	V	VI	VII	0
							1 <b>H</b> Hydrogen 1										4 He Helium 2
7 Li Lithium	9 Be Beryllium 4											11 B Boron 5	12 C Carbon 6	14 N Nitrogen	16 O Oxygen 8	19 <b>F</b> Fluorine 9	20 <b>Ne</b> Neon
23 Na Sodium	24 Mg Magnesium 12											27 Aluminium 13	28 <b>Si</b> Silicon 14	31 P Phosphorus 15	32 <b>S</b> Sulfur 16	35.5 <b>C1</b> <sup>Chlorine</sup> 17	40 Ar Argon
39 <b>K</b> Potassium	40 Ca Calcium 20	45 <b>Sc</b> Scandium 21	48 <b>Ti</b> Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 <b>Mn</b> Manganese 25	56 <b>Fe</b> Iron 26	59 Co Cobalt 27	59 <b>Ni</b> <sub>Nickel</sub> 28	64 Cu Copper 29	65 <b>Zn</b> Zinc 30	70 Ga Gallium 31	73 Ge Germanium 32	75 As Arsenic 33	79 <b>Se</b> Selenium 34	80 Br Bromine 35	84 Kr Krypton 36
85 <b>Rb</b> Rubidium 7	88 Sr Strontium 38	89 Y Yttrium 39	91 <b>Zr</b> Zirconium 40	93 Nb Niobium 41	96 Mo Molybdenum 42	Tc Technetium 43	101 <b>Ru</b> Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 <b>Ag</b> Silver 47	112 Cd Cadmium 48	115 <b>I n</b> Indium 49	119 <b>Sn</b> 50	122 Sb Antimony 51	128 Te Tellurium 52	127   Iodine 53	131 <b>Xe</b> Xenon 54
133 Cs Caesium 5	137 <b>Ba</b> Barium 56	139 La Lanthanum 57 *	178 <b>Hf</b> Hafnium 72	181 <b>Ta</b> Tantalum 73	184 W Tungsten 74	186 <b>Re</b> Rhenium 75	190 <b>Os</b> Osmium 76	192 <b>I r</b> Iridium 77	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury 80	204 <b>T 1</b> Thallium 81	207 Pb Lead 82	209 Bi Bismuth 83	Polonium 84	At Astatine 85	Rn Radon 86
<b>Fr</b> Francium	226 <b>Ra</b> Radium 88	227 Ac Actinium 89 †															
8-71 L 0-103	anthanoi Actinoid	id series series		140 <b>Ce</b> Cerium 58	141 Pr Praseodymium 59	144 Nd Neodymium 60	Pm Promethium 61	150 Sm Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	159 <b>Tb</b> Terbium 65	162 Dy Dysprosium 66	165 Ho Holmium 67	167 Er Erbium 68	169 <b>Tm</b> Thulium 69	173 <b>Yb</b> Ytterbium 70	175 Lu Lutetium 71
ey Þ	a a X X	a = relative atom ( = atomic symbox ( = proton (atom	nc mass ool ic) number	232 Th Thorium 90	Pa Protactinium 91	238 U Uranium 92	Np Neptunium 93	Pu Plutonium 94	Am Americium 95	Cm <sup>Curium</sup> 96	<b>Bk</b> Berkelium 97	Cf Californium 98	Es Einsteinium 99	Fm Fermium 100	Md Mendelevium 101	No Nobelium 102	Lr Lawrencium 103
				The v	olume of	one mole	of any ga	as is 24 di	m <sup>3</sup> at roo	m temper	ature and	d pressure	(r.t.p.).			265	mane