

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

Middle Con

*	
œ	
_	
9	
0	
0	
0	
œ	
N	
6	
_	
*	

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

CO-ORDINATED SCIENCES

0654/51

Paper 5 Practical Test

May/June 2010

2 hours

Candidates answer on the Question Paper.

Additional Materials:

As listed in Instructions to Supervisors

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

Chemistry practical notes for this paper are printed on page 12.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use				
1				
2				
3				
Total				

This document consists of 11 printed pages and 1 blank page.



BLANK PAGE

www.PapaCambridge.com

						3				T. Par	1
1			lants show differend in a shaded area (s				in a su	ınny area	(sun leaf)	, and	Can
	(a)	(i)	You are supplied shade leaf.	with two	leaves,	labelled	sun le	eaf and	another le	af label	led
			Make drawings of size.	the two le	aves in	the space	es prov	vided to s	how the d	ifference	in ;
			sun leaf				sha	ade leaf			
											[2]
		lenç	gth of sun leaf =	m	ım	length	of sha	aded leaf	=	mm	[2]
		(ii)	Measure the maximum (stalk). Write your						excluding	the peti	ole
	(b)	One	e leaf has a larger s	urface are	a than tl	he other.					

Suggest an advantage to the leaf with the larger surface.

(c) Fig. 1.1 shows cross sections of a sun leaf and a shade leaf as viewed microscope.




Fig. 1.1

(i) Construct a table to compare the two diagrams shown in Fig. 1.1. Include the following features; thickness of leaf, number of palisade cells, size of air spaces.

	Mark
	5
(ii)	Study the differences, shown in Fig.1.1 between the sun leaf and the shade
	Study the differences, shown in Fig.1.1 between the sun leaf and the shade. Choose one difference and explain how this difference affects the rate photosynthesis, in the leaves. difference
	difference
	explanation
	[2]
(iii)	The sun leaf usually has a thicker cuticle than the shade leaf. The cuticle is a waxy layer covering the leaf.
	Suggest an advantage that this thicker cuticle gives to the sun leaf.
	[1]
(d) (i)	You are going to calculate the magnification of the leaf section in Fig. 1.1.
	Measure the length of the line in XY in Fig. 1.1.
	length = mm [1]
(ii)	The real length of the line XY is 0.2 mm.
	Use this fact and your answer to $\mathbf{d}(\mathbf{i})$ to calculate the magnification of the leaf in Fig. 1.1.
	magnification = [2]

- www.papaCambridge.com You are going to make some measurements on a test-tube before using it to determ 2 density of liquid P.
 - (a) Measure and record the length, *I*, and the internal diameter, **D**, of the test-tube.

D = _____ mm *l* = _____mmm

Using these measurements, calculate the volume of the tube using the formula

$$\pi \times \left(\frac{\mathbf{D}}{2}\right)^2 \times \mathbf{l}$$

volume of test-tube = ____ mm³ [3]

(b) (i) Hold the test-tube in the glass beaker labelled water and add dry sand to the tube until it floats with its open end about 10 mm above the surface. Place a rule in the water beside the tube and measure the depth, d₁ from the water surface to the bottom of the test-tube. See Fig. 2.1. You may need to hold the tube upright to do this.

Record this value, \mathbf{d}_1 in Table 2.2 on page 7.




Fig. 2.1

(ii) Remove the test-tube from the water and wipe the outside, taking care not to lose any sand. Do not let water splash into the test-tube. Place the test-tube in the beaker labelled liquid P and as before, measure the depth, d₂.

Record this value, d_2 in the first line of Table 2.2.

(iii) Remove the test-tube and wipe the outside. Empty out a small amount of sand so that it floats in the water with the open end about 12 or 13 mm above the surface.

Measure and record d_1 , the new depth in Table 2.2.

As before, wipe the outside of the test-tube and transfer it to the liquid P.

Measure and record the new depth d_2 in Table 2.2.

WANN, PARAC CAMBRIDGE, COM (iv) Repeat the process with the tube floating about 2 or 3 mm higher in water each time, until you have five sets of readings of d_1 and d_2 .


Record all your values in Table 2.2.

Table 2.2

d₁in water/mm	d₂in liquid P/mm

[3]

(c) On the grid provided on page 8 (Fig. 2.2), plot a graph of d_1 (vertical axis) against d_2 . Draw the best straight line through your points.



[4]

Fig. 2.2

(d) Calculate the gradient of the line, indicating on your graph the values chosen to enable you to do this. The gradient is numerically equal to the density of liquid P in grams per cubic centimetre.

> gradient of line = [3]

	9 Manny, Dally	
(e)	Describe another method for finding the density of liquid P using a pipette or bubbalance and a suitable container. You do not have to carry out the experiment.	For iner's
		[2]

3	X , Y and Z are solutions of the same acid but different concentrations. You will use solution A , to find which of the acid solutions is the most concentrated. You will also out tests to identify the acid.							
	(a)	Using the dropping pipette provided, and no other apparatus, estimate the volume of a single drop of liquid.						
				\	volume of 1 drop =	cm ³ [1]		
	(b)	(i)	2 drops of the	indicator. Use the drop	oping pipette to add	on X in a test-tube. Add the alkali, A , a drop at a ion, until a pink colour is		
			Record the nu	mber of drops in Table	3.1.			
		(ii)	Repeat the pro	ocedure using solution,	Y , and then Z .			
			Record the nu	mber of drops in Table	3.1.			
				Tabl	e 3.1			
				solution	number of drops	:		
				x				
				Y				
				Z				
						[3]		
	(c)	Wh	ich of the soluti	ons is the most concent	rated? Explain your	answer.		
						[1]		
	(d)			of solution X in a test-tu wing splint and a lighted		nagnesium. Test any gas		
		Red	cord your obser	vation and name the ga	s given off.			
		glov	wing splint					
		ligh	ted splint					

name of the gas

[3]

	the state of the s	
	11	
(e)	Place about 2 cm³ of solution X in a test-tube and add a few drops of aqueous nitrate. Record your observation and name the acid in solution X . observation	Camb
	Record your observation and name the acid in solution X .	
	observation	Ì
	name of the acid	[2]
(f)	Place about 2 cm³ of solution A in a test-tube. Add a little solid ammonium chloride a warm gently. Test the gas with litmus paper.	ınd
	Record your observation and name the gas.	
	observation	
	name of the gas	[2]
(g)	Describe a different experiment using magnesium ribbon to enable you to find which of the acid solutions \mathbf{X} , \mathbf{Y} and \mathbf{Z} is the most concentrated. You do not have carry out the experiment.	
		[3]

CHEMISTRY PRACTICAL NOTES

Test for anions

Test for anions	12 CHEMISTRY PRACTICAL NO	TES Result	
anion	test	test result	COM
carbonate (CO ₃ ²⁻)	add dilute acid	effervescence, carbon dioxide produced	
chloride (C <i>l</i> ·) [in solution]	acidify with dilute nitric acid, then add aqueous silver nitrate	white ppt.	
nitrate (NO ₃ -) [in solution]	add aqueous sodium hydroxide then aluminium foil; warm carefully	ammonia produced	
sulfate (SO ₄ ²⁻) [in solution]	acidify then add aqueous barium chloride <i>or</i> aqueous barium nitrate	white ppt.	

Test for aqueous cations

cation	effect of aqueous sodium hydroxide	effect of aqueous ammonia
ammonium (NH ₄ ⁺)	ammonia produced on warming	-
copper(II) (Cu ²⁺)	light blue ppt., insoluble in excess	light blue ppt., soluble in excess giving a dark blue solution
iron(II) (Fe ²⁺)	green ppt., insoluble in excess	green ppt., insoluble in excess
iron(III) (Fe ³⁺)	red-brown ppt., insoluble in excess	red-brown ppt., insoluble in excess
zinc (Zn ²⁺)	white ppt., soluble in excess giving a colourless solution	white ppt., soluble in excess giving a colourless solution

Test for gases

gas	test and test results
ammonia (NH ₃)	turns damp red litmus paper blue
carbon dioxide (CO ₂)	turns limewater milky
chlorine (Cl ₂)	bleaches damp litmus paper
hydrogen (H ₂)	"pops" with a lighted splint
oxygen (O ₂)	relights a glowing splint

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.