

Candidates answer on the Question Paper.

No Additional Materials are required.

 ∞

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.


Answer all questions.	For Exami	ner's Use
A copy of the Periodic Table is printed on page 24.	1	
At the end of the examination, fasten all your work securely together.	2	
The number of marks is given in brackets [] at the end of each question or part question.	3	
	4	
	5	
	6	
	7	
	8	
	9	
	10	
	Total	

This document consists of 22 printed pages and 2 blank pages.



www.papacambridge.com

1 Fig. 1.1 shows the structure of part of the human nervous system.





(a) The spinal cord is part of the central nervous system.
 On Fig. 1.1, label and name one other part of the central nervous system. [1]
 (b) Complete the following sentences, using some of these words.
 capillaries current effectors feelings hormones nerves receptors responses stimuli
 External _______ are picked up by _______. These

generate electrical impulses which travel along ______ to the central nervous system. Electrical impulses are then sent to muscles or glands, which take action. Muscles and glands are ______ [4] (c) Humans can only reproduce by sexual reproduction. Many plants, and also animals, can also reproduce by asexual reproduction.

www.papacambridge.com Complete the table to show which statements are always true for sexual reproduction, and which are **always** true for asexual reproduction.

Put a tick (\checkmark) where the statement is **always** true.

	sexual reproduction	asexual reproduction
This involves gametes.		
There is only one parent.		
The offspring are genetically identical.		

[3]

2 Rocks A, B and C, shown in Fig. 2.1, represent the three main classes of rock whe found in the Earth's crust.




Fig. 2.1

After rocks **A** had formed, molten material from within the Earth moved up through cracks.

Rock **C** formed when this molten material cooled.


(a) (i) Rocks A are sedimentary rocks.


Name the classes to which rocks **B** and rock **C** belong.

	В	
	с	[2]
(ii)	Suggest what caused rocks B to be formed.	
		[1]


www.papaCambridge.com (b) Weathering and erosion are processes which cause rocks on the Earth's sur break up. Eventually, soil may form which contains compounds which were once of rocks.

In an investigation of some soil, a chemistry student carried out two experiments as shown in Fig. 2.2.





2 seconds later.



climber making loud noise



Calculate the speed of sound in air using these results.

State the formula that you use and show your working.

formula


working

_____m/s [2]

	42	
7	N.D.	
c) The climber uses a torch at night. His torch connected in series.	n contains four cells, a switch and a la	0aCan
(i) Draw a circuit diagram for this circuit us	sing the correct symbols.	
		[3]
(ii) The potential difference across each of	the cells in the circuit is 1.5 V.	
State the total potential difference acros	ss the four cells, connected in series.	
	V	[1]
d) The climber has a small tent of mass 5 kg 10 dm ³ .	g which packs tightly into a bag of vo	lume
Calculate the density of the packed tent.		
State the formula that you use and show yo	bur working.	
formula		
working		
	Let 1 day 3	101
	kg/dm ³	[2]
	 The climber uses a torch at night. His torch connected in series. (i) Draw a circuit diagram for this circuit use (ii) The potential difference across each of State the total potential difference across The climber has a small tent of mass 5 k 10 dm³. Calculate the density of the packed tent. State the formula that you use and show you formula 	The climber uses a torch at night. His torch contains four cells, a switch and a boundary of this circuit using the correct symbols. (i) Draw a circuit diagram for this circuit using the correct symbols. (ii) The potential difference across each of the cells in the circuit is 1.5 V. State the total potential difference across the four cells, connected in series

(e) The climber is able to start a fire by focusing the Sun's rays onto some dried two grass, using a lens (magnifying glass).

www.papaCambridge.com Complete Fig. 3.2 to show what happens to the rays of light after they have passed through the lens.






twigs/grass

Fig. 3.2

[1]

		444
		9
	-	9 nolecules called polymers exist in both natural substances and in materials en made in industry. rch, cellulose and proteins are all natural substances made of polymer molecules. State which one of the substances in (a) could contain the element sulfur.
(a)	Sta	rch, cellulose and proteins are all natural substances made of polymer molecules.
	(i)	State which one of the substances in (a) could contain the element sulfur.
		[1]
	(ii)	Polymer molecules are made when smaller molecules join together.
		What is the general name used for small molecules which join to form polymers?
		[1]
	(iii)	State the name of the small molecules which join to form starch.
		[1]
(b)	eac	lulose is one of the main substances in wood. Large numbers of trees are cut down h year to provide wood. Some of these trees are grown on plantations but others taken from the rain forests.
	(i)	State two important uses for wood.
		1
		2 [2]
	(ii)	Suggest one disadvantage of taking trees from the rain forests rather than from plantations.
		[1]
(c)		on and melamine resin are polymers produced industrially. Nylon is a rmoplastic and melamine resin is a thermoset .
		cribe what would be observed when nylon and melamine resin are heated, cooled then heated for a second time.
	obs	ervations for nylon
	obs	ervations for melamine resin
		[3]



	(iii)	11 Explain why body cells need oxygen.
		[2]
(d)	Exp	he disease AIDS, the HIV virus invades white blood cells. Iolain why this makes a person with AIDS more likely to suffer from infectious eases such as tuberculosis.
	·····	[2]
(e)	Blo	od plasma contains dissolved glucose and urea.
	(i)	A boy ate a bar of chocolate. This made his blood glucose level rise above normal.
		Explain what would happen in his body, to bring the level of glucose in the blood back to normal.
		[2]
	(ii)	Name the organ in which urea is made.
		[1]

www.papaCambridge.com Fig. 6.1 shows how a pH meter is used to measure the pH of a liquid contained 6 test-tube.




Fig. 6.1

A pH meter was used to measure the pH values of three solutions, X, Y and Z. The results are shown in Table 6.2.

Table	6.2
-------	-----

solution	рН
X	3.6
Y	4.1
Z	12.6

(a) (i) State one pair of solutions shown in Table 6.2 that could be used to neutralise each other.

Explain your answer.

solutions and


explanation

......[1]


(ii) In order to make a neutral mixture, the solutions in (i) must be mixed carefully.

Suggest how the pH meter should be used to show when a neutral solution has been formed.


..... [2]




(c) The three diagrams in Fig. 6.3 represent molecules of the elements hydrogen and oxygen, and the compound water.



hydrogen molecules



oxygen molecules



water molecules

Fig. 6.3

Use Fig. 6.3 to explain the difference between an element and a compound.

[2]

www.papaCambridge.com (a) Many houses are built with cavity walls with a gap between the outside wall 7 inside wall. This gap is often filled with insulating board made of foam between shiny metal foil surfaces.




Fig. 7.1

The cavity wall insulation helps to reduce heat transfer through the wall.


Use the ideas of conduction, convection and radiation to explain how cavity wall insulation helps reduce heat transfer.

..... [2]

(b) Why is it dangerous to use electrical appliances in bathrooms?


11	I
 • •	'

www.papaCambridge.com (c) There are many light bulbs in a house. One light bulb is marked '230 V, 60 contains a length of tungsten wire about 50 cm long. The wire is wound into a co shown in Fig. 7.2.





(i) State the power consumption of the light bulb. [1] (ii) When the bulb is switched on, the resistance of the wire is about 1200Ω . If the bulb was made with twice the length of tungsten wire, what effect would it have on the resistance? [1] (iii) State the type of energy transfers occurring in the light bulb when it is switched on. type of energy input to light bulb _____ types of energy output from light bulb [3] (iv) The visible light emitted by the light bulb is one part of the electromagnetic spectrum. Name one other part of the electromagnetic spectrum and give a use for it. part of the electromagnetic spectrum [2] use



		4322	
		17	
(a)	Alpl dec	na, beta and gamma radiation are three types of radiation emitted during radiaty.	Call
	Nar	17 na, beta and gamma radiation are three types of radiation emitted during radiaty. ne a suitable detector for these three types of radiation.	[1]
(b)	Alpl	na radiation is described as ionising radiation.	
	(i)	Explain the meaning of the term <i>ionising radiation</i> .	
			[1]
	(ii)	Explain why it is more dangerous to swallow a substance that emits alpha radiati than one that emits gamma radiation.	on
			[2]
(c)		nuclear power station, nuclear fuel such as uranium gives out energy.	
	Stat	e what happens to the uranium atoms.	
			[1]
(d)	At a	nuclear power station, technicians will be working close to radioactive sources.	
	Des	cribe one way in which these workers can be protected from the radiation emitted	1.
			[1]

An experiment was carried out in Sweden into the effects of different types of fertil 9 the mass of potatoes harvested.

www.papaCambridge.com The land was divided into three plots. Two plots were treated with different fertilisers. The third plot had no fertiliser added.

Plot A manure (cattle droppings and straw) Plot B NPK fertiliser (inorganic fertiliser containing nitrate, phosphate and potassium) Plot C no fertiliser added

Table 9.1 shows some of the results of the experiment.

plot	treatment	mass of potatoes harvested per hectare per year/tonnes
A	manure	35.5
B NPK fertiliser		36.2
С	no fertiliser	28.7

Table 9.1

(a) (i) The inorganic fertiliser contained nitrate ions, NO_3 .

Name the part of the plant through which nitrate ions are absorbed.


[1] (ii) Explain why plants can use nitrate ions, but not nitrogen gas, N_2[1]

(iii) Explain why plants need nitrogen.

..... (iv) Suggest why potato plants that were given NPK fertiliser produced a greater mass of potatoes than potato plants given no fertiliser. [2]

www.papaCambridge.com 19 (v) The effects on the plants of adding NPK fertiliser to the field could be seen straight away. The effects of adding manure took longer. Suggest why the plants took longer to respond to the addition of manure than to the addition of NPK fertiliser. [2] (b) Plants absorb water from the soil, through their root hairs. (i) Name the process by which the water is absorbed. [1] (ii) Complete the word equation to show how water is used in photosynthesis. glucose water + + [2] (iii) Name the type of cell, in a plant leaf, in which photosynthesis takes place. [1] (iv) Describe how water vapour is lost from the leaves of a plant. [2]

www.papacambridge.com 10 (a) The grid in Fig. 10.1 shows the arrangement of the first twenty elements in the R Table.





For each of the elements described below, write the letter for each element in the correct box in Fig. 10.1. The first one has been done as an example.

Element V is made of the lightest atoms.

Element X is the most reactive in Group 7 (Group VII).

Element **Y** is in Period 3 and atoms of **Y** have two outer electrons.

[2]

(b) Iron is a transition metal which occurs in the Earth's crust in the form of iron oxide.

(i) State **one** property of the element iron which is different from an alkali metal such as sodium.

[1]


(ii) Iron oxide must be reduced in order to extract iron.

Describe briefly **one** way that iron oxide can be reduced.

..... [2]

www.papaCambridge.com (c) Welding is a process used to join pieces of metal together. A very hot flame burner causes the edges of the metal to melt together. When the molten parts coord pieces of metal are permanently joined.

A simplified diagram of the process is shown in Fig. 10.2.





BLANK PAGE



BLANK PAGE

pe Pe University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of

							Gr	oup			_					-	
Ι	II										III	IV	V	VI	VII	0	
						1 H Hydrogen 1										4 He Helium	
7 Li Lithium	9 Be Beryllium										11 B Boron 5	12 C Carbon 6	14 N Nitrogen 7	16 O Oxygen 8	19 F Fluorine 9	20 Neon 10	
23 Na Sodium	24 Mg Magnesium 12										27 Aluminium 13	28 Si Silicon 14	31 P Phosphorus 15	32 S Sulfur 16	35.5 C1 ^{Chlorine} 17	40 Ar ^{Argon}	
39 K Potassium	40 Ca Calcium 20	45 Sc Scandium 21 48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron 26	59 Co Cobalt 27	59 Ni Nickel 28	64 Cu Copper 29	65 Zn Zinc 30	70 Ga Gallium 31	73 Ge Germanium 32	75 As Arsenic 33	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton 36	24
85 Rb Rubidium	88 Sr Strontium 38	89 91 Y Yttrium 39	93 Nb Niobium 41	96 Mo Molybdenum 42	Tc Technetium 43	101 Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver 47	112 Cd Cadmium 48	115 In Indium 49	119 Sn 50	122 Sb Antimony 51	128 Te Tellurium 52	127 I Iodine 53	131 Xe Xenon 54	4
133 CS Caesium	137 Ba Barium 56	139 178 La Lanthanum 57 * 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re Rhenium 75	190 Os Osmium 76	192 I r Iridium 77	195 Pt Platinum 78	197 Au ^{Gold} 79	201 Hg Mercury 80	204 T 1 Thallium 81	207 Pb Lead 82	209 Bi Bismuth 83	Po Polonium 84	At Astatine 85	Rn Radon 86	
Fr Francium	226 Ra Radium 88	227 Ac Actinium 89 †															_
	anthanoic Actinoid s	series	140 Ce Cerium 58	141 Pr Praseodymium 59	144 Nd Neodymium 60	Pm Promethium 61	150 Sm Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	159 Tb Terbium 65	162 Dy Dysprosium 66	165 Ho Holmium 67	167 Er Erbium 68	169 Tm Thulium 69	173 Yb Ytterbium 70	175 Lu Lutetium 71	
ey Þ	X X	= relative atomic mass = atomic symbol = proton (atomic) number	232 Th Thorium 90	Pa Protactinium 91	238 U Uranium 92	Np Neptunium 93	Pu Plutonium 94	Am Americium 95	Cm Curium 96	Bk Berkelium 97	Cf Californium 98	Es Einsteinium 99	Fm Fermium 100	Md Mendelevium 101	Nobelium 102	Lr Lawrencium 103	
			The	volume of	one mole	of any ga	as is 24 d	m ³ at roo	m tempei	ature and	l pressure	(r.t.p.).			-	71 Lr Lawrencium 103	Jedeo