

# Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

	CANDIDATE NAME		
	CENTRE NUMBER	CANDIDATE NUMBER	
*			
	CO-ORDINATE	D SCIENCES	0654/32
∞	Paper 3 (Extend	led)	May/June 2014
۲ ۹			2 hours
7 2	Candidates ans	wer on the Question Paper.	
1 3	No Additional M	aterials are required.	
°		-	

### READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units. A copy of the Periodic Table is printed on page 32.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

This document consists of 30 printed pages and 2 blank pages.

1 (a) Select elements from the list below to complete the left hand column in Table 1.1.Each element may be used once, more than once or not at all.

aluminium	chlorine	copper	gold
helium	potassium	sulfur	zinc



element	use of element
	filling weather balloons
	galvanising steel
	making food containers
	sterilising drinking water

[2]

(b) Table 1.2 shows properties of four elements **A**, **B**, **C** and **D**.

## Table 1.2

element melting point/°C		electrical conductivity	reaction with water	
<b>A</b> 1455		high	none	
<b>B</b> –220		very low	reacts quickly	
<b>C</b> –112		very low	none	
D	181	high	reacts quickly	

Use the information in Table 1.2 to suggest which element could be found in Group I of the Periodic Table.


Explain your answer.

element

explanation

[2]

(c) Fig. 1.1 shows what happens when a student dips a nail made of zinc into a solution of copper sulfate for one minute.






(i) Suggest the **word** equation for the reaction that occurs between zinc and copper sulfate solution.

(ii) Explain the change in appearance of the nail in terms of the reactivity series of metals.

[2]

(d) The student then carries out another experiment involving copper sulfate solution, using the apparatus shown in Fig. 1.2.





(i) Name the gaseous **element** present in the gas bubbles produced at the anode.

.....[1]


(ii) Describe, in terms of copper ions, Cu<sup>2+</sup>, what happens to cause the formation of the orange layer on the surface of the cathode.

•••••
 [3]


2 (a) A skier takes part in a downhill race.

He accelerates from rest. After 30 seconds he reaches a maximum speed of 12 m/s. He continues at this speed for another 10 seconds. The race is then completed and he slows down and stops after a total time of 50 seconds.

On the grid, draw a speed/time graph of the motion of the skier.



[2]



(b) The speed/time graph for another skier is shown in Fig. 2.1.

Fig. 2.1

(i) Describe how to use the graph in Fig. 2.1 to determine the total distance travelled in 60 s by the skier.

[1]

(ii) Calculate the total distance travelled by the skier from 0 to 60 s.

Show your working.

distance = \_\_\_\_\_ m [2]

(c) Fig. 2.2 shows the skier as he is pulled up a mountain by a cable (lift).




Fig. 2.2

The skier has a mass of 80 kg. The cable pulls him 150 m up the slope. He rises through a total vertical distance of 60 m.

Calculate the work done lifting the skier from the bottom to the top of the slope. You should ignore the work done against friction. (Use gravitational field strength g = 10 N/kg).

State the formula used, show your working and state the unit of your answer.

formula

working

work done = unit [3]


(a) Explain what is meant by negative feedback in homeostasis.
[2]
(b) In the homeostatic control of blood glucose concentration, name

(i) the hormone that causes blood glucose concentration to fall,
[1]
(ii) the gland that secretes this hormone.

[1]

\_\_\_\_\_

(c) Fig. 3.1 shows some blood vessels in skin.





Describe the changes that take place at X and Y when a person is feeling too hot, and explain how these changes help to keep the person cool.

description \_\_\_\_\_\_\_explanation \_\_\_\_\_\_[3]

3

- (d) Some people suffer from a disease called Raynaud's syndrome, in which the blood supply to the fingers may be severely reduced for a period of time varying from just a few minutes up to several hours.
  - (i) Suggest what changes in the body to cause the blood supply to the fingers to be reduced.

	[1]
(ii)	People with Raynaud's syndrome are told to take special care to keep their hands warm in cold weather.
	Suggest the reason for this advice.
	[1]
(iii)	Explain what might be the effect on the fingers if the blood supply to them is severely reduced for several hours.
	[2]

4 (a) (i) Hydrogen and carbon are elements.

The gaseous hydrocarbon, propane, is a compound.

Use these examples to explain the difference between elements and compounds.

(ii) State one raw material from which hydrocarbons like propane can be obtained.
[1]
(iii) State the name of a process that can be used to separate propane gas from the raw material you have named in (ii).
[1]
(iv) State one use of propane.

(b) Fig. 4.1 shows a simplified diagram of the catalytic cracking of propane, a saturated hydrocarbon.




Fig. 4.1

(i) State what is meant by the word *saturated* when it is used to describe hydrocarbon molecules.

[1]

(ii) Complete the diagram below to show the structure of one molecule of **propene**.



[2]

(iii) A teacher says that 'When propane is passed into the apparatus in Fig. 4.1, chemical bonds between the carbon atoms in some of the propane molecules are broken.'

State and explain which information in Fig. 4.1 supports this statement.

[2]

**5** (a) A bar magnet is brought close to a piece of iron as shown in Fig. 5.1. The piece of iron moves towards the bar magnet but does not touch it.




Fig. 5.1

Explain why the piece of iron is attracted to the bar magnet by referring to the magnetic properties of iron.

[2]


- (b) Relays are often used as switches in circuits that use large currents for operating machinery.
  - (i) Explain why relays are used in this way.

[2]

(ii) Describe how a relay switches electrical machinery on and off. You may draw a diagram if it helps your answer.

[2]

(c) Fig. 5.2 shows a circuit containing three identical lamps. The circuit is switched on.





(i) The current flowing through lamps  $L_1$  and  $L_2$  is 0.15A. The current flowing through lamp  $L_3$  is 0.3A.

State the reading on the ammeter.

		A	[1]
(ii)	The voltage across lamp $L_3$ is 3.0 V.		
	State the voltage across the battery.		
	voltage =	V	[1]
(iii)	Calculate the resistance of lamp $L_3$ .		
	State the formula that you use and show your working.		
	formula		
	working		
	resistance =	Ω	[2]
(iv)	Write down the combined resistance of lamps $L_1$ and $L_2$ .		
	resistance =	Ω	[1]

(v) Using your answers to parts (iii) and (iv) calculate the combined resistance of the three lamps in the circuit.

State the formula that you use and show your working.

formula

working

resistance =  $\Omega$  [3]

Please turn over for Question 6.

**6** The picture shows an animal called a mongoose. The mongoose is a mammal that feeds on insects and small vertebrates such as lizards.




Table 6.1 shows what happens to the energy in a mongoose's food. The figures are per 100kJ of energy in the food eaten.

Table	6.1

type of energy transfer	energy transferred (kJ per 100 kJ in food eaten)		
lost in faeces	20		
absorbed into the body	80		
used in production of new tissue	24		
used in respiration	56		

- (a) Using Table 6.1,
  - (i) state the percentage of the animal's food energy that is absorbed into the body.

[1]

(ii) calculate the percentage of the food energy absorbed into the body that is used in the production of new tissue.

Show your working.

 (b) All of the energy in the mongoose's food will eventually be transferred into the same form of energy.

State this form of energy.

			[1]
(c)	Sug	ggest <b>one</b> way in which the mongoose would use energy released from respiration.	
			[1]
(d)	Sug	ggest and explain how the values in Table 6.1 would be different for	
	(i)	a mammal in a colder climate,	
			[2]
	(ii)	an animal that eats mainly grass.	
			[2]

- 7 The isotope technetium-99 is used in medical tests as a radioactive tracer. It emits  $\gamma$ -(gamma) radiation that medical equipment can detect in the human body.
  - (a) Fig. 7.1 shows the results of an experiment to measure how the radioactivity of technetium-99 changes with time.




Fig. 7.1

(i) The results plotted in Fig. 7.1 have already been corrected for a background radiation of 50 counts per second.

Sketch on Fig. 7.1, the graph for the results before the correction for background radiation. [2]

(ii) Use Fig. 7.1 to find the half-life of the isotope in hours.

Show your working.

half-life = \_\_\_\_\_hours [2]

(iii) Suggest why the half-life you calculated in (ii) makes the isotope suitable for its use as a radioactive tracer in the human body.

[2]

(b) The isotope releases  $\gamma$ -radiation but not  $\alpha$ -radiation or  $\beta$ -radiation.

Suggest why this makes technetium-99 suitable for its use as a radioactive tracer in the human body.

[2]

(c)  $\gamma$ -rays are one part of the electromagnetic spectrum.


Fig. 7.2 shows an incomplete electromagnetic spectrum.

gamma-ı	ays	X-rays		visible light	infra-red	microwaves		
	Fig. 7.2							
(i)	Us	se words from t	he list to comp	lete the spectr	um in Fig. 7.2.			
infra-s	infra-sound radio waves seismic waves ultrasound ultraviolet water waves							
							[1]	
(ii)	St	ate the part of	the electromag	netic spectrum	which has the	shortest wave	length.	
							[1]	
(iii)	Ex	cplain what is m	neant by the te	rm <i>wavelength</i>				
	Yo	ou may draw a	diagram if it he	elps your answe	er.			
							[1]	
<b>(d)</b> β-	parti	cles are electro	ons. Electrons a	are involved in	the production	of electrostation	c charges.	
		be in terms of e of cloth.	electrons how	a rubber balloo	on becomes ch	narged when ru	ubbed against	
							[2]	

8 (a) Define the term *chromosome*.

[2]

(b) Fig. 8.1 shows all the chromosomes in a human skin cell, arranged in pairs.




(i) A student examines the chromosomes in Fig. 8.1. He describes the skin cell as 'haploid'.

Explain why the student's description was wrong. State the description that should have been used.

[2]
(ii) State two ways in which the chromosomes in an egg cell would be different from those in Fig. 8.1.
1 \_\_\_\_\_\_
2 \_\_\_\_\_\_<[2]</li>

20

(c) Fig. 8.2 shows the number of chromosomes in each cell in some of the stages of the life-cycle of a peach aphid (a small insect). The young aphids are called nymphs.





On Fig. 8.2,

- (i) mark with the letter **M** a point at which meiosis occurs, [1]
- (ii) fill in the empty squares to show the number of chromosomes per cell in the remaining stages of the life-cycle. [2]
- (d) Insects such as the peach aphid show both sexual and asexual reproduction.

Suggest an advantage to the peach aphid of

(i) sexual reproduction,

[1]

(ii) asexual reproduction.

[1]

9 (a) Fig. 9.1 shows the nucleus of an atom of the element sulfur, proton number 16.

 $\bigcirc$ 

#### Fig. 9.1

Complete Fig. 9.1 to show how **all** of the electrons are arranged in an atom of sulfur. [2]

(b) (i) Fig. 9.2 shows a diagram of the structure of one molecule of sulfur dioxide, SO<sub>2</sub>. In this molecule, the atoms of oxygen and sulfur are held together by double covalent bonds.




Fig. 9.2


Deduce the number of shared electrons in bond B.

[1]

(ii) Explain why the presence of sulfur dioxide in the atmosphere causes the water in some lakes to become acidic.

[2]

(c) Fig. 9.3 shows apparatus used to measure the rate of reaction between magnesium and dilute sulfuric acid.





(i) State the effect of changing the temperature of the acid on the time taken for the measuring cylinder to fill with hydrogen gas.

[1]

(ii) Explain your answer to (i) in terms of collisions between particles.

[2]

(d) The balanced symbolic equation for the reaction between magnesium and excess dilute sulfuric acid is

 $Mg(s) + H_2SO_4(aq) \longrightarrow MgSO_4(aq) + H_2(g)$ 

A student was asked to use the apparatus in Fig. 9.3 to collect 120 cm<sup>3</sup> of hydrogen gas.

(i) Calculate the number of moles of hydrogen gas in 120 cm<sup>3</sup>. The volume of one mole of hydrogen gas under the conditions in the laboratory is 24.0 dm<sup>3</sup>.

Show your working.

number of moles = [1]

(ii) Calculate the minimum mass of magnesium that the student should use to make sure that she has enough to produce 120 cm<sup>3</sup> of hydrogen gas.


Show your working.

mass of magnesium = \_\_\_\_\_g [2]

**10 (a)** Define the term *nutrition*.

[2]

(b) Fig. 10.1 shows some stages in the production of yoghurt from milk.





(i) Name the type of microorganisms used in producing yoghurt from milk.

[1]

(ii) During the fermentation stage, air is kept out of the fermentation vessel.

Explain why this is important.

[1]

25

(iii) Before fermentation, the milk is heat treated during the process of pasteurisation. Suggest two reasons why this is important. 1 2 ..... [2] ..... (iv) In this production process, fat is removed from the milk before the milk is converted to yoghurt. Explain why, as a result of this, the yoghurt might be healthier to eat than yoghurt from full-fat milk. [2] (v) During the fermentation stage, the pH of the mixture falls. Explain why this happens. ......[1]

**11** Fig. 11.1 shows a ray diagram of a lens producing an image.




Fig. 11.1

(i)	On Fig. 11.1 draw another ray of light from the top of the object, that passes through centre of the lens and crosses the first ray on the right hand side of the lens.	the [1]
(ii)	On Fig. 11.1 draw the image of the object and label it 'image'.	[1]
(iii)	State the name given to point <b>F</b> on Fig. 11.1.	
		[1]
The	e image produced in Fig. 11.1 is a real image.	
(i)	State <b>two</b> other characteristics of the image formed in Fig. 11.1.	
	1	
	2	[1]
(ii)	State the difference between a real image and a virtual image.	
		•••••
		[1]
	(iii) The (i)	<ul> <li>centre of the lens and crosses the first ray on the right hand side of the lens.</li> <li>(ii) On Fig. 11.1 draw the image of the object and label it 'image'.</li> <li>(iii) State the name given to point <b>F</b> on Fig. 11.1.</li> <li>The image produced in Fig. 11.1 is a real image.</li> <li>(i) State two other characteristics of the image formed in Fig. 11.1.</li> <li>1</li> <li>2</li> </ul>

12 Compounds containing ammonium ions are added to soil as fertilisers.

Ammonia gas manufactured by the Haber process is used to produce ammonium nitrate and ammonium sulfate.

- (a) Ammonium nitrate is made in a neutralisation reaction between the base, ammonia, and an acid.
  - (i) Name the acid that reacts with ammonia to produce ammonium nitrate.

[1]


(ii) Ammonium sulfate has the chemical formula  $(NH_4)_2SO_4$ . The formula of the sulfate ion is  $SO_4^{2^2}$ .

Deduce the formula of the ammonium ion.

Show your working.

ammonium ion = [2]

(b) Fig. 12.1 shows a simplified diagram of part of the Haber process.



- Fig. 12.1
- (i) Hydrogen gas is made in a reaction between methane and steam. In this reaction methane reacts with steam, H<sub>2</sub>O(g), to produce carbon monoxide, CO, and hydrogen gas.

Deduce the balanced symbolic equation for this reaction.

[3]

(ii) State the **three** important reaction conditions inside the reaction vessel in Fig. 12.1.

1	 
2	 
3	 [2]

## **BLANK PAGE**

# **BLANK PAGE**

0654/32/M/J/14	© UCLES 2014
Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.	Cambridge International Examinat Examinations Syndicate (UCLES)
publisher will be pleased to make amends at the earliest possible opportunity.	publisher will be pleased to make

0654/32/M/J/14

© UCLES 2014

ublisher will be pleased to make amends at the earliest possible opportunity.	reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the	רפוווואזטוו ע ופווסמעכי וניווא אווידי ווווע-party סאווים ווומניום סוטיבעים על כסטיוטוו א ווכוענים וומג ספרו צטעווו מוע כיפונים אווידי סטאטי. בענוי
---	---	--

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.	
--	--

single to see along these this sets and a stated we had be seenable to see which is included for these seconds and showed when example				
F			11	
	7 Li Lithiun 3	n	9 Be Berylliu 4	
	23 <b>Na</b> <sup>Sodiur</sup> 11		24 Mg Magnes 12	
	39 <b>K</b> Potassiu 19	ım	40 <b>Ca</b> Calciu 20	
	85 <b>Rb</b> Rubidiu 37		88 Sr Strontiu 38	
	133 <b>Cs</b> <sub>Caesiu</sub> 55		137 <b>Ba</b> Bariur 56	
	Fr Franciu 87	m	226 <b>Ra</b> Radiu	
	*58-71 †90-10	1 La )3 A	anthar Actinoi	oi d s
	Key	b	a <b>X</b>	a X b

DATA SHEET The Periodic Table of the Elements

								Gr	oup								
I	II											III	IV	V	VI	VII	0
							1 <b>H</b> Hydrogen 1										4 He Helium
7 Li Lithium 3	9 Be Beryllium							_				11 B Boron 5	12 C Carbon 6	14 N Nitrogen 7	16 O Oxygen 8	19 F Fluorine 9	20 <b>Ne</b> Neon 10
23 Na <sup>Sodium</sup>	24 Mg Magnesiun 12	n										27 Al Aluminium 13	28 <b>Si</b> Silicon 14	31 P Phosphorus 15	32 <b>S</b> Sulfur 16	35.5 <b>C1</b> <sup>Chlorine</sup> 17	40 Ar Argon 18
39 <b>K</b> Potassium 19	40 Ca Calcium 20	45 Sc Scandium 21	48 <b>Ti</b> Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 <b>Mn</b> Manganese 25	56 <b>Fe</b> Iron 26	59 Co Cobalt 27	59 <b>Ni</b> <sup>Nickel</sup> 28	64 Cu <sup>Copper</sup> 29	65 <b>Zn</b> Zinc 30	70 Ga Gallium 31	73 Ge Germanium 32	75 As Arsenic 33	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton 36
85 <b>Rb</b> Rubidium 37	88 <b>Sr</b> Strontium 38	89 <b>Y</b> Yttrium 39	91 Zr <sup>Zirconium</sup> 40	93 <b>Nb</b> Niobium 41	96 Mo Molybdenum 42	Tc Technetium 43	101 <b>Ru</b> Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver 47	112 Cd Cadmium 48	115 <b>In</b> Indium 49	119 <b>Sn</b> <sup>Tin</sup> 50	122 Sb Antimony 51	128 Te Tellurium 52	127 <b>I</b> Iodine 53	131 <b>Xe</b> <sub>Xenon</sub> 54
133 Cs Caesium 55	137 <b>Ba</b> Barium 56	139 <b>La</b> Lanthanum 57 *	178 <b>Hf</b> <sup>Hafnium</sup> 72	181 <b>Ta</b> <sup>Tantalum</sup> 73	184 W Tungsten 74	186 <b>Re</b> Rhenium 75	190 <b>Os</b> Osmium 76	192 <b>I r</b> Iridium 77	195 Pt Platinum 78	197 Au <sub>Gold</sub> 79	201 Hg Mercury 80	204 <b>T 1</b> Thallium 81	207 Pb Lead 82	209 <b>Bi</b> Bismuth 83	Polonium 84	At Astatine 85	Rn Radon 86
Fr Francium 87	226 <b>Ra</b> Radium 88	227 <b>Ac</b> 89 †															
*58-71 Lanthanoid series †90-103 Actinoid series			Nd Neodymium	Pm Promethium 61	150 <b>Sm</b> Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	159 <b>Tb</b> Terbium 65	162 Dy Dysprosium 66	165 Ho Holmium 67	167 <b>Er</b> <sup>Erbium</sup> 68	169 <b>Tm</b> Thulium 69	173 Yb <sup>Ytterbium</sup> 70	175 Lu Lutetium 71			
Кеу	x	a = relative aton X = atomic sym b = proton (aton	bol	232 Th <sup>Thorium</sup> 90	Pa Protactinium 91	238 U Uranium 92	Np Neptunium 93	Pu Plutonium 94	Am Americium 95	Cm <sup>Curium</sup> 96	Bk Berkelium 97	Cf Californium 98	Es Einsteinium 99	Fm Fermium 100	Md Mendelevium 101	Nobelium 102	Lr Lawrencium 103

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).