

# UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

0654/31
May/June 2013
2 hours
_

#### READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units. A copy of the Periodic Table is printed on page 36.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

This document consists of 34 printed pages and 2 blank pages.



1 (a) Table 1.1 shows the numbers of protons, neutrons and electrons in four atoms, A, B, C and D.

For Examiner's Use

atom	protons	neutrons	electrons
Α	2	2	2
В	1	1	1
С	1	0	1
D	2	1	2

Table 1.1

(i) Explain which one of the atoms, **A**, **B**, **C** or **D**, has the highest nucleon number (mass number).

	atom	
	explanation	
	[1]	
(ii)	Explain which pair of atoms chosen from <b>A</b> , <b>B</b> , <b>C</b> and <b>D</b> are isotopes of helium.	
	atomand atom	
	explanation	
	[2]	

(b) Fig. 1.1 shows containers of hydrogen and helium.



Fig. 1.1

(i) Describe, in terms of electrons, how a chemical bond forms between two hydrogen atoms.

You may draw a diagram of a hydrogen molecule if it helps you to answer this question.

		•••••
		[2]
(ii)	Explain why helium exists as single atoms and <b>not</b> as molecules.	
		[1]

For Examiner's Use



[3]

Please turn over for Question 2.

**2** (a) A fishing boat is floating on the sea.

The fishing boat uses echo sounding to detect a shoal of fish.

This is shown in Fig. 2.1.





Short pulses of sound are sent out from the boat. The echo from the shoal of fish is detected by a receiver on the boat 0.2 seconds later.

Sound waves travel through water at a speed of 1600 m/s.

(i) Calculate the distance of the shoal of fish below the boat.

State the formula that you use and show your working.

formula

working

.....

(ii) The sound waves have a wavelength of 0.25 m.

Calculate the frequency of the waves.

State the formula that you use and show your working.

formula

working

[2]

[2]

For Examiner's Use



7

8

For Examiner's Use

3 Fig. 3.1 shows an insect-pollinated flower cut in half.





(a) (i) List the structures, labelled in Fig. 3.1, that are the male parts of the flower.
[1]
(ii) List the structures, labelled in Fig. 3.1, that are the female parts of the flower.
[1]
(iii) The nectary produces a sugar solution.
Explain how the positions of the anthers, stigma and nectary help insect pollination to take place.
[3]

(b)	After pollination, the ovule inside the ovary may be fertilised. The ovary develops into a	For
	fruit, and the ovule develops into a seed.	Examiner's

(i) Draw a labelled diagram to show how **one named** fruit is dispersed by wind.

[2]

Use

(ii) State why dispersal of seeds is important to a species of plant.

[1]

- 4 Petroleum (crude oil) and rock salt occur naturally in the Earth's crust.
  - (a) Petroleum is a mixture that contains thousands of different compounds. Many of these compounds are alkanes.

Draw the structure of the alkane molecule that contains eight hydrogen atoms. Use short lines to represent covalent bonds.

[2]

For Examiner's Use

(b) When petroleum is refined, it is separated into simpler mixtures.

Fig. 4.1 shows a simplified diagram of a distillation column that is used to refine petroleum.



Fig. 4.1

(i) Describe how the temperature inside the apparatus changes from position **D** to position **A**.

(ii) Explain, in terms of intermolecular forces and the size of molecules, why the average boiling point of the fraction at B differs from the average boiling point of Examiner's the fraction at C.

[3] (c) Rock salt contains mainly sodium chloride which is a compound of the alkali metal, sodium, and the halogen, chlorine. (i) Explain why the uncombined elements sodium and chlorine are not found in the Earth's crust. ..... ......[1] (ii) Describe the changes in electron configuration when sodium atoms (2,8,1) react with chlorine atoms (2,8,7) to form sodium chloride. [2]

For

Use

(iii) Explain, in terms of its structure, why sodium chloride forms crystals which have a regular shape.

For Examiner's Use

You should draw a simple diagram of the structure to help you to answer this question.

[3]

Please turn over for Question 5.

13

**5** Milk is a liquid produced by cows, goats and other mammals, on which they feed their young.

For Examiner's Use

(a) Table 5.1 shows the mass of some of the substances in 100g samples of milk from three mammals.

substance	cow's milk	goat's milk	water-buffalo's milk
protein/g	3.2	3.1	4.5
fat/g	3.9	3.5	8.0
carbohydrate/g	4.8	4.4	4.9
calcium/mg	120	100	195

#### Table 5.1

(i) Which substance shown in Table 5.1 is present in the samples of milk in the smallest quantity?

......[1]

(ii) Suggest which substance, **not** shown in Table 5.1, is present in the samples of milk in the largest quantity.

......[1]

(iii) Explain **one** way in which drinking water-buffalo's milk might be better for a person's health than drinking goat's milk.

.....

.....

- [2]
- (iv) Explain **one** way in which drinking cow's milk might be better for a person's health than drinking water-buffalo's milk.

[2]

	(v)	Explain why calcium does not need to be digested in the human alimentary canal.	For Examiner's
		[1]	Use
(b)	Mill	c can be used for making yoghurt.	
	•	Bacteria are added to the milk. The milk is kept at a temperature of 40 °C.	
	•	The bacteria convert lactose in the milk to lactic acid.	
	•	When the pH has reached about 4.5, the yoghurt is moved to a refrigerator at a temperature of 3 °C.	
	(i)	Explain why the milk is kept at a temperature of 40 °C after the bacteria have been added to it.	
		[2]	
	(ii)	Suggest why the yoghurt is kept in a refrigerator at a temperature of 3 °C.	
		[1]	
	(iii)	Milk has a pH of about 6.5. Explain why the pH of milk changes during the manufacture of yoghurt.	
		[1]	

6 (a) In a store, two workers are lifting 5kg bags of flour onto the shelves. There are five shelves, 0.4 m apart. The lowest shelf is 0.4 m from the floor.

Fig. 6.1 shows the two workers.



Fig. 6.1

(i) Worker X lifts three bags from the floor to shelf 2. Worker Y lifts one bag from the floor to shelf 5.

Worker X says that he has done more work than worker Y.

Use calculations of the work done to explain whether or not he is correct.

State the formula that you use.

formula

[2]

(ii) Each worker lifts one bag from the floor to shelf 2. Worker **X** does this more quickly than worker **Y**.

Which worker exerted the higher power during their lift?

Explain your answer.

[1]

For

Examiner's Use

- (iii) Each 5 kg bag of flour has a volume of 5500 cm<sup>3</sup>.
   Calculate the average density of the bag of flour. State your answer in g/cm<sup>3</sup>.
   State the formula that you use and show your working.
   formula
   working
- (b) The store has a fire alarm, which detects an increase in temperature.

The fire alarm circuit has a resistor  $\mathbf{R}$ , a thermistor and a buzzer connected to the battery shown in Fig. 6.2.





Explain what happens to the current in the fire alarm circuit when the temperature increases.

[3]

(c) Three boys, A, B and C, walk together from their school to a store. They stay at the For store for a few minutes and then return to school. Use When they leave the store, one boy walks back to school at a steady pace, one boy walks back to school at a slower steady pace, one boy slows down gradually as he walks back to school.

The graph in Fig. 6.3 shows how their speeds vary with time.



		[2]
(ii)	For how many seconds do the boys stay in the store?	
	s	[1]
(iii)	Which boy slowed down on his way back to school?	
	Explain your answer.	
		[1]

The metal vanadium is mixed with iron and carbon to make vanadium steel. For Use (a) (i) Vanadium metal may be obtained by reducing vanadium oxide with magnesium. Suggest the word chemical equation for this reaction. [1] (ii) Vanadium is a transition metal and magnesium is in Group 2 of the Periodic Table. Suggest two differences in properties between vanadium and magnesium. 1 \_\_\_\_\_ 2 [2]

7

Examiner's

(b) Sulfuric acid is made in industry by the Contact Process.

Fig. 7.1 shows a simplified flow diagram of part of the Contact Process.



Fig. 7.1

A mixture of the gases sulfur dioxide and oxygen passes over the surface of solid vanadium oxide inside the reaction vessel.

The unbalanced equation for the reaction that occurs in the reaction vessel is shown below.

Balance the equation and explain why it does **not** contain the formula of vanadium oxide.



For Examiner's Use (c) 1.00 kg of a sample of concentrated sulfuric acid contains 98% by mass of  $H_2SO_4$  molecules.

21

For Examiner's Use

Calculate the number of moles of  $H_2SO_4$  molecules in 1.00 kg of this sample of concentrated sulfuric acid.

Show your working.

[3]

..... [2] For

Use

**9** (a) Fig. 9.1 shows a mobile phone (cell phone) and battery charger.



Fig. 9.1

A transformer inside the battery charger reduces the 220V mains supply to the 5V used to charge the mobile phone battery. The transformer has 40 turns on its secondary coil.

Calculate the number of turns on the primary coil of the transformer in the battery charger.

State the formula that you use and show your working.

formula

working

	[2]
--	-----

(b) Describe and explain how transformers are used in the large scale transmission of electricity.

[3]

For Examiner's Use **10 (a)** Fig. 10.1 shows apparatus a student used to investigate the reaction between a white powder and dilute hydrochloric acid.

For Examiner's Use

The student predicted which gas would be given off in her experiment and chose to test the gas using limewater.



Fig. 10.1

State the gas that the student predicted would be given off.

Explain your answer.

name of gas		
explanation		
		[2]

Question 10 continues over the page.

(b) The student investigated the temperature change when sodium hydrogencarbonate was added to excess dilute hydrochloric acid.

For

Examiner's Use

Fig. 10.2 shows the apparatus she used.





Temperature measurements were displayed on the computer screen as a graph of temperature against time.

This graph is shown in Fig. 10.3.



Fig. 10.3

- (i) On the graph, mark with an **X** the point where sodium hydrogencarbonate was added to the dilute hydrochloric acid. [1]
- (ii) Calculate the temperature change shown in Fig. 10.3 that occurred during the reaction.

[2]

(iii) Use the results shown in Fig. 10.3 to explain, in terms of chemical energy and heat energy, the energy transformation that occurred during the reaction.



(c) The student's teacher then set up the apparatus shown in Fig. 10.4 in a fume cupboard.





The teacher heated the mixture of reactants. A gas was given off which did **not** change the colour of the indicator.

The teacher told the student

- that the gas was an oxide of carbon,
- that the relative formula mass of the gas molecules was 28.
- (i) State and explain why the observation involving the indicator shows that the gas produced was **not** carbon dioxide.

(ii) Use the value of the relative formula mass to deduce the chemical formula of the gas produced in this experiment. [2]

For

Examiner's Use **11** Fig. 11.1 shows the human gas exchange system. Fig. 11.1 (a) Use label lines to label each of these structures on Fig. 11.1. trachea bronchus [3] larynx (b) Gas exchange takes place across the surface of the alveoli in the lungs. List three features of alveoli that help gas exchange to take place quickly. ..... 1 2 ..... 3 [3]

For Examiner's Use (c) The gas exchange system is protected from pathogens and harmful substances by a tissue, containing goblet cells and ciliated cells, that lines the nose, trachea and bronchi.

Fig. 11.2 shows part of this tissue inside the nose.





Describe how the tissue shown in Fig. 11.2 helps to stop harmful substances getting into the lungs.

 [2]

For

Examiner's Use (d) An experiment was carried out to find out how passive smoking affects the activity of the goblet cells and cilia.

For Examiner's Use

Six people sat in a closed room. On day **1**, they breathed normal, clean air. On day **2**, they breathed air containing cigarette smoke.

After one hour, an aerosol containing a radioactive isotope of technetium, <sup>99</sup>Tc, was sprayed into each person's nose. This isotope produces gamma radiation. The researchers measured the radioactivity in each person's nostrils for 40 minutes. This was done on both days.

The faster the cilia and goblet cells were working, the faster the <sup>99</sup>Tc was removed from the nose.

Table 11.1 shows the results.

person	percentage of radioactivity remaining after 40 minutes						
	day <b>1</b> after breathing clean air	day <b>2</b> after breathing air containing cigarette smoke					
1	65	26					
2	84	49					
3	67	96					
4	23	51					
5	40	91					
6	78	24					

## Table 11.1

(i) Suggest why the researchers used a source that emits gamma radiation, rather than one that emits alpha radiation.

[2]

(ii) Which three persons' results showed that breathing air containing cigarette smoke slowed down the rate at which their cilia and goblet cells worked?

[1]

- (iii) Suggest how exposure to cigarette smoke could affect the health of these three people.
  - [4]

**12 (a)** Electromagnetic waves are transverse waves.

Draw labelled diagrams to explain the difference between a transverse wave and a longitudinal wave.

For Examiner's Use

[3]

(b) Fig. 12.1 shows a person using a periscope to look over a wall. mirror wall mirror Fig. 12.1

© UCLES 2013

(i) On Fig. 12.1 draw a ray diagram to explain how the person can see over the wall.

[3]



## **BLANK PAGE**

## **BLANK PAGE**

Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.	University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge	רישטואויםי אווו עם עונסאסע יע ווומאס מרווים פמווופא עעטאאועים עועטווועי.
Cambridge.	Cambridge Assessment is the brand name of University of	

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

							The Pe	DAT. riodic Ta	A SHEE	T ne Elem	ents					
								Gr	oup							
Ι	II											III	IV	V	VI	VII
							1 H Hydrogen 1									
7	9							_				11	12	14	16	19
Li Lithium 3	Beryllium 4	m										Boron 5	C Carbon 6	Nitrogen	Oxygen 8	Fluorine
23	24											27	28	31	32	35.5
Na Sodium	Mg Magnesia 12	um										Aluminium 13	Silicon 14	P Phosphorus 15	Sulfur 16	Cl Chlorine 17
39	40	45	48	51	52	55	56	59	59	64	65	70	73	75	79	80
K Potassium 19	Ca Calciun 20	n Scandium 21	Ti Titanium 22	V Vanadium 23	Cr Chromium 24	Mn Manganese 25	Iron 26	Co Cobalt 27	Ni Nickel 28	Cu Copper 29	Zn Zinc 30	Gallium 31	Germanium 32	As Arsenic 33	Selenium 34	Bromine 35
85	88	89	91	93	96		101	103	106	108	112	115	119	122	128	127
Rb Rubidium 37	Strontiu 38	m Yttrium 39	Zr Zirconium 40	Niobium 41	Mo Molybdenum 42	Tc Technetium 43	Ru Ruthenium 44	Rhodium 45	Pd Palladium 46	Ag Silver 47	Cd Cadmium 48	In Indium 49	Sn <sup>Tin</sup> 50	Sb Antimony 51	Te Tellurium 52	I Iodine 53
133	137	139	178	181	184	186	190	192	195	197	201	204	207	209		
Cs Caesium 55	Barium 56	Lanthanum	Hafnium 72	Ta Tantalum 73	W Tungsten 74	Rhenium 75	Osmium 76	Iridium	Platinum 78	Gold Gold	Hg Mercury 80	T <i>1</i> Thallium 81	Pb Lead 82	Bi Bismuth 83	Polonium 84	At Astatine 85
Fr Francium 87	226 Ra Radiun 88	Actinium 89					1		1							
*58-71 L	anthan	oid series		140	141	144	_	150	152	157	159	162	165	167	169	173
190-103 Actinoid series Ce Pr Nd Cerium Praseodymium 59 60				Promethium 61	Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Ytterbium 70			
	a a = relative atomic mass 232 238		238													
Key b	X	<b>X</b> = atomic sym b = proton (atom	nbol mic) number	Th Thorium 90	Protactinium 91	Uranium 92	Np Neptunium 93	Plutonium 94	Am Americium 95	Cm Curium 96	Bk Berkelium 97	Cf Californium 98	Es Einsteinium 99	Fm Fermium 100	Md Mendelevium 101	No Nobelium 102

36

Ne

Neon 10

40

Ar

Argon 18

84

Kr

Krypton

131

Xe Xenon

**Rn** Radon 86

175

Lu Lutetium

Lr

Lawrencium 103

71

36

54