Name

AMAN, Ballacambridge Com

CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

COMBINED SCIENCE CO-ORDINATED SCIENCES

0653/06, 0654/06

Paper 6 Alternative to Practical Test

October/November 2003

1 hour

Candidates answer on the Question Paper. No Additional Materials are required

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen in the spaces provided on the Question Paper. You may use a soft pencil for any diagrams, graphs or rough working. Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer all questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

If you have been given a label, look at the details. If any details are incorrect or missing, please fill in your correct details in the space given at the top of this page.

Stick your personal label here, if provided.

For Examiner's Use			
1			
2			
3			
4			
5			
6			
Total			

WANN, PARAC CAMBRIDGE COM 1 A student did an experiment to find if alcohol has an effect on the rate of heartbeat fleas. The water fleas are so small that they have to be studied using a microscope. heart can be seen easily in the place shown in Fig. 1.1.




Fig. 1.1


- He placed a water flea onto a microscope slide and counted the number of heart beats in 15 seconds.
- Using a pipette he removed the water surrounding the flea and replaced it with 1% alcohol.
- He counted the new rate for 15 seconds.
- He repeated this procedure with a different flea.
- He then did the experiment with two more fleas in alcohol solutions of different concentrations shown in the table.
- He multiplied each reading by four to give the heart rate per minute.
- He recorded his results in the table, Fig. 1.2.

alcohol concentration/%	first reading of heart rate/beats per minute	second reading of heart rate/beats per minute	average heart rate/beats per minute
0	204	216	
1	188	196	
2	168	180	
3	140	152	
4	96	88	
5	44	48	
6	36	32	
7	20	28	
8	24	12	

Fig. 1.2

(a) Complete the table by calculating the average heart rate for each alcohol concentration.

(b) Plot a graph of average heart rate against alcohol concentration on the grid pro



www.PanaCambridge.com

(C)	Des	cribe now alcohol affected the heart rate of the water fleas,
	(i)	at alcohol concentration between 0% and 2%,
	(ii)	at alcohol concentrations between 3% and 5%.
		[2]
(d)	The	nervous system controls the heart rate in both fleas and humans. Suggest how
(u)		king alcohol affects the speed of response of the human nervous system.
		[4]
		[1]
(e)	(i)	Suggest one possible source of error in the experiment.
	(ii)	Suggest one way in which the experiment could be improved.
	(")	daggest one way in which the experiment codia be improved.
		[2]

Question 2 can be found on page 6

www.PapaCambridge.com

WANN, PARAC CAMBRIDGE, COM 2 Three students each set up an experiment using the apparatus shown in the Fig. 2.1.





Fig. 2.1

- Each of the 100 cm³ flasks contained a small mass of one of the metals X, Y or Z with 5 cm³ of water.
- At first, all the syringes were set at the 25 cm³ mark.
- The flasks were left for one week.
- The students recorded their results in the table, Fig. 2.3.
- (a) Fig. 2.2 shows the scales of the syringes after one week.






Fig. 2.2

Record the readings of the syringes in the table, Fig. 2.3.

Rec	ord the readings of the syrin	7 nges in the table, Fig. 2	MANA, Papa Ca	For Examiner's Use
experiment number	flask contained	syringe reading on day 1/cm ³	syringe reading after one week/cm ³	horidge.com
1	metal X + 5 cm ³ of water	25		OH
2	metal Y + 5 cm ³ of water	25		
3	metal Z + 5 cm ³ of water	25		

[3]

Fig 23

					Fig. 2.3				
(b)	Suggest the names of the metals used in the experiments 1–3. Choose from the following list of metals. (there may be more than one correct answer each time)								
	cald	cium c	opper	iron	magnesium	zinc			
	Ехр	lain your	answers.						
	(i)	Metal X	could be					 	
		explanat	ion					 	
								 [1]
	(ii)	Metal Y	could be					 	
		explanat	ion					 	
								 [2	2]
	(iii)	Metal Z	could be					 	
		explanat	ion					 	
								 [2	2]
(c)	Nan	ne the ga	s made b	y the re	eaction in expe	riment 3	3.		
								[11

3 A student did an experiment to investigate the solubility of potassium nitrate in different temperatures.

The student placed 7.0 g of potassium nitrate and 4.0 cm³ of water in a large test-tube.

- He heated the test-tube in a water bath until all the crystals had dissolved.
- He allowed the test-tube to cool and gently stirred the contents with the thermometer.
- www.papaCambridge.com When he saw small shiny crystals in the solution, he recorded the temperature in the results table, Fig. 3.2.
- He added 1.0 cm³ of water to the test-tube and stirred the mixture.

Then the steps shown above were repeated to find another temperature at which crystals began to appear.

He added 1.0 cm³ portions of water to the tube until the total volume of water was 12.0 cm³. Each time he found the temperature at which crystals began to appear.

Fig. 3.1 shows the scale of the thermometer for three of the experiments.




Fig. 3.1

[3]

(a) Read the	e thermometers in	9 Fig. 3.1 and reco	ord the results in the table	e, Fig. 3.2.	For Examiner's Use
experiment number	total volume of water/cm ³	mass of potassium nitrate/g	mass of potassium nitrate per 100 cm ³ of water/g	temperature/°C	Tage con
1	4.0	7.0	175.0	78	
2	5.0	7.0			
3	6.0	7.0	117.0		
4	7.0	7.0	100.0		
5	8.0	7.0	87.5	50	
6	12.0	7.0	58.3	38	

Fig. 3.2

(b) Complete Fig. 3.2 by calculating the missing value for the mass of potassium nitrate in 100 g water.

(c) On the graph grid provided, Fig. 3.3, plot a graph of mass of potassium nitrate po water (vertical axis) against temperature. Draw a smooth curve.




Fig. 3.3

	May May 1
	11 For Examiner's
(d)	A point P has already been marked on the graph grid. Study the graph at complete the following sentence about point P .
	The point P represents a solution ofg potassium nitrate in g of
	water at a temperature of°C. [1]
(e)	The student wants to get solid potassium nitrate from the solution. Explain carefully how he can do this.
	[2]

- 4 This question is about heat loss in animals. During cold weather some animals together (huddle) to keep warm.
 - A student did an experiment to find how effective such huddling is.

She used test-tubes of hot water to represent the animals.

- She half-filled eight test-tubes with hot water.
- www.papaCambridge.com She used an elastic band to make a bundle of seven tubes with test-tube A surrounded by six other test-tubes.
- She put a thermometer into test-tube **A**.
- She also put a thermometer into the eighth test-tube, **B**, which she kept separate.
- She then put the tubes in beakers as shown in the diagram, Fig. 4.1.
- Then she took the initial temperature of the water in both test-tubes. She continued to take the temperature every minute for ten minutes.




Fig. 4.1

(a) results for test-tube A

initial temperature = 60 °C

readings/°C 58 reading (i) 54 59 57 57 56 55 55 results for test-tube B initial temperature = 61 °C

readings/°C 58 55 53 reading (ii) 42 51 49 47 46 44

www.Papa Cambridge.com Read the thermometers (i) and (ii) in Fig. 4.2 below to complete the sets of results. Write your answers in the spaces provided.




Fig. 4.2

(ii)°C (i)°C [2]

(b) Construct a table showing times and temperatures to display all the results clearly.

	42
	14 A. D.
(c)	Which test-tube, A or B , took longer to cool down?
(d)	Which test-tube, A or B , took longer to cool down? Is huddling effective? Use your results and your knowledge of heat transfer to explain your answer.
	[3]
(e)	Suggest two ways in which you could improve the accuracy of the experiment.
	[2]

is a black solid. She does the following tests		`
test	observation	conclusion
 To a small amount of X, add 5 cm³ dilute nitric acid and warm. 	blue solution formed	[1]
2. Warm a portion of X with 15 cm ³ water in a large test-tube. Filter the mixture and use 2 cm ³ of the filtrate for each of the tests 3–5 .	black residue in filter paper and a colourless filtrate	
3. To 2 cm ³ of the filtrate from test 2, 5 cm ³ hydrochloric acid was added.	colourless solution, no bubbling seen	[1]
4. To 2 cm ³ of the filtrate from test 2 , a few drops of nitric acid were added, followed by silver nitrate solution.	white precipitate	[1]
5. To 2 cm ³ of the filtrate from test 2 , about 1 cm ³ aqueous sodium hydroxide was added. The mixture was warmed.	pungent-smelling gas given off, turns red litmus blue	[1]
6. About 10 cm ³ warm dilute nitric acid was poured on to the residue from test 2 . The filtrate was collected.	blue solution formed	

Fig. 5.1

(b)	Suggest another test the student might use to confirm the presence of the gas from test 5 . What result can she expect for your test?
	test
	result [2]

(c) The student thinks that the filtrate from test 6 might contain copper ions. Sadding ammonia solution to some of the filtrate.

(i) What will she see when she adds a few drops of ammonia solution, if copper is present?

(ii) What will she see when she adds an excess of ammonia solution, if copper is present?

[3]

(d) Suggest what substances are present in substance X.

.....[2]

6 Two students do an experiment to determine the speed of sound in air. The first student fires a gun at point X, 1000 metres away from the second student at po





Fig. 6.1

- A microphone on the gun picks up the sound. It sends a signal to a radio transmitter. This signal is sent to the radio receiver at point Y. The receiver sends input A to a cathode ray oscilloscope (c.r.o.).
- A dish at point Y reflects the sound to a microphone in the dish. This sends input B to the c.r.o.
- The sound of the gun travels through the air. When the second student hears the sound of the gun at point Y, he presses a switch to send input C to the c.r.o.
- (a) The inputs to the c.r.o. are pulses of energy. State how the energy travels from point X to point Y in each case.

	(i)	input A				
	(ii)	input B				[2]
(b)		•	the microphone at point Y not need one.	needs a reflector dis	sh but the microphon	e at
						[1]

(c) The screen of the c.r.o. is saved and displayed. This is shown in Fig. 6.2.



1 cm = 0.5 s (horizontal axis)

Fig. 6.2

The c.r.o. is set so that 1 cm on the horizontal axis = 0.5 seconds.

Use the information in Fig. 6.2 to determine

(i) the length of time, $\mathbf{t_1}$, between input A and input B,

$$\mathbf{t_1} = \dots \dots \mathbf{s}$$
 [1]

(ii) the length of time, $\mathbf{t_2}$, between input A and input C,

For
Examiner's

	19 WMM. D.
Calculate the speed of sound in metr	res per second as it travels from point X to
(i) using t ₁ from (c)(i),	19 res per second as it travels from point X to C
	speed of sound =m/s [1]
ii) using t ₂ from (c)(ii),	
	speed of sound =m/s [1]
Which result, (d)(i) or (d)(ii) , for the answer.	e speed of sound is more reliable? Explain your
	[2]
How can all of the results from this e	experiment be made more reliable?
	[1]

20

BLANK PAGE

www.PapaCambridge.com