		DGE INTERNATIONAL EXAMINATIONS
CANDIDATE		icate of Secondary Education
CENTRE NUMBER		CANDIDATE NUMBER
CO-ORDINATI	ED SCIENCES	0654/0
Paper 6 Alterna	ative to Practical	October/November 200
		1 hou
Candidates and	swer on the Question paper	

Candidates answer on the Question paper

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

∞ 0

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part [ question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
Total	

This document consists of 19 printed pages and 1 blank page.



www.papaCambridge.com 1 A student was investigating the conditions needed for photosynthesis. He variegated plant (one with green and white leaves). An example of a leaf is show Fig. 1.1.



Fig. 1.1

The plant had been left in the dark before the experiment. The student selected three leaves and made a drawing of each so that he could remember the areas containing chlorophyll. He then set up the apparatus shown in Fig. 1.2.

After 24 hours in daylight he removed the leaves and tested them for the presence of starch.



Fig. 1.2

He tested all three leaves for the presence of starch using the following method.

- He placed the leaf in a beaker of boiling water for one minute. •
- He then took it out and put it into a test-tube.
- Then he added alcohol to the leaf in the tube and placed the tube into the beaker of hot • water until the chlorophyll was removed from the leaf.
- He poured the alcohol out of the tube and rinsed the leaf using cold water. .
- Then he spread the leaf out on a white tile, covered it with iodine solution and waited for any colour change to develop.

His results are shown in Fig. 1.3.

2



www.papaCanbridge.com



(a)	(i)	On Fig. 1.3 add a label to one leaf to show where starch was found. Label this area <b>starch</b> . [1]
	(ii)	What colour was this area after the starch test?
(b)	Wri	te explanations for the results in terms of conditions needed for photosynthesis.
	leaf	Α
	leaf	В
	leaf	C
		[4]
(c)	Exp	lain why the student
	(i)	placed water in tubes <b>A</b> and <b>C</b> ,
	(ii)	boiled the leaf before doing the starch test.

www.papaCambridge.com 2 A student has found three automobile lamps at the scrap yard. The student finds some printing on the lamps, and copies this into Fig. 2.1.

lamp	what is printed on the lamp
1	24 V 36 W
2	12V 18W
3	6V 18W



He wants to compare the resistances of the three lamps using the circuit shown in Fig. 2.2.



Fig. 2.2

- The student inserts lamp **1** into the lampholder. •
- He closes the switch. •
- He reads the voltmeter and ammeter and records the readings in Fig. 2.3. •
- He repeats the experiment using lamp **2**. •

lamp	voltmeter reading/V	ammeter reading/A	brightness of the lamp
1	11.9	0.72	dim
2			bright

Fig. 2.3

www.papacambridge.com 5 (a) The ammeter and voltmeter readings for lamp 2 are shown in Fig. 2.4. Record the readings in Fig. 2.3. 1.0 10 0 0 Fig. 2.4 (b) The student wants to use the equation V = IR to find the resistance of the lamps 1 and 2. (i) Rearrange the equation V = IR. R = \_\_\_\_\_ [1] (ii) Calculate the resistance of lamp 1 using the data from Fig. 2.3. resistance of lamp **1** = \_\_\_\_\_ ohms [1] (iii) Calculate the resistance of lamp 2 using the data from Fig. 2.3. resistance of lamp 2 = \_\_\_\_\_ ohms [1]

www.papaCambridge.com 6 (c) The student repeats the experiment with lamp 3. He fixes the lamp in the lampholder and closes the switch. The lamp glows bright a short time and then the ammeter reading falls to 0. Use data from Fig. 2.1 and 2.3 to help you to explain what happened to lamp 3 when the student used it in the circuit. \_\_\_\_\_ [2] ..... (d) (i) Use data from Fig. 2.1 and Fig. 2.3 to suggest a reason why lamp 1 gave only a dim light. ......[1] (ii) Calculate the power in watts of lamp 2, using data from Fig. 2.3.

> power of lamp 2 = \_\_\_\_\_watts [2]



**BLANK PAGE** 

Please turn over for Question 3.

www.papaCambridge.com 3 Potassium manganate(VII) (potassium permanganate) is a dark crystalline substa solution in water is dark purple. Potassium permanganate solution reacts with solution X. When the reaction is complete the purple colour disappears.

A student uses a dropping pipette and solution **X** to find out which one of three potassium permanganate solutions, A, B or C is the most concentrated. The apparatus is shown in Fig. 3.1.

potassium permanganate solutions





## Procedure

- She measures out some of solution **A** and pours it into a test-tube. •
- She fills the dropping pipette with solution **X**. •
- She adds solution **X** drop by drop to solution **A**, counting the drops, until the reaction • has finished.
- She records the number of drops added in Fig. 3.2.
- She repeats the experiment using solutions **B** and **C**.

solution	number of drops used
А	15
В	24
С	18

		9	
(a)	(i)	9 What must the student do to make a fair comparison between the three so A, B and C?	For iner's
	(ii)	[1] How will she make sure that all the reacting particles come into contact with each other when the drops are added ?	Se.com
		[1]	
	(iii)	How will she know when to stop adding the drops of solution ${f X}$ ?	
		[1]	
	(iv)	Which is the most concentrated of the solutions, A, B or C?	
		[1]	
(b)	-	ggest a way, using the apparatus in Fig. 3.1, of finding the accurate volume of one p of liquid from the teat pipette.	
		[2]	

4

(c) The student carries out tests on solution X. She writes the results in Fig. 3.3.

Complete Fig. 3.3.

	test	observation		conclusion
(i)	To 2 cm <sup>3</sup> of solution <b>X</b> , add a few drops of dilute hydrochloric acid followed by aqueous barium chloride.		[1]	solution <b>X</b> contains sulfate ions
(ii)	To 2 cm <sup>3</sup> of solution <b>X</b> , add aqueous sodium hydroxide until no further change occurs.		[1]	solution <b>X</b> contains iron(II) ions



www.papaCambridge.com The student wants to discover the product of the reaction of solution X with poly permanganate. She places 2 cm<sup>3</sup> of potassium permanganate solution in a test-tube. She adds dilu sulfuric acid. Then she carefully adds solution X drop by drop until the reaction is complete. To the mixture, she adds aqueous sodium hydroxide until no further change occurs. She observes a brown precipitate. (d) (i) Suggest the name of this brown precipitate. [1] ..... (ii) What happens to the iron(II) ions when they react with potassium permanganate?

4 African elephants have big ears to help with temperature control.

www.papaCambridge.com A student set up an experiment as a model to investigate the effect of large ears. She had two insulated beakers as shown in Fig. 4.1. Both beakers had insulated lids. Beaker B also had two model 'ears' made from copper. The student filled both beakers with hot water, then took the temperatures of the water every two minutes. The apparatus is shown in Fig. 4.1.



Fig. 4.1

The results are shown in Fig. 4.3.

(a) Read the thermometers in Fig. 4.2 and enter the readings in the correct places in Fig. 4.3. [2]





temperature of beaker A at 18 mins

temperature of beaker **B** at 6 mins

Fig. 4.2

		4747	
	12	A.D.C.	6
time/mins	temperature of beaker A/°C	temperature of beaker B/°C	bacan For iner
0	84	84	190
2	83	81	.6
4	81	78	
6	78		
8	76	72	
10	74	70	
12	72	67	
14	70	65	
16	68	63	
18		61	
20	65	60	



(b) Plot temperature (vertical axis) against time for beaker A. Draw a smooth curve and label it A. Using the same axes plot the results for beaker B and label it B. [4]



		4342	
		13	
(c)	(i)	Study the results. Which beaker cooled more quickly?	ant
		13   Study the results. Which beaker cooled more quickly?   How do you know?	
		[	1]
	(ii)	In terms of heat transfer explain the effect of the copper.	
		l	1]
(d)	Hov	w are large ears an advantage for elephants living in Africa?	
		[	2]
(e)	Des	scribe two ways the student could make sure the experiment was a fair test.	
	1.		
	2.		
		[	2]



www.papaCambridge.com A student is investigating the path of a light ray through a parallel-sided glass by 5 shown in Fig. 5.1. Look at Fig. 5.1.

Fig. 5.1

- He places the glass block on a sheet of paper on top of a flat piece of soft wood. •
- He draws a line on the paper all round the glass block. •
- He places two upright pins, **A** and **B**, in a line, at an angle to the side of the block. •
- Then he looks through the glass block at the two pins. •
- When he sees the two pins **A** and **B** in line, he places pins **C** and **D** on his side of the • block, in line with pins **A** and **B**.
- He removes the glass block and draws the path of a ray of light through the block.



- (iii) On Fig. 5.2, label i, the angle of incidence, and **r**, the angle of refraction. [1]
- (iv) On Fig. 5.2, measure i, the angle of incidence and r, the angle of refraction to the nearest degree. Record them in the first line of Fig. 5.3, on page 16. [2]

The student repeats the experiment, changing the angle of incidence each time, to give four more sets of readings. He records them in Fig. 5.3.

1	6	MM. PapaCo
angle of incidence i/degrees	angle of refraction <b>r</b> /degrees	Co
38	24	
46	28	
54	32	
63	35	

[3]



(b) On the graph grid provided, plot a graph of i (vertical axis) against r. Draw a smooth curve. Do not try to extend the line beyond the plotted points.

	П	_			Т	-	г			-	-				Т	Т				-			Т	П	_				Т				-	П			
H	+	+			+	+	t		H	+	╈			+	t	+			$^{+}$	+			t	H	+	$\square$			+	Η	H	+	+	+		+	$\vdash$
																								П													
$\square$															+				_				1														
$\vdash$	+	+	+	$\vdash$	+	_	╀	$\square$	$\vdash$	+	+	-	$\square$		+	+	+	$\vdash$	+		$\square$	-	╀	+	+	+	$\square$	+	+	Н	$\vdash$	+	+	+		+	$\square$
$\vdash$	+	+	+		+	+	⊢		$\vdash$	+	+	-		-	+	+		$\vdash$	+	-			╋	$\left  \right $	+			-	+	Н	+	+	+	+		+	$\vdash$
$\vdash$	+	+			+	+	⊢	$\vdash$	$\vdash$	+	+	-		+	+	+	+	+	+	+			╈	+	+			+	+	Н		+	+	+		+	$\vdash$
H	++	+			+	+	t		H	+	+	-		+	t	+		+	+	+		+	t	H	+			+	+	Η		+	+	+		+	$\vdash$
H	Ħ						t			+	+				t	+			t				t	H					+	Η		+					$\vdash$
															Τ																						
$\square$																																					
$\vdash$	$\left  \right $				_	_	⊢			_	_	-			+	_			+				+						_	$\square$		+	_			_	
$\vdash$	++	-			-	_	+		$\square$	+	+	-		_	+	+	+		+	-			+	$\left  \right $	_				+	Н		+	+	+		-	$\vdash$
H	++	+	+		+	+	⊢	$\square$	$\vdash$	+	+	+		+	╋	+	+	+	+	+		+	╋	+	+	+	$\vdash$	+	+	Н	+	+	+	+	-	+	$\vdash$
H	+	+			+	+	⊢		$\vdash$	+	+	-		+	+	+		+	+	+			+	H	+				+	Н	+	+	+	+		+	$\vdash$
H	$^{++}$	+	+	+	+		t	H	H	+	+				t	+	Ħ	+	+	+			t	$\square$	+	$\square$	H		+	H	H	+	+			+	
							t																														
$\square$	μĪ	1	$\square$	Ц	ſ		1		ЦĪ	1	1		Ц		1	1	$\square$	ЦГ	1	1	Ц	Ē	1	$\square$			H	1		Ц	H	ſ		μĪ	_	1	$\square$
$\vdash$	+		+	$\square$	-	_	1	$\square$	$\square$	+	+	+			+	+		$\square$	+	+	$\vdash$		+	$\square$	_	+	$\square$		-	Н	$\square$	+	+	+	+	+	
$\vdash$	+	+	+	$\vdash$	+	+	╀	$\left  \right $	$\vdash$	+	+	+	$\vdash$		+	+		+	+	+	$\square$		+	$\square$	+	$\vdash$	$\vdash$	+	+	Н	$\mathbb{H}$	+	+	+	-	+	$\vdash$
$\vdash$	+	+	+	+	+	+	╀	$\vdash$	+	+	+	+	$\square$	+	+	+	+	+	+	+	$\square$		╋	+	+	+	$\vdash$	+	+	Н	+	+	+	+	-	+	$\vdash$
$\vdash$	+	+	+	H	+	+	t	H	H	+	+	+	H	+	+	+	$\square$	+	+	+	$\square$	+	+	H	+	$\square$	H	+	+	Η	H	+	+	+		+	$\vdash$
	$^{++}$	+	$\top$				t	H	H	+	+				t	+	Ħ	+	+				t	Π	+	$\square$			+	Η	H	+	+	$\square$		+	
$\vdash$	$\square$						⊢		$\square$						$\downarrow$	+			_				+							Ц							
$\vdash$	+	_	+		_	_	⊢		$\square$	_	+	_		_	+	+			+	-			╇		_				+	$\square$		_	+	$\left  \right $		_	$\square$
H	+	-	+		+	-	⊢		$\square$	+	+	-			╉	+			+				╋		+			-	+	H		+	+	+	-	-	$\vdash$
H	+	+			+	-	⊢		$\vdash$	+	+	-		-	╉	+			+	+			+	+	+			-	+	Н		+	+	+		+	$\vdash$
H	+	+				+	⊢		H	+	+	-			╈	+		+	+				t	H	+				+	Η	$\square$	+	+			+	$\vdash$
H	$\square$						T								T	1							T	П						П				$\square$			
															Τ																						
$\square$	$\square$						⊢																1														
$\vdash$	++	_	+		_	_	⊢		$\square$	_	+	_		_	+	+			+	_			╀	$\square$	_				+	Ц		+	+	$\left  \right $		_	$\square$
$\vdash$	++	-			+	+	⊢		$\square$	+	+	-			╉	+	+	$\square$	+				╋	$\left  \right $	+				+	Н		+	+	+		-	$\vdash$
$\vdash$	+	+	+	+	+	-	╀	$\vdash$	+	+	+	+	$\vdash$	+	+	+	+	+	+	+	$\square$		+	$\square$	+	+	$\vdash$	+	+	Η	+	+	+	+	+	+	$\vdash$
H	+	-	+	+	+	-	t		H	+	+	+	$\square$		+	+		+	+	+			+	$\square$	+		H	+	+	Η	H	+	+	+		+	$\vdash$
	$\square$		$\square$				t	Π	H		+				1	+	Π	$\square$					t	Π			H		1	Η	H	1				+	
$\square$	+		$\square$		-		1		$\square$						+												$\square$			Ц		-		+			
$\vdash$	+	-	+	$\vdash$	+	_	╀	$\left  \right $	$\parallel$	+	+	+	$\square$		+	+	$\left  \right $	$\vdash$	+	+	$\square$		╀	$\left  \right $	+		$\vdash$	-	-	$\vdash$	$\parallel$	+	+	+	+	+	$\vdash$
$\vdash$	+		+	+	+	-	╀	$\vdash$	$\vdash$	-	+	+	$\vdash$		+	+		+	+	+	+		╀	$\square$	+	+	$\vdash$	+	+	Н	+	+	+	+		+	$\vdash$
$\vdash$	+	-	+	+	+	+	╀	H	+	+	+	+	$\square$		+	+	$\square$	+	+	+	+		╋	$\square$	+	$\square$	H	+	+	Η	H	+	+	+		+	$\vdash$
$\vdash$	+	-	+	H	1	+	t	H	H		+	1	H		+	+		+	+	1			t	$\square$	+	$\square$	H		+	Η	H	+	+			+	$\vdash$
	$\square$	T			T		ſ				T				T	T			T						1							1					
$\vdash$	+						1				+				$\downarrow$			$\square$	+					$\square$							$\square$	$\downarrow$				$\perp$	
$\vdash$	+	-	+	$\vdash$	+	_	╀	$\square$	$\vdash$	+	+	-	$\square$		+	+	+	$\vdash$	+	+	$\square$		╀	+	+	+	$\vdash$	+	+	Н	$\vdash$	+	+	+		+	$\square$
$\vdash$	+	+	+	$\vdash$	+	+	╀	$\vdash$	$\vdash$	+	+	+	$\square$		+	+	$\square$	$\vdash$	+	+	$\square$	-	╀	$\square$	+	$\square$	$\vdash$	+	+	Н	$\mathbb{H}$	+	+	+	-	+	$\vdash$
$\vdash$	+	-	+	+	+	+	┢	H	+	-	+	+	$\square$		+	+	$\square$	+	+	+	$\square$		+	$\square$	+	$\square$	H	+	+	Η	H	+	+	+	+	+	$\vdash$
H	+		+	+	+	-	t		H	+	+	+	H		+	+		+	+	+			+	$\square$	+		H	+	+	Η	H	+	+	+		+	$\vdash$
	$\square$		$\square$		1		t	Π	H		+				1	+	Π	$\square$	+				t	Π			H		1	Η	H	1					
$\square$	Π	T			T		ſ			T	T				T	T	F		T					П	T			T				1	T		T	1	
	1 1				-		1		$\square$	+	-				+			$\square$	+					$\square$	_						$\square$	+				+	
$\vdash$	+-+																																				
	Π		+		_	_	⊢		$\square$	+	+	-		-	+	+			+	+			╋	$\square$	+			-	+	$\square$		+	+	$\left  \right $	_		$\vdash$

www.papacambridge.com (c) Use your graph to determine the angle of incidence when the angle of refraction. Show how you do this on the graph.

angle of incidence = \_\_\_\_\_degrees





(a) He holds a thin white card horizontally in each flame for about 5 seconds, as shown in Fig. 6.2. The results are shown in Fig. 6.3.



Fig. 6.3

	423	
	19	
(i)	19 Explain why black soot forms on the card in flame A.	and
		. ]
	[2	2]
(ii)	Suggest why there is a partly-burned ring with an unburned centre, on the care that was held in flame <b>B</b> .	d
		.
	[2	2]
The stu	cher gives the student a sample of sodium nitrate crystals in a test-tube. dent heats the tube in each flame for 3 minutes, beginning with flame <b>A</b> . shows the results.	
	flame A flame B flame C bubbles are given off fig. 6.4	
	e <b>one word</b> in each case to suggest what happens to the sodium nitrate when it is ited.	s
(i)	In flame <b>B</b> , the sodium nitrate [	1]
(ii)	In flame <b>C</b> , the sodium nitrate	1]

	474
	20
(c)	The student thinks that oxygen is being given off from the sodium nitrate in flame
	20 The student thinks that oxygen is being given off from the sodium nitrate in flame Explain how he can show that the gas given off is oxygen. Give all necessary details the test.
	[2]
(d)	The teacher asks the student to explain why flame ${f C}$ is hotter than the other flames.
	Suggest why flame <b>C</b> is the hottest.
	[2]