

2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

 ∞

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES

Answer **all** questions. A copy of the Periodic Table is printed on page 28.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use	
1	
2	
3	
4	
5	
6	
7	
8	
9	
Total	

This document consists of 25 printed pages and 3 blank pages.



1 Fig. 1.1 shows a blood capillary between alveoli in the lungs. The alveoli provide exchange surface.



Fig. 1.1

(a) Describe what happens in the red blood cells as they pass through the capillaries in the lungs.

..... [2]

(b) White blood cells are able to move out of blood capillaries through tiny gaps in their walls. Suggest the function of the white blood cell in the alveolus.

..... [1]

		422	
		3	
(c)	(i)	Describe how air is made to move into the lungs during inhalation.	For
			mbrie iner's
			🔪
			[3]
	(::)	Current why there are electic fibres around the church	
	(11)	Suggest why there are elastic libres around the alveoli.	
			[']
(d)	Exp	plain how the structures shown in Fig. 1.1 make the alveoli an efficient surface t	or
	yaa	eous exchange.	
	•••••		[5]
(e)	Des	scribe how gas exchange takes place in the leaf of a plant.	





www.papaCambridge.com 3 A student investigates the reaction between magnesium and dilute acid Y. Fig. 3.1 shows the metal being added to the acid contained in a test-tube, and also same tube some time later.



magnesium chloride solution



(a) (i) Name acid Y. [1] (ii) Describe and explain one observation which the student would have made during the reaction. [2] (iii) The student noticed that, within a short time, the piece of magnesium completely reacted. Predict and explain what would be observed if another small piece of magnesium were added to the solution in the tube shown on the right of Fig. 3.1. [2]

www.papaCambridge.com (b) Explain why a metal such as magnesium is a good conductor of electricity. You draw a labelled diagram to help your explanation.

•••••
[3]
[0]

PLEASE TURN OVER FOR QUESTION 3(c)

www.papacambridge.com (c) Magnesium alloys are widely used in making parts for aircraft and racing car eng Table 3.1 shows some incomplete data about one type of magnesium alloy.

Table 3.1

element	moles in 100g of alloy	mass in 100g of alloy /g
magnesium		
zinc	0.055	3.575
zirconium	0.011	

(i) Calculate the mass of zirconium in 100 g of the alloy. Zirconium is in Period 5 of the Periodic Table.

Show your working.

[2]

(ii) Calculate the mass and hence the number of moles of magnesium in 100 g of the alloy.

Show your working.

[3]

www.papaCambridge.com 4 In the 1930s, farmers growing sugar cane in tropical parts of Australia had problem insect pests, such as lacebugs, that ate the crop. Cane toads, Bufo marinus, introduced from central America to try to solve the problem. Cane toads kill and eat insect and other small animals.

Fig. 4.1 shows a cane toad.



Fig. 4.1

(a) State one feature of a cane toad, visible in Fig. 4.1, which shows that it is an amphibian.

[1]

(b) Name the genus to which cane toads belong.

[1]

(c) Use the information above to write a food chain involving cane toads. For each organism, state whether it is a producer or a consumer.

[2]

www.papaCambridge.com (d) The cane toads did help to control the insect population. However, they also at other small animals, including species of rare and endangered mammals. The toads have spread rapidly from the place to which they were introduced, into oth areas of Australia. Cane toads have become a serious pest.

Biologists noticed that the cane toads that first arrived in a new area tended to have longer legs than the original cane toads that were introduced into Queensland. They thought that perhaps this happened because toads with longer legs could travel faster than other toads. They collected toads with different leg lengths, and measured the distance the toads travelled in 24 hours. The results are shown in Fig. 4.2.



Fig. 4.2

(i) Calculate the speed at which a toad with normal leg length travelled. Show your working.

[2]

(ii) Suggest why it could be an advantage to a cane toad to move into a new area where there are no other cane toads present.

[1]

(iii) The researchers suggested that cane toads might be evolving into toads longer legs. Using all the information provided, outline how this might happen.

MANN, Danac ann Foi iner's intige Con [4]

		12	
		12	
(a)	Sor	me countries use nuclear fission reactors to generate electricity.	For
	(i)	What is meant by the term <i>nuclear fission</i> ?	high
			S.Com
		[1]	
	(ii)	State one advantage and one disadvantage of generating electricity using nuclear reactors.	
		advantage	
		disadvantage	
		[2]	

(b) When nuclear fuel is used in a power station, ionising radiation is released.

Table 5.1 shows some information about three types of ionising radiation.

Table 5.1

radiation	ionising power	deflection by electric field
alpha	very strong	small
beta	moderate	large
gamma	weak	none

(i) Explain how alpha, beta and gamma radiations can be separated from each other by passing them across an electric field.

[4]

5

422	
13	
(ii) Explain why alpha radiation is the most ionising.	Canner's
	[1] Se.com
(iii) Describe the effect of ionising radiation on living things.	
	[1]
(iv) Why are radioactive sources stored in lead containers?	
	[1]



BLANK PAGE



(b) Crude oil is a mixture of different hydrocarbon molecules. A typical hydro molecule is shown in Fig. 6.2.



(ii) Suggest a process which could be used to separate the mixture of alkanes and alkenes.

[1]

(iii) A research chemist is investigating two catalysts, P and Q, for use in the p shown in Fig. 6.3.

www.papaCambridge.com Describe a simple chemical test for alkenes. Suggest how the chemist could use this test to discover which catalyst, P or Q, produces a mixture containing the larger amount of alkenes.

[3]

7 Fig. 7.1 shows the female reproductive system.





(a) Name the structures labelled A, B, C and D.



[2]

www.papaCambridge.com

(b) Fig. 7.2 shows how the thickness of the uterus lining changes during the menstrual cycle.





(i) Suggest the date on which menstruation began.

[1]

(ii	19) Suggest the date on which ovulation (the release of an egg from an occurred	For
	[1]	hidge.com
(c) A h	IDS can be transmitted from one person to another during sexual intercourse. Explain ow this transmission can take place.	
	[2]	
(d) H fe (i	umans, like all mammals, use internal fertilisation, whereas fish use external ertilisation.) Explain what is meant by <i>external fertilisation</i> .	
	[2]	
(ii) Explain why external fertilisation is used only by animals that reproduce in water.	
	[1]	
(iii) Mammals produce only a few eggs at a time, whereas fish produce thousands. Suggest why.	

- 8 An airline passenger enters an airport.
- www.papacambridge.com (a) He buys some hot food at the restaurant and carries it away in a polystyrene contained Explain why a polystyrene container is used to keep food hot.

_____ [1]

(b) He then moves up an escalator (moving staircase) as shown in Fig. 8.1.



Fig. 8.1

The passenger weighs 900 N. Calculate the work done lifting the passenger a (i) vertical distance of 6 m up the escalator.

State the formula that you use and show your working.

formula

working

[2]

(ii) State the potential energy the passenger has gained when he reaches the top of the escalator.

> [1]

www.papacambridge.com 21 (c) The passenger places three pieces of luggage onto a conveyor belt as sh Fig. 8.2. A В С Fig. 8.2 Each piece of luggage has a different mass. mass of A = 12 kg mass of **B** = 15 kg mass of C = 22 kg (i) What is the momentum of the luggage before the conveyor belt starts to move? Explain your answer. _____ [2] (ii) When the conveyor belt is switched on, the luggage moves at a constant speed of 0.5 m/s. Which piece of luggage A, B or C has the most momentum? Explain your answer. [1] (iii) At one point the conveyor belt turns left. The luggage on the belt continues to move at a constant speed. Does the momentum of the luggage change as it turns left on the conveyor belt? Explain your answer. [1]



www.papacambridge.com (e) A large crane is being used to build a new terminal building at the airport. The Fig. 8.3 is balanced.



Fig. 8.3

(i) Calculate the moment of the load about the supporting tower of the crane.

State the formula that you use and show your working.

formula

working

- [2]
- (ii) Calculate the distance of the crane's counterbalance from the crane's supporting tower.

Show your working.

[2]

www.papaCambridge.com 9 Fig. 9.1 shows the apparatus and substances used by a student to make an electrical





(a) Suggest a compound which the student could dissolve in water to make the electrolyte.

Explain your answer briefly.

[2]

(b) The student knows that the electrode made from the more reactive metal is the negative electrode of the cell.

The student has three other electrodes made of unknown metals X, Y and Z. The results of experiments involving all five metals are shown in Table 9.1.

experiment	negative electrode	positive electrode	cell voltage / volts
1	zinc	copper	1.1
2	x	copper	2.7
3	Y	copper	1.5
4	x	Z	3.2

Table	9.1	
-------	-----	--

www.papaCambridge.com 25 (i) Use the results shown in Table 9.1 to place the metals in order of real Copper has already been placed in position. (most reactive) copper (least reactive) [2] (ii) State and explain briefly which one of the metals above has atoms which change into ions most easily. [2] (c) Copper is a transition metal which forms two oxides. The chemical formulae of these oxides are: Cu_2O copper(I) oxide CuO copper(II) oxide The formula and electrical charge of an oxide ion is O^{2-} . Deduce the difference between the copper ion in copper(I) oxide and that in copper(II) oxide. Show how you obtained your answer. [3] (d) Zinc can be obtained industrially by the electrolysis of concentrated zinc sulphate solution which contains zinc ions, Zn²⁺. Describe and explain what happens to zinc ions in the solution in order to convert them into zinc atoms. [3]



BLANK PAGE



BLANK PAGE

Pe rea put University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of

rmission to reprodu asonable effort has b blisher will be please	
ce iten een ma d to ma	
ns wh ade by ake ar	
ere thi / the p nends	
ird-par ublish at the	
ty ow er (UC earlie:	
ned m LES) st pos	3
naterial p to trace sible opp	11
rotected copyrigh ortunity.	Po
l by c it hold	19
opyright ers, but	R 37
is inc if any	
cluded	55
has l requir	
been : ing cl	F 87
sough	*58
e hav	130
cleare e unw	Ke
ittingly	
been	
incluc	
. Ever led, th	
e∖	



DATA SHEET The Periodic Table of the Elements

I II IV V VI VII 0 1 1								Gr	oup						-		
1 1 <td>I</td> <td>II</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>III</td> <td>IV</td> <td>V</td> <td>VI</td> <td>VII</td> <td>0</td>	I	II										III	IV	V	VI	VII	0
7 9 11 12 14 16 19 20 10 10 11 12 14 16 19 10 1							1 H Hydrogen 1										4 He Helium
$ \frac{23}{Na} \frac{24}{Na} \frac{Na}{Ng} \frac{12}{Na} \frac{12}{Na} \frac{12}{Na} \frac{12}{Na} \frac{13}{Na} \frac{31}{Na} \frac{32}{Na} \frac{35.5}{Na} \frac{40}{Na} \frac{14}{Na} \frac{15}{Na} \frac$	7 Li E Lithium Ber 4	9 Be ryllium										11 B Boron 5	12 C Carbon 6	14 N Nitrogen	16 O Oxygen 8	19 F Fluorine 9	20 Ne Neon 10
39 40 45 56 57 56 59 59 64 65 70 73 75 79 80 84 Potassium 2 Sc Ti V V Sc	23 Xa Na Magu Sodium 12	24 Mg gnesium										27 A1 Aluminium 13	28 Si Silicon 14	31 P Phosphorus 15	32 Sulphur 16	35.5 C1 Chlorine	40 Ar Argon 18
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	39 K Potassium 9 20	40 4 Ca S alcium 21	45 48 Sc Ti Itianium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron 26	59 Co Cobalt 27	59 Ni Nickel 28	64 Cu Copper 29	65 Zn Zinc 30	70 Ga Gallium 31	73 Ge Germanium 32	75 As Arsenic 33	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton 36
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	85 Rb Rubidium 87 85 85 87 85 85 87 87 87	88 8 Sr Yontium Ytt 39	89 91 Y Zr Zirconium 40	93 Nb Niobium 41	96 Mo Molybdenum 42	Tc Technetium 43	101 Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver 47	112 Cd Cadmium 48	115 In Indium 49	119 Sn 50	122 Sb Antimony 51	128 Te Tellurium 52	127 I Iodine 53	131 Xe _{Xenon} 54
Fr R_{a}	133 1 Cs E Caesium Ba 55 56	137 1: Ba L arium Lanti 57	39 178 .a Hf ^{hanum} * 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re Rhenium 75	190 Os Osmium 76	192 Ir Iridium	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury 80	204 T 1 Thallium 81	207 Pb Lead 82	209 Bi Bismuth 83	Polonium 84	At Astatine 85	Rn ^{Radon}
$\frac{140}{90-103} \frac{141}{2} = 10^{-1} \frac{141}{1} = 10^{-1} \frac{141}{1}$	Fr Francium Ra 87 88	226 21 Ra A adium Acti 89	27 AC inium														
a a = relative atomic mass 232 238	58-71 Lantha 90-103 Actin	anoid series	es	140 Ce 58	141 Pr Praseodymium 59	144 Nd Neodymium 60	Pm Promethium 61	150 Sm Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	159 Tb Terbium 65	162 Dy Dysprosium 66	165 Ho Holmium 67	167 Er Erbium 68	169 Tm ^{Thulium} 69	173 Yb Ytterbium 70	175 Lu Lutetium 71
$\begin{array}{c} X \\ b \end{array} \end{array} = proton (atomic) number \\ y_0 \end{array} \qquad \begin{array}{c} Th \\ y_1 \end{array} = proton (atomic) number \\ y_1 \end{array} \qquad \begin{array}{c} Th \\ y_1 \end{array} = \begin{array}{c} Th \\ y_1 \end{array} \qquad \begin{array}{c} Th \\ Th $	ey X	a = relativ X = atom b = proto	ve atomic mass nic symbol n (atomic) number	232 Th Thorium 90	Pa Protactinium 91	238 U Uranium 92	Np Neptunium 93	Pu Plutonium 94	Am Americium 95	Cm ^{Curium} 96	Bk Berkelium 97	Cf Californium 98	Es Einsteinium 99	Fm Fermium 100	Md Mendelevium 101	No Nobelium 102	Lr Lawrencium 103